

# **KTM**

**BIKE INDUSTRIES**



**2 0 2 1**



Ladies and Gentlemen,

we don't know if it's helping to reduce waste, but we know it's worth trying. For this reason, we just provide one catalogue, including all our range. Further information will be available on our website. New homepage in progress.

Sehr geehrte Damen und Herren,

wir wollen versuchen, Abfall zu reduzieren und Ressourcen zu schonen. Aus diesem Grund fassen wir unsere Produktpalette in einem Katalog zusammen. Detaillierte Informationen finden Sie auf unserer Homepage. Ein neuer Web-Auftritt ist in Arbeit.

# E - B I K E

[KTM-BIKES.AT](http://KTM-BIKES.AT)



**E-FULLY**

4

**E-HARDTAIL**

16

**E-ROAD**

28

**E-OFFROAD**

30

**E-ONROAD**

36

**E-URBAN**

46

**INFO**

120



# E - F U



## MACINA PROWLER



MACINA  
PROWLER EXONIC  
PT-CX6K6  
XX1 AXS 1\*12

6



MACINA  
PROWLER PRESTIGE  
PT-CX6K4  
XTR 1\*12

7



MACINA  
PROWLER MASTER  
PT-CX6K4  
DEORE XT 1\*12

7

## MACINA KAPOHO



MACINA  
KAPOHO PRESTIGE  
PT-CX6K6  
XTR 1\*12

8



MACINA  
KAPOHO MASTER  
PT-CX6K4  
DEORE XT 1\*12

9



MACINA  
KAPOHO ELITE  
PT-CX6P4  
DEORE XT 1\*12

10



MACINA  
KAPOHO 2971  
PT-CX6K6  
DEORE XT 1\*12

11



MACINA  
KAPOHO 2972  
PT-CX6K4  
DEORE XT 1\*12

11



MACINA  
KAPOHO 2973  
PT-CX6P4  
SRAM SX 1\*12

11



L

L

Y

## MACINA LYCAN



MACINA  
**LYCAN 271**  
PT-CX6K4  
DEORE XT 1x12

12



MACINA  
**LYCAN 271 GLORIOUS**  
PT-CX6K4  
DEORE XT 1x12

13



MACINA  
**LYCAN 272**  
PT-CX6P4  
SRAM SX 1x12

13



MACINA  
**LYCAN 272 GLORIOUS**  
PT-CX6P4  
SRAM SX 1x12

13

## MACINA CHACANA



MACINA  
**CHACANA 291**  
PT-CX6K6  
DEORE XT 1x12

14



MACINA  
**CHACANA 292**  
PT-CX6I4  
DEORE XT 1x12

15



MACINA  
**CHACANA 293**  
PT-CX6P4  
SRAM SX 1x12

15



MACINA  
**CHACANA 294**  
PT-CX5P2  
SRAM SX 1x12

15



MACINA  
**CHACANA LFC**  
PT-CX6I4  
SRAM SX 1x12

15



# MACINA PROWLER EXONIC

E-FULLY

9



<b>DRIVETRAIN</b>	1x12 Sram XX1 AXS
<b>E-SYSTEM</b>	BOSCH PT-CX6K6
<b>FRAME</b>	Macina Prowler Dimmix Performance Carbon SLL-LTE 170mm; PT625 Bosch Gen.4 / M-0136
<b>FORK</b>	FOX 38 Float 29" Factory e-bike 180mm (kashima) FIT4
<b>SHOCK</b>	FOX DHX2 Factory 2Position 250x75
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	SRAM XX1 Eagle AXS 12speed
<b>BRAKE</b>	Shimano XTR M9100 M9120 4-Piston
<b>TIRE F</b>	Schwalbe Eddy Current Front Evo SuperTrail TLE 65-622
<b>TIRE R</b>	Schwalbe Eddy Current Rear Evo SuperGravity TLE 70-584
<b>MODULE NO.</b>	021300
<b>WEIGHT</b>	24 kg (without pedals)

⚡ PT-CX6K6

🔧 170 mm REAR

⚙️ 1x12 SRAM XX1 AXS

THE ACE UP YOUR  
JERSEY SLEEVE.



## MACINA PROWLER PRESTIGE

DRIVETRAIN	1×12 Shimano XTR
E-SYSTEM	BOSCH PT-CX6K4
FRAME	Macina Prowler Dimmix Performance Carbon SLL-LTE 170mm; PT625 Bosch Gen.4 / M-0136
FORK	FOX 38 Float 29" Performance e-bike 180mm
SHOCK	FOX DHX2 PerformanceElite 2Position 250x75
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch KIOX TFT Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano XTR M9100-12 SGS shadow+
BRAKE	Shimano XTR M9100 M9120 4-Piston
TIRE F	Schwalbe Eddy Current Front Evo SuperGravity TLE 62-622
TIRE R	Schwalbe Eddy Current Rear Evo SuperGravity TLE 70-584
MODULE NO.	021301
WEIGHT	25 kg (without pedals)



## MACINA PROWLER MASTER

DRIVETRAIN	1×12 Shimano Deore XT
E-SYSTEM	BOSCH PT-CX6K4
FRAME	Macina Prowler Dimmix Performance Carbon SLL-LTE 170mm; PT625 Bosch Gen.4 / M-0136
FORK	RockShox Lyrik Select 29" 180mm
SHOCK	RockShox SuperDeluxe Select+ 250x75
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch KIOX TFT Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore XT M8100 M8120 4-Piston
TIRE F	Maxxis Minion DHF 3C- MaxxTerra/EXO/TR 63-622
TIRE R	Maxxis Minion DHR II 3C- MaxxTerra/EXO/TR 70-584
MODULE NO.	021302
WEIGHT	23,7 kg (without pedals)





# MACINA KAPOHO PRESTIGE

E-FULLY  
8



<b>DRIVETRAIN</b>	1x12 Shimano XTR
<b>E-SYSTEM</b>	BOSCH PT-CX6K6
<b>FRAME</b>	Macina Kapoho Dimmix Performance Carbon SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0146
<b>FORK</b>	FOX 36 Float 29" Factory e-bike 160mm (kashima) FIT4
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano XTR M9100-12 SGS shadow+
<b>BRAKE</b>	Shimano XTR M9100 / M9120 4-Piston
<b>TIRE F</b>	Schwalbe Eddy Current Front Evo SuperTrail TLE 65-622
<b>TIRE R</b>	Schwalbe Eddy Current Rear Evo SuperGravity TLE 70-584
<b>MODULE NO.</b>	021304
<b>WEIGHT</b>	24,3 kg (without pedals)

⚡ PT-CX6K6

🔪 160 mm REAR

⚙️ 1x12 SHIMANO XTR

UPHILL.  
DOWNHILL.  
WHY NOT BOTH?



# MACINA KAPOHO MASTER



<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K4
<b>FRAME</b>	Macina Kapoho Dimmix Performance Carbon SLL-LTE 160mm; PT625 Bosch Gen. 4 / M-0146
<b>FORK</b>	FOX 36 Float 29" Performance e-bike 160mm
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen. 4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano Deore XT M8100 / M8120 4-Piston
<b>TIRE F</b>	Maxxis Minion DHF 3C-MaxxTerra/EXO/TR 63-622
<b>TIRE R</b>	Maxxis Minion DHR II 3C-MaxxTerra/EXO/TR 70-584
<b>MODULE NO.</b>	021305
<b>WEIGHT</b>	24,2 kg (without pedals)

⚡ PT-CX6K4

🔪 160 mm REAR

⚙️ 1x12 SHIMANO DEORE XTR

E-FULLY

0



# MACINA KAPHOH ELITE

E-FULLY

10



<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6P4
<b>FRAME</b>	Macina Kapoho Dimmix Performance Carbon SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0146
<b>FORK</b>	RockShox 35 silver TK 29" 160mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano M4100 / MT420 4-Piston
<b>TIRE F</b>	Maxxis Minion DHF 3C-MaxxTerra/EXO/TR 63-622
<b>TIRE R</b>	Maxxis Minion DHR II 3C-MaxxTerra/EXO/TR 70-584
<b>MODULE NO.</b>	021306
<b>WEIGHT</b>	24,8 kg (without pedals)

⚡ PT-CX6P4

🔧 160 mm REAR

⚙️ 1x12 SHIMANO DEORE XT



## MACINA KAPOHO 2971

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K6
<b>FRAME</b>	Macina Kapoho Dimmix Alloy6061 SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0166
<b>FORK</b>	FOX 36 Float 29" Performance e-bike 160mm
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano Deore XT M8100 / M8120 4-Piston
<b>TIRE F</b>	Maxxis Minion DHF 3C-MaxxTerra/EXO/TR 63-622
<b>TIRE R</b>	Maxxis Minion DHR II 3C-MaxxTerra/EXO/TR 70-584
<b>MODULE NO.</b>	021307
<b>WEIGHT</b>	25,3 kg (without pedals)



## MACINA KAPOHO 2972

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K4
<b>FRAME</b>	Macina Kapoho Dimmix Alloy6061 SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0166
<b>FORK</b>	RockShox 35 gold RL 29" 160mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano M4100 / MT420 4-Piston
<b>TIRE F</b>	Maxxis Minion DHF 3C-MaxxTerra/EXO/TR 63-622
<b>TIRE R</b>	Maxxis Minion DHR II 3C-MaxxTerra/EXO/TR 70-584
<b>MODULE NO.</b>	021308
<b>WEIGHT</b>	25,7 kg (without pedals)



## MACINA KAPOHO 2973

<b>DRIVETRAIN</b>	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX6P4
<b>FRAME</b>	Macina Kapoho Dimmix Alloy6061 SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0166
<b>FORK</b>	RockShox 35 silver TK 29" 160mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	SRAM SX Eagle 12speed
<b>BRAKE</b>	Shimano M4100 / MT420 4-Piston
<b>TIRE F</b>	Schwalbe Nobby Nic Perf. Folding 65-622
<b>TIRE R</b>	Schwalbe Nobby Nic Perf. Folding 70-584
<b>MODULE NO.</b>	021309
<b>WEIGHT</b>	25,8 kg (without pedals)





# MACINA LYCAN 271

E-FULLY

12



<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K4
<b>FRAME</b>	Macina Lycan 27.5" Alloy6061 SLL-E 140mm; PT625 Bosch Gen.4 / M-0196
<b>FORK</b>	RockShox 35 gold RL 27.5" 140mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERRAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano Deore M6100 / M6120 4-Piston
<b>TIRE F</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>TIRE R</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>MODULE NO.</b>	021310
<b>WEIGHT</b>	24,8 kg (without pedals)

⚡ PT-CX6K4

🔪 140 mm REAR

⚙️ 1x12 SHIMANO DEORE XT

## NEVER STOP EXPLORING.



## MACINA LYCAN 271 GLORIOUS

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K4
<b>FRAME</b>	Macina Lycan 27.5" Alloy6061 SLL-E 140mm; PT625 Bosch Gen.4 / M-0196
<b>FORK</b>	RockShox 35 gold RL 27.5" 140mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano Deore M6100 / M6120 4-Piston
<b>TIRE F</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>TIRE R</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>MODULE NO.</b>	021311
<b>WEIGHT</b>	24,8 kg (without pedals)



## MACINA LYCAN 272

<b>DRIVETRAIN</b>	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX6P4
<b>FRAME</b>	Macina Lycan 27.5" Alloy6061 SLL-E 140mm; PT625 Bosch Gen.4 / M-0196
<b>FORK</b>	Suntour XCR 34 air 27.5" LOR 140mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	SRAM SX Eagle 12speed
<b>BRAKE</b>	Shimano M4100 / MT420 4-Piston
<b>TIRE F</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>TIRE R</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>MODULE NO.</b>	021312
<b>WEIGHT</b>	25,3 kg (without pedals)



## MACINA LYCAN 272 GLORIOUS

<b>DRIVETRAIN</b>	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX6P4
<b>FRAME</b>	Macina Lycan 27.5" Alloy6061 SLL-E 140mm; PT625 Bosch Gen.4 / M-0196
<b>FORK</b>	Suntour XCR 34 air 27.5" LOR 140mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	SRAM SX Eagle 12speed
<b>BRAKE</b>	Shimano M4100 / MT420 4-Piston
<b>TIRE F</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>TIRE R</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>MODULE NO.</b>	021313
<b>WEIGHT</b>	25,3 kg (without pedals)



# MACINA CHACANA 291

E-FULLY

14



<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K6
<b>FRAME</b>	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186
<b>FORK</b>	FOX 34 Float 29" Rhythm e-bike 130mm
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano Deore XT M8100 / M8120 4-Piston
<b>TIRES</b>	Schwalbe Johnny Watts Perf. DD RaceGuard Folding 65-622
<b>MODULE NO.</b>	021315
<b>WEIGHT</b>	25,3 kg (without pedals)

⚡ PT-CX6K6

🔧 125 mm REAR

⚙️ 1x12 SHIMANO DEORE XT

## YOUR ADVENTURE AWAITS.



## MACINA CHACANA 292

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6I4
<b>FRAME</b>	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186
<b>FORK</b>	RockShox 35 gold RL 29" 130mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano M4100 / MT420 4-Piston
<b>TIRES</b>	Schwalbe Johnny Watts Perf. DD RaceGuard Folding 65-622
<b>MODULE NO.</b>	021316
<b>WEIGHT</b>	25,7 kg (without pedals)



## MACINA CHACANA 293

<b>DRIVETRAIN</b>	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX6P4
<b>FRAME</b>	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186
<b>FORK</b>	Suntour XCR 34 air 29" LOR 130mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	SRAM SX Eagle 12speed
<b>BRAKE</b>	Tektro HD-M750 / E730 4-Piston
<b>TIRES</b>	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622
<b>MODULE NO.</b>	021317
<b>WEIGHT</b>	25,2 kg (without pedals)



## MACINA CHACANA 294

<b>DRIVETRAIN</b>	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX5P2
<b>FRAME</b>	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186
<b>FORK</b>	Suntour XCR 34 coil 29" LOR 130mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 500Wh hor.
<b>R. DERAILLEUR</b>	SRAM SX Eagle 12speed
<b>BRAKE</b>	Shimano MT401 / MT420 4-Piston
<b>TIRES</b>	Schwalbe Smart Sam K-Guard 60-622
<b>MODULE NO.</b>	021318
<b>WEIGHT</b>	24,7 kg (without pedals)



## MACINA CHACANA LFC

<b>DRIVETRAIN</b>	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX6I4
<b>FRAME</b>	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186
<b>FORK</b>	RockShox 35 silver TK 29" 130mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	SRAM SX Eagle 12speed
<b>BRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston
<b>TIRES</b>	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622
<b>MODULE NO.</b>	021319
<b>WEIGHT</b>	28,1 kg (without pedals)





# E - H A R



## MACINA TEAM



MACINA  
TEAM 291  
PT-CX6K4  
DEORE XT 1\*12

18



MACINA  
TEAM 292  
PT-CX6I4  
DEORE 1\*11

19



MACINA  
TEAM 272  
PT-CX6I4  
DEORE 1\*11

19



MACINA  
TEAM 272 GLORIOUS  
PT-CX6I4  
DEORE 1\*11

20



MACINA  
TEAM 293  
PT-CX6P2  
DEORE 1\*10

21



MACINA  
TEAM 273  
PT-CX6P2  
DEORE 1\*10

21



MACINA  
TEAM XL  
PT-CX6I4  
DEORE 1\*11

21



MACINA  
TEAM LFC  
PT-CX6I4  
DEORE 1\*11

21



# DETAIL

## MACINA RACE



MACINA  
RACE 291  
PT-CX5P2  
DEORE 1\*10

22



MACINA  
RACE 271  
PT-CX5P2  
DEORE 1\*10

23



MACINA  
RACE 292  
PT-CX5P2  
ALIVIO 1\*9

23



MACINA  
RACE 272  
PT-CX5P2  
ALIVIO 1\*9

23

## MACINA RIDE



MACINA  
RIDE 291  
UC-A+5P2  
ALIVIO 1\*9

24



MACINA  
RIDE 271  
UC-A+5P2  
ALIVIO 1\*9

24

## MACINA MINI ME



MACINA  
MINI ME 261  
PT-PS12  
ALIVIO 1\*9

25



MACINA  
MINI ME 241  
PT-A+412  
ALIVIO 1\*9

25

## MACINA AERA



MACINA  
AERA 271  
PT-CX614  
DEORE 1\*11

26



MACINA  
AERA 271 LFC  
PT-CX614  
DEORE 1\*11

27



MACINA  
AERA P272  
SI-PS14  
DEORE 1\*10

27



MACINA  
AERA P272 LFC  
SI-PS14  
DEORE 1\*10

27

# MACINA TEAM 291

E - HARDTAIL

18



<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K4
<b>FRAME</b>	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen.4 / M-0666
<b>FORK</b>	FOX 34 Float 29" Rhythm e-bike 120mm
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano Deore M6100 / M6120 4-Piston
<b>TIRES</b>	Schwalbe Nobby Nic Perf. Folding 60-622
<b>MODULE NO.</b>	021320
<b>WEIGHT</b>	22.9 kg (without pedals)

⚡ PT-CX6K4

⚙️ 1\*12 SHIMANO DEORE XT

HUNTS YOU  
THROUGH  
THE WOODS.



## MACINA TEAM 292

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina MTB 29" Alloy6061: PT625Wh Bosch Gen.4 / M-0666
FORK	RockShox 35 silver TK 29" 120mm 15x110
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Shimano MT401 MT420 4-Piston
TIRES	Schwalbe Nobby Nic Perf. Folding 60-622
MODULE NO.	021321
WEIGHT	23.2 kg (without pedals)



## MACINA TEAM 272

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina MTB 27.5" Alloy6061: PT625Wh Bosch Gen.4 / M-1676
FORK	RockShox 35 silver TK 27.5" 100mm 15x110
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Shimano MT401 MT420 4-Piston
TIRES	Schwalbe Nobby Nic Perf. Folding 65-584
MODULE NO.	021322
WEIGHT	22.5 kg (without pedals)



# MACINA TEAM 272 GLORIOUS



E - HARDTAIL

20



<b>DRIVETRAIN</b>	1x11 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina MTB 27.5" Alloy6061: PT625Wh Bosch Gen.4 / M-1676
<b>FORK</b>	RockShox 35 silver TK 27.5" 100mm 15x110
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore M5100-11 SGS shadow+
<b>BRAKE</b>	Shimano MT401 / MT420 4-Piston
<b>TIRES</b>	Schwalbe Nobby Nic Perf. Folding 65-584
<b>MODULE NO.</b>	021323
<b>WEIGHT</b>	23,2 kg (without pedals)

⚡ PT-CX614

⚙️ 1x11 SHIMANO DEORE

FROM WOMEN.  
FOR WOMEN.

Inspired by

**Bloomers**  
women in their elements



## MACINA TEAM 293

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX6P2
FRAME	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen.4 / M-0666
FORK	Suntour XCM 34 coil 29" NLO 120mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5120-11/10 SGS shadow+
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Nobby Nic Perf. Folding 60-622
MODULE NO.	021324
WEIGHT	24,3 kg (without pedals)



## MACINA TEAM 273

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX6P2
FRAME	Macina MTB 27.5" Alloy6061; PT625Wh Bosch Gen.4 / M-1676
FORK	Suntour XCM 34 coil 27.5" NLO 100mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5120-11/10 SGS shadow+
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Nobby Nic Perf. Folding 65-584
MODULE NO.	021326
WEIGHT	24 kg (without pedals)



## MACINA TEAM XL

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX6I4
FRAME	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen.4 / M-0666
FORK	Suntour XCR 34 air 29" LOR 120mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Tektro HD-M750 / E730 4-Piston
TIRES	Schwalbe Smart Sam Plus Perf. DD GreenGuard 57-622
MODULE NO.	021326
WEIGHT	25,5 kg (without pedals)



## MACINA TEAM LFC

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX6I4
FRAME	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen.4 / M-0666
FORK	Suntour XCR 34 air 29" LOR 120mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Shimano MT402 (3-F) / MT420 4-Piston
TIRES	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622
MODULE NO.	021327
WEIGHT	26,1 kg (without pedals)



# MACINA RACE 291

E - HARDTAIL

22



<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX5P2
<b>FRAME</b>	Macina MTB 29" Alloy6061; PT500Wh Bosch Gen.4 / M-1766
<b>FORK</b>	Suntour XCR 34 air 29" LOR 100mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 500Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore M5120-11/10 SGS shadow+
<b>BRAKE</b>	Shimano MT401 / MT420 4-Piston
<b>TIRES</b>	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622
<b>MODULE NO.</b>	021328
<b>WEIGHT</b>	22,3 kg (without pedals)

⚡ PT-CX5P2

⚙️ 1x10 SHIMANO DEORE

THE PATH  
IS THE GOAL.



## MACINA RACE 271

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX5P2
FRAME	Macina MTB 27.5" Alloy6061: PT500Wh Bosch Gen.4 / M-1776
FORK	Suntour XCR 34 air 27.5" LOR 100mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerTUBE 500Wh hor.
R. DERAILLEUR	Shimano Deore M5120-11/10 SGS shadow+
BRAKE	Shimano MT401 / MT420 4-Piston
TIRES	Schwalbe Johnny Watts Perf. DD RaceGuard 60-584
MODULE NO.	021329
WEIGHT	22.2 kg (without pedals)



## MACINA RACE 292

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH PT-CX5P2
FRAME	Macina MTB 29" Alloy6061: PT500Wh Bosch Gen.4 / M-1766
FORK	Suntour XCM 34 coil 29" NLO 100mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerTUBE 500Wh hor.
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Smart Sam K-Guard 57-622
MODULE NO.	021330
WEIGHT	22.6 kg (without pedals)



## MACINA RACE 272

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH PT-CX5P2
FRAME	Macina MTB 27.5" Alloy6061: PT500Wh Bosch Gen.4 / M-1776
FORK	Suntour XCM 34 coil 27.5" NLO 100mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerTUBE 500Wh hor.
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Smart Sam K-Guard 57-584
MODULE NO.	021331
WEIGHT	22.4 kg (without pedals)



# MACINA RIDE



E - HARDTAIL

24

## MACINA RIDE 291

⚡ UC-A+5P2

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH UC-A+5P2
FRAME	Macina MTB 29" Alloy6061; UC-PP500Wh Bosch Gen.3 / M-9680
FORK	Suntour XCM coil 29" HLO 100mm
MOTOR	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerPACK 500Wh
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Smart Sam K-Guard 57-622
MODULE NO.	021332
WEIGHT	22,5 kg (without pedals)

⚙️ 1x9 SHIMANO ALIVIO

## MACINA RIDE 271

⚡ UC-A+5P2

TRANSMISSION	1x9 Shimano Alivio
E-SYSTEM	BOSCH UC-A+5P2
FRAME	Macina MTB 27.5" Alloy6061; UC-PP500Wh Bosch Gen.3 / M-9690
FORK	Suntour XCM coil 27.5" HLO 100mm
MOTOR	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerPACK 500Wh
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Smart Sam K-Guard 57-584
MODULE NO.	021333
WEIGHT	22,2 kg (without pedals)

⚙️ 1x9 SHIMANO ALIVIO



## MACINA MINI ME 261

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH PT-P512
FRAME	Macina MTB 26" Alloy6061: PT500Wh Bosch Gen.3 / M-1036
FORK	RockShox Judy silver TK 26" 80mm
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 500Wh hor.
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano M4100 / MT410 2-Piston
TIRES	Maxxis Ikon Folding 56-559
MODULE NO.	021335
WEIGHT	20,2 kg (without pedals)



## MACINA MINI ME 241

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH PT-A+412
FRAME	Macina MTB 24" Alloy6061: PT500Wh Bosch Gen.3 / M-1026
FORK	Suntour XCR air 24" LO 63mm
MOTOR	Bosch ACTIVE PLUS Gen.3 - 20km/h / 40Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 400Wh hor.
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT201/MT200 2-Piston
TIRES	Maxxis Rekon Folding 56-507
MODULE NO.	021336
WEIGHT	20 kg (without pedals)



# MACINA AERA 271



E - HARDTAIL

26

<b>DRIVETRAIN</b>	1x11 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina PTS Offroad 27.5" Alloy6061; PT625Wh Bosch Gen.4 / T-1270
<b>FORK</b>	Suntour XCR 34 air 27.5" LOR 80mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore M5100-11 SGS shadow+
<b>BRAKE</b>	Tektro HD-M750 / E730 4-Piston
<b>TIRES</b>	Schwalbe Smart Sam Perf. DD 57-584
<b>MODULE NO.</b>	021340
<b>WEIGHT</b>	25.1 kg (without pedals)

⚡ PT-CX614

⚙️ 1x11 SHIMANO DEORE

## THE FUTURE IS HERE.



## MACINA AERA 271 LFC

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina PTS Offroad 27.5" Alloy6061; PT625Wh Bosch Gen.4 / T-1270
FORK	Suntour XCR 34 air 27.5" LOR 80mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Tektro HD-M750 / E730 4-Piston
TIRES	Schwalbe Smart Sam Perf. DD 57-584
MODULE NO.	021341
WEIGHT	27 kg (without pedals)



## MACINA AERA P272

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH SI-P514
FRAME	Macina Offroad 27.5" US Alloy6061; Si-PP500Wh Bosch Gen.3 / T-0280
FORK	Suntour XCR 34 coil 27.5" LOR 80mm 15x110 taper
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerPACK 500Wh
R. DERAILLEUR	Shimano Deore M5120-11/10 SGS shadow+
BRAKE	Shimano MT402 (3-F) / MT420 4-Piston
TIRES	Schwalbe Smart Sam Perf. 57-584
MODULE NO.	021342
WEIGHT	22.1 kg (without pedals)



## MACINA AERA P272 LFC

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH SI-P514
FRAME	Macina Offroad 27.5" US Alloy6061; Si-PP500Wh Bosch Gen.3 / T-0280
FORK	Suntour XCR 34 coil 27.5" LOR 80mm 15x110 taper
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerPACK 500Wh
R. DERAILLEUR	Shimano Deore M5120-11/10 SGS shadow+
BRAKE	Shimano MT402 (3-F) / MT420 4-Piston
TIRES	Schwalbe Smart Sam Perf. 57-584
MODULE NO.	021343
WEIGHT	24.1 kg (without pedals)





# E - R





O

A

D

MACINA **MEZZO**

<b>DRIVETRAIN</b>	2x11 Shimano Ultegra Di2
<b>E-SYSTEM</b>	Fazua Evation 1.0
<b>FRAME</b>	Macina Mezzo Road Performance Carbon; Fazua / R-0200
<b>FORK</b>	Mezzo Road Fork Performance Carbon
<b>MOTOR</b>	Fazua DRIVEPACK Evation 1.0 - 25km/h / 60Nm
<b>DISPLAY</b>	Fazua TOUCH REMOTE Evation 1.0
<b>BATTERY</b>	Fazua BATTERY PACK Evation 1.0 250Wh
<b>BRAKE</b>	Shimano Ultegra R8070 2-Piston
<b>TIRES</b>	Continental G-Prix 5000 TR 28-622
<b>MODULE NO.</b>	020495
<b>WEIGHT</b>	13,9 kg (without pedals)

⚡ **FAZUA EVATION**  
1.0

⚙️ **2x11** SHIMANO  
ULTEGRA DI2



# E - O F F





# R O A D

## MACINA CROSS



MACINA  
**CROSS 610**  
PT-CX6K4  
DEORE XT 1\*12

32



MACINA  
**CROSS 620**  
PT-CX6I4  
DEORE 1\*10

33



MACINA  
**CROSS P610**  
PT-P6I2  
DEORE 1\*10

33



MACINA  
**CROSS LFC**  
PT-P6I4  
DEORE 1\*11

33



MACINA  
**CROSS P510 STREET**  
UC-P5P2  
ALIVIO 1\*9

33

## MACINA SPRINT



MACINA  
**SPRINT**  
UC-CX5P2  
ALIVIO 1\*9

35

# MACINA CROSS 610



E-OFFROAD

32

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K4
<b>FRAME</b>	Macina Trekking Offroad Alloy6061; PT625Wh Bosch Gen.4 / T-0460
<b>FORK</b>	Suntour NCX-E air L0 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston
<b>TIRES</b>	Schwalbe Smart Sam Perf. 47-622
<b>MODULE NO.</b>	021345
<b>WEIGHT</b>	22.1 kg (H46 without pedals) 23.6 kg (PTS46 without pedals)

⚡ PT-CX6K4

⚙️ 1x12 SHIMANO DEORE XT

## THE PERFECT ALL-ROUNDER.



## MACINA CROSS 620

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Trekking Offroad Alloy6061: PT625Wh Bosch Gen.4 / T-0460
FORK	Suntour NCX-D coil LO 63mm
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT402 (3-F) / MT420 4-Piston
TIRES	Schwalbe Smart Sam Perf. 47-622
MODULE NO.	021347
WEIGHT	22,4 kg (H46 without pedals) 24,2 kg (PTS46 without pedals)



## MACINA CROSS P610

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-P612
FRAME	Macina Trekking Offroad Alloy6061: PT625Wh Bosch Gen.3 / T-1160
FORK	Suntour NCX-D coil LO 63mm
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Smart Sam Perf. 47-622
MODULE NO.	021349
WEIGHT	23 kg (without pedals)



## MACINA CROSS LFC

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-P614
FRAME	Macina Trekking Offroad Alloy6061: PT625Wh Bosch Gen.3 / T-1160
FORK	Suntour NCX-D coil LO 63mm
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Tektro HD-E390 2-Piston
TIRES	Schwalbe Smart Sam Perf. 44-622
MODULE NO.	021350
WEIGHT	24,4 kg (without pedals)



## MACINA CROSS P510 STREET

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH UC-P5P2
FRAME	Macina Trekking Offroad Alloy6061: UC-PP500Wh Bosch Gen.3 / T-9710
FORK	Suntour NEX-E25 coil NLO 63mm
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerPACK 500Wh
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Smart Sam K-Guard 42-622
MODULE NO.	021351
WEIGHT	22 kg (without pedals)









# MACINA SPRINT



<b>DRIVETRAIN</b>	1x9 Shimano Alivio
<b>E-SYSTEM</b>	BOSCH UC-CX5P2
<b>FRAME</b>	Macina Trekking Offroad Alloy6061 MC; UC-PP500Wh Bosch Gen.4 / T-0210
<b>FORK</b>	Alloy Rigid Longleg, PM-Disc 9QR
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>R. DERAILLEUR</b>	Shimano Alivio M3100-9 SGS shadow
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe G-One Bite Perf. RaceGuard 50-622
<b>MODULE NO.</b>	021352
<b>WEIGHT</b>	19,4 kg (without pedals)

⚡ UC-CX5P2

⚙️ 1x9 SHIMANO ALIVIO

TRIMMED FOR  
SPEED AND  
LIGHTNESS.

# E - O N



## MACINA SPORT



MACINA  
**SPORT ABS**  
PT-CX6K6  
DEORE XT 1×11

38



MACINA  
**SPORT 610**  
PT-CX6K4  
DEORE XT 1×12

39



MACINA  
**SPORT 620**  
PT-CX6I4  
DEORE XT 1×12

39



MACINA  
**SPORT 630**  
PT-CX6I4  
DEORE 1×10

39



MACINA  
**SPORT P610**  
PT-P6I4  
DEORE 1×10

39



MACINA  
**SPORT P510**  
PT-P5P2  
DEORE 1×10

39



# R O A D

## MACINA STYLE



MACINA  
**STYLE 610 NYON**  
PT-CX6N4  
DEORE XT 1\*12

40



MACINA  
**STYLE 610**  
PT-CX6I4  
DEORE XT 1\*12

41



MACINA  
**STYLE 620**  
PT-CX6I4  
DEORE 1\*11

41



MACINA  
**STYLE XL**  
PT-CX6I4  
DEORE 1\*11

41

## MACINA TOUR



MACINA  
**TOUR CX610**  
PT-CX6I4  
DEORE 1\*10

41



MACINA  
**TOUR P610**  
PT-P6I4  
DEORE 1\*10

42



MACINA  
**TOUR P510**  
PT-P5I2  
DEORE 1\*10

43

## MACINA FUN



MACINA  
**FUN P510**  
SI-P5I2  
DEORE 1\*10

44



MACINA  
**FUN A510**  
UC-A+5P2  
ALIVIO 1\*9

45

## MACINA SPORT ABS

DRIVETRAIN	1×11 Shimano Deore XT
E-SYSTEM	BOSCH PT-CX6K6
FRAME	Macina Trekking Onroad Alloy6061: ABS PT625Wh Bosch Gen.4 / T-0470
FORK	Suntour Mobie25 air LOR 63mm 15QLC
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch KIOX TFT Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore XT M8000-11 GS shadow+
BRAKE	Bosch / Magura ABS set w/Rotor 180 / 180
TIRES	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
MODULE NO.	020450
WEIGHT	22,5 kg (without pedals)



E-ONROAD

38

## MACINA SPORT 610

DRIVETRAIN	1×12 Shimano Deore XT
E-SYSTEM	BOSCH PT-CX6K4
FRAME	Macina Trekking Onroad Alloy6061: PT625Wh Bosch Gen.4 / T-0450
FORK	Suntour NCX-E air L0 63mm 15QLC
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch KIOX TFT Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore XT T8100 / M8120 4-Piston
TIRES	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
MODULE NO.	021355
WEIGHT	24 kg (H46 without pedals) 25,3 kg (PTS43 without pedals)





## MACINA SPORT 620

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
FORK	Suntour NCX-E air LO 63mm 15QLC
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Shimano MT402 (3-F) / MT420 4-Piston
TIRES	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
MODULE NO.	021357
WEIGHT	24,4 kg (H46 without pedals) 25,5 kg (PTS43 without pedals)



## MACINA SPORT 630

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
FORK	Suntour NCX-D coil LO 63mm
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
MODULE NO.	021359
WEIGHT	24,5 kg (H46 without pedals) 25,6 kg (PTS43 without pedals)



## MACINA SPORT P610

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-P614
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.3 / T-1150
FORK	Suntour NCX-D coil LO 63mm
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
MODULE NO.	021361
WEIGHT	24,9 kg (without pedals)



## MACINA SPORT P510

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-P5P2
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.3 / T-1150
FORK	Suntour NCX-D coil LO 63mm
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch PURION LCD Display
BATTERY	Bosch PowerTUBE 500Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
MODULE NO.	021362
WEIGHT	24,1 kg (without pedals)



# MACINA STYLE 610 NYON



E-ONROAD

40

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6N4
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
<b>FORK</b>	Suntour NCX-E air L0 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch NYON TFT Touch Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>BRAKE</b>	Shimano Deore XT T8100 / M8120 4-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021365
<b>WEIGHT</b>	25,9 kg (without pedals)

⚡ PT-CX6N4

⚙️ 1x12 SHIMANO DEORE XT

## PURE STYLE.



## MACINA STYLE 610

DRIVETRAIN	1x12 Shimano Deore XT
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
FORK	Suntour NCX-E air LO 63mm 15QLC
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore XT T8100 / M8120 4-Piston
TIRES	Schwalbe Energizer Plus Perf. GreenGuard 50-622
MODULE NO.	021366
WEIGHT	25,8 kg (without pedals)



## MACINA STYLE 620

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
FORK	Suntour NCX-E air LO 63mm 15QLC
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Shimano MT402 (3-F) / MT420 4-Piston
TIRES	Schwalbe Energizer Plus Perf. GreenGuard 50-622
MODULE NO.	021368
WEIGHT	26,5 kg (without pedals)



## MACINA STYLE XL

DRIVETRAIN	1x11 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
FORK	Suntour NCX-D coil LO 63mm (HD)
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M5100-11 SGS shadow+
BRAKE	Shimano MT402 (3-F) / MT420 4-Piston
TIRES	Schwalbe Marathon E-Plus Perf. DualGuard 50-622
MODULE NO.	021371
WEIGHT	27,4 kg (without pedals)



## MACINA TOUR CX 610

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
FORK	Suntour NCX-D coil LO 63mm
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Energizer Plus Perf. GreenGuard 50-622
MODULE NO.	021369t
WEIGHT	26,2 kg (without pedals)



# MACINA TOUR P610



E-ONROAD

42

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-P614
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.3 / T-1150
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore M4120-10 SGS shadow
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021371
<b>WEIGHT</b>	26,7 kg (without pedals)

⚡ PT-P614

⚙️ 1x10 SHIMANO DEORE



# MACINA TOUR P510



E-ONROAD

43

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-P512
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.3 / T-1150
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 500Wh hor.
<b>R. DERAILLEUR</b>	Shimano Deore M4120-10 SGS shadow
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021372
<b>WEIGHT</b>	26,3 kg (without pedals)

⚡ **PT-P512**

⚙️ **1x10** SHIMANO DEORE

## TEST WINNER STIFTUNG WARENTEST.

# MACINA FUN P510



E-ONROAD

44

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH SI-P512
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; Si-PP500Wh Bosch Gen.3 / T-9690
<b>FORK</b>	Suntour NEX-E25 coil NLO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>R. DERAILLEUR</b>	Shimano Deore M4120-10 SGS shadow
<b>BRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 40-622
<b>MODULE NO.</b>	021373
<b>WEIGHT</b>	25,2 kg (without pedals)



# PURE FUN.



# MACINA FUN A510



E-ONROAD

45

<b>DRIVETRAIN</b>	1x9 Shimano Alivio
<b>E-SYSTEM</b>	BOSCH UC-A+5P2
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; UC-PP500Wh Bosch Gen.3 / T-9700
<b>FORK</b>	Suntour NEX-E25 coil NLO 63mm
<b>MOTOR</b>	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>R. DERAILLEUR</b>	Shimano Alivio M3100-9 SGS shadow
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 40-622
<b>MODULE NO.</b>	021374
<b>WEIGHT</b>	24,4 kg (H46 without pedals) 24,3 kg (US43 without pedals)

⚡ UC-A+5P2

⚙️ 1x9 SHIMANO ALIVIO



# E - U R



## MACINA GRAN



**MACINA  
GRAN 291**  
PT-CX614  
DEORE 1x10

48



**MACINA  
GRAN 271**  
PT-CX614  
DEORE 1x10

48



**MACINA  
GRAN P292**  
UC-P512  
ALIVIO 1x9

49



**MACINA  
GRAN P272**  
SI-P512  
ALIVIO 1x9

49



# B

# A

# N

## MACINA CITY



MACINA  
**CITY 5 ABS BELT**  
PT-CX6K6  
NEXUS 1x5

50



MACINA  
**CITY 610 BELT**  
PT-CX6I4  
NEXUS 1x5

51



MACINA  
**CITY P610 RT**  
PT-P6I4  
NEXUS -  
COASTERBRAKE 1x5

52



MACINA  
**CITY P610**  
PT-P6I4  
NEXUS 1x5

52



MACINA  
**CITY A510 RT**  
PT-A+5I2  
NEXUS -  
COASTERBRAKE 1x5

53



MACINA  
**CITY A510**  
PT-A+5I2  
NEXUS 1x5

53



MACINA  
**CITY XL RT**  
PT-CX6I4  
NEXUS -  
COASTERBRAKE 1x5

53



MACINA  
**CITY XL**  
PT-CX6I4  
NEXUS 1x5

53

## MACINA CENTRAL



MACINA  
**CENTRAL 5 RT**  
SI-P5I2  
NEXUS -  
COASTERBRAKE 1x5

54



MACINA  
**CENTRAL 5**  
SI-P5I2  
NEXUS 1x5

54



MACINA  
**CENTRAL 7 RT**  
SI-A4I2  
NEXUS -  
COASTERBRAKE 1x7

55



MACINA  
**CENTRAL 7**  
SI-A4I2  
NEXUS 1x7

55

## MACINA FOLD



MACINA  
**FOLD**  
PT-A+5P4  
NEXUS 1x8

56

## MACINA GRAN 291

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina Onroad 29" Alloy6061: PT625Wh Bosch Gen.4 / M-1656
FORK	Suntour XCR 34 air 29" LOR 100mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT402 (3-F) / MT410 2-Piston
TIRES	Schwalbe Marathon Almotion Perf. RaceGuard 55-622
MODULE NO.	021380
WEIGHT	25,8 kg (without pedals)



## MACINA GRAN 271

DRIVETRAIN	1x10 Shimano Deore
E-SYSTEM	BOSCH PT-CX614
FRAME	Macina PTS Onroad Alloy6061: PT625Wh Bosch Gen.4 / T-1250
FORK	Suntour XCR 34 air 27.5" LOR 80mm 15x110 taper
MOTOR	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerTUBE 625Wh hor.
R. DERAILLEUR	Shimano Deore M4120-10 SGS shadow
BRAKE	Shimano MT402 (3-F) / MT410 2-Piston
TIRES	Schwalbe Marathon Almotion Perf. RaceGuard 55-584
MODULE NO.	021381
WEIGHT	26,7 kg (without pedals)





## MACINA GRAN P292

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH UC-P512
FRAME	Macina Onroad 29" Alloy6061: UC-PP500Wh Bosch Gen.3 / M-1640
FORK	Suntour XCM 32 coil 29" NLO 100mm 15x100
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerPACK 500Wh
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Marathon Almotion Perf. RaceGuard 55-622
MODULE NO.	021382
WEIGHT	25 kg (without pedals)



## MACINA GRAN P272

DRIVETRAIN	1x9 Shimano Alivio
E-SYSTEM	BOSCH SI-P512
FRAME	Macina Onroad 27.5" Alloy6061: Si-PP500Wh Bosch Gen.3 / T-1260
FORK	Suntour XCM 32 coil 27.5" NLO 80mm 15x100 taper
MOTOR	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
DISPLAY	Bosch INTUVIA LCD Display with Remote
BATTERY	Bosch PowerPACK 500Wh
R. DERAILLEUR	Shimano Alivio M3100-9 SGS shadow
BRAKE	Shimano MT200 / MT200 2-Piston
TIRES	Schwalbe Marathon Almotion Perf. RaceGuard 55-584
MODULE NO.	021383
WEIGHT	24,8 kg (without pedals)



# MACINA CITY 5 ABS BELT

E-URBAN

50



<b>DRIVETRAIN</b>	1x5 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH PT-CX6K6
<b>FRAME</b>	Macina City US Alloy6061 belt; PT625Wh Bosch Gen.4 / T-0740
<b>FORK</b>	Suntour Mobie25 air LOR 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>DRAKE</b>	Bosch / Magura ABS set w/Rotor 180 / 180
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 47-622
<b>MODULE NO.</b>	020475
<b>WEIGHT</b>	27,1 kg (without pedals)

⚡ PT-CX6K6

⚙️ 1x5 SHIMANO NEXUS

## SAFETY FIRST.



# MACINA CITY 610 BELT



<b>DRIVETRAIN</b>	1x5 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina City US Disc Alloy6061 belt: PT625Wh Bosch Gen.4 / T-0730
<b>FORK</b>	Suntour NCX-E air LO 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>BRAKE</b>	Shimano MT402 (3-F) / MT410 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021385
<b>WEIGHT</b>	27,1 kg (without pedals)

⚡ PT-CX614

⚙️ 1×5 SHIMANO NEXUS

# MACINA CITY

E-URBAN

52



## MACINA CITY P610 RT



PT-P614

<b>DRIVETRAIN</b>	1x5 Shimano Nexus - Coasterbrake
<b>E-SYSTEM</b>	BOSCH PT-P614
<b>FRAME</b>	Macina City US Disc Alloy6061: PT625Wh Bosch Gen.3 / T-1180
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 60Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021386
<b>WEIGHT</b>	28,1 kg (without pedals)



1x5

SHIMANO NEXUS-  
COASTERBRAKER

## MACINA CITY P610



PT-P614

<b>DRIVETRAIN</b>	1x5 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH PT-P614
<b>FRAME</b>	Macina City US Disc Alloy6061: PT625Wh Bosch Gen.3 / T-1180
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 60Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021387
<b>WEIGHT</b>	28,2 kg (without pedals)



1x5

SHIMANO  
NEXUS



## MACINA CITY AS10 RT

<b>TRANSMISSION</b>	1x5 Shimano Nexus - Coasterbrake
<b>E-SYSTEM</b>	BOSCH PT-A+5I2
<b>FRAME</b>	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.3 / T-1180
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 500Wh hor.
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021388
<b>WEIGHT</b>	26.8 kg (without pedals)



## MACINA CITY AS10

<b>DRIVETRAIN</b>	1x5 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH PT-A+5I2
<b>FRAME</b>	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.3 / T-1180
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 500Wh hor.
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021389
<b>WEIGHT</b>	27.1 kg (without pedals)

## MACINA CITY XL RT

<b>DRIVETRAIN</b>	1x5 Shimano Nexus - Coasterbrake
<b>E-SYSTEM</b>	BOSCH PT-CX6I4
<b>FRAME</b>	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.4 / T-0750
<b>FORK</b>	Suntour NCX-D coil LO 63mm (HD)
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>BRAKE</b>	Shimano MT402 (3-F) / MT400 2-Piston
<b>TIRES</b>	Schwalbe Marathon E-Plus Perf. DualGuard 50-622
<b>MODULE NO.</b>	021390
<b>WEIGHT</b>	28.1 kg (without pedals)



## MACINA CITY XL

<b>DRIVETRAIN</b>	1x5 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH PT-CX6I4
<b>FRAME</b>	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.4 / T-0750
<b>FORK</b>	Suntour NCX-D coil LO 63mm (HD)
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>BRAKE</b>	Shimano MT402 (3-F) / MT400 2-Piston
<b>TIRES</b>	Schwalbe Marathon E-Plus Perf. DualGuard 50-622
<b>MODULE NO.</b>	021391
<b>WEIGHT</b>	28.1 kg (without pedals)

# MACINA CENTRAL

E-URBAN

54



## MACINA CENTRAL 5 RT



SI-P512

<b>DRIVETRAIN</b>	1x5 Shimano Nexus - Coasterbrake
<b>E-SYSTEM</b>	BOSCH SI-P512
<b>FRAME</b>	Macina City US Disc Alloy6061: Si-PP500Wh Bosch Gen.3 / T-1670
<b>FORK</b>	Suntour NEX-E25 coil NLO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 60Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021392
<b>WEIGHT</b>	26,2 kg (without pedals)



1x5

SHIMANO NEXUS-COASTERBRAKER

## MACINA CENTRAL 5



SI-P512

<b>DRIVETRAIN</b>	1x5 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH SI-P512
<b>FRAME</b>	Macina City US Disc Alloy6061: Si-PP500Wh Bosch Gen.3 / T-1670
<b>FORK</b>	Suntour NEX-E25 coil NLO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 60Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>TIRES</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>MODULE NO.</b>	021393
<b>WEIGHT</b>	26,6 kg (without pedals)



1x5

SHIMANO NEXUS



# MACINA CENTRAL



E-URBAN

55

## MACINA CENTRAL 7 RT



SI-A412

**DRIVETRAIN** 1x7 Shimano Nexus - Coasterbrake

**E-SYSTEM** BOSCH SI-A412



1x7

SHIMANO NEXUS-  
COASTERBRAKER

**FRAME** Macina City US Alloy6061;

Si-PP500Wh Bosch Gen.3 / T-9680

**FORK** Suntour CR85-E25 coil 63mm

**MOTOR** Bosch ACTIVE Gen.3 - 25km/h / 40Nm

**DISPLAY** Bosch INTUVIA LCD Display with Remote

**BATTERY** Bosch PowerPACK 400Wh

**BRAKE** Magura HS11 Evo2

**TIRES** Schwalbe Energizer Plus Perf.

GreenGuard 40-622

**MODULE NO.** 021394

**WEIGHT** 24,9 kg (without pedals)

## MACINA CENTRAL 7



SI-A412

**DRIVETRAIN** 1x7 Shimano Nexus

**E-SYSTEM** BOSCH SI-A412



1x7

SHIMANO  
NEXUS

**FRAME** Macina City US Alloy6061;

Si-PP500Wh Bosch Gen.3 / T-9680

**FORK** Suntour CR85-E25 coil 63mm

**MOTOR** Bosch ACTIVE Gen.3 - 25km/h / 40Nm

**DISPLAY** Bosch INTUVIA LCD Display with Remote

**BATTERY** Bosch PowerPACK 400Wh

**BRAKE** Magura HS11 Evo2

**TIRES** Schwalbe Energizer Plus Perf.

GreenGuard 40-622

**MODULE NO.** 021395

**WEIGHT** 24,5 kg (without pedals)

# MACINA FOLD

E-URBAN

56




<b>DRIVETRAIN</b>	1x8 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH PT-A+5P4
<b>FRAME</b>	Macina Fold 20" Alloy6061 1GH belt; PT500Wh Bosch Gen.3 / T-9300
<b>FORK</b>	Macina Fold 20" Alloy6061 PM-disc
<b>MOTOR</b>	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 500Wh vert.
<b>BRAKE</b>	Shimano Altus BR-M315 2-Piston
<b>TIRES</b>	Schwalbe Marathon Plus Perf. SmartG. 47-406
<b>MODULE NO.</b>	020490
<b>WEIGHT</b>	24,3 kg (without pedals)

⚡ PT-A+5P4

⚙️ 1x8 SHIMANO NEXUS

RIDE.  
FOLD.  
REPEAT.









BIKE





**FULLY**

**60**

**HARDTAIL**

**68**

**ROAD**

**80**

**GRAVEL**

**88**

**OFFROAD**

**92**

**ONROAD**

**98**

**URBAN**

**104**

**KIDS**

**110**

**INFO**

**120**



# F U L



## PROWLER



**PROWLER EXONIC**  
XTR 1\*12

62



**PROWLER MASTER**  
DEORE XT 1\*12

63



**PROWLER GLORIOUS**  
DEORE XT/SLX 1\*12

63



**PROWLER 1964**  
SRAM SX 1\*12

63



# L

# Y

## SCARP MT



**SCARP MT EXONIC**  
SRAM XX1 AXS 1\*12

64



**SCARP MT PRIME**  
SRAM XX1 AXS 1\*12

65



**SCARP MT MASTER**  
DEORE XT 1\*12

65



**SCARP MT 1964 ELITE**  
DEORE XT 1\*12

65



**SCARP MT PRO**  
DEORE 1\*12

65

## SCARP



**SCARP EXONIC**  
SRAM XX1 AXS 1\*12

66



**SCARP PRIME**  
XTR 1\*12

67



**SCARP MASTER**  
DEORE XT 1\*12

67



**SCARP GLORIOUS**  
DEORE XT 1\*12

67



**SCARP ELITE**  
DEORE XT 1\*12

67



**SCARP 294**  
SRAM SX 1\*12

67

# PROWLER EXONIC

FULLY

62



<b>DRIVETRAIN</b>	1×12 Shimano XTR
<b>FRAME</b>	Prowler 29" Performance Carbon SLL-LT 150mm / M-8606
<b>FORK</b>	FOX 36 Float 29" Factory 160mm (kashima) GRIP2
<b>SHOCK</b>	FOX Float DPX2 Factory 3Position 230x65
<b>R. DERAILLEUR</b>	Shimano XTR M9100-12 SGS shadow+
<b>BRAKE</b>	Shimano XTR M9100 / M9120 4-Piston
<b>TIRE F</b>	Maxxis Minion DHR II EXO/TR 62-622
<b>TIRE R</b>	Maxxis Minion DHR II EXO/TR 62-622
<b>MODULE NO.</b>	021100
<b>WEIGHT</b>	13,4 kg (without pedals)

 150	mm REAR
 1×12	SHIMANO XTR

## THE COLUMBUS OF THE ALPS.



## PROWLER MASTER

DRIVETRAIN	1×12 Shimano Deore XT
FRAME	Prowler 29" Performance Carbon SLL-LT 150mm / M-8606
FORK	FOX 36 Float 29" Performance 150mm
SHOCK	FOX Float DPX2 PerformanceElite 3Position 230x65
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore M6100 / M6120 4-Piston
TIRE F	Onza Porcupine White Edition TLR 62-622
TIRE R	Onza Porcupine White Edition TLR 62-622
MODULE NO.	021101
WEIGHT	14,2 kg (without pedals)



## PROWLER GLORIOUS

DRIVETRAIN	1×12 Shimano Deore XT / SLX
FRAME	Prowler 29" Performance Carbon SLL-LT 150mm / M-8606
FORK	FOX 36 Float 29" Performance 150mm
SHOCK	FOX Float DPX2 PerformanceElite 3Position 230x65
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano SLX M7120 4-Piston
TIRE F	Maxxis Minion DHF 3C- MaxxTerra EXO/TR 58-622
TIRE R	Maxxis Minion DHR II 3C- MaxxTerra EXO/TR 58-622
MODULE NO.	020102
WEIGHT	14 kg (without pedals)



## PROWLER 1964

DRIVETRAIN	1×12 Sram SX
FRAME	Prowler 29" Alloy6061 triplebutted SLL-LT 150mm / M-9616
FORK	RockShox 35 silver TK 29" 160mm 15x110
SHOCK	FOX Float DPX2 Performance 3Position 230x65
R. DERAILLEUR	SRAM SX Eagle 12speed
BRAKE	Shimano M4100 / MT420 4-Piston
TIRES	Schwalbe Big Betty Perf. Bike Park 62-622
MODULE NO.	021103
WEIGHT	18,2 kg (without pedals)



# SCARP MT EXONIC

FULLY

64



<b>DRIVETRAIN</b>	1×12 Sram XX1 AXS
<b>FRAME</b>	Scarp 29" Premium Carbon SLL115mm / M-1926
<b>FORK</b>	FOX 34 Float SC 29" Factory 120mm (kashima) remote
<b>SHOCK</b>	FOX Float DPS Factory remote 190x45
<b>R. DERAILLEUR</b>	SRAM XX1 Eagle AXS 12speed
<b>DRAKE</b>	Shimano XTR M9100 / M9100 2-Piston
<b>TIRE F</b>	Schwalbe Racing Ray Evo SuperRace TLE 60-622
<b>TIRE R</b>	Schwalbe Racing Ralph Evo SuperRace TLE 60-622
<b>MODULE NO.</b>	021110
<b>WEIGHT</b>	9.8 kg (without pedals)

 115 mm REAR

 1×12 SRAM XX1 AXS

**MORE TRAVEL.  
MORE PLEASURE.**



## SCARP MT PRIME

DRIVETRAIN	1×12 Sram XX1 AXS
FRAME	Scarp 29" Premium Carbon SLL115mm / M-1926
FORK	FOX 34 Float SC 29" Factory 120mm (kashima) remote
SHOCK	FOX Float DPS Factory remote 190x45
R. DERAILLEUR	SRAM XX1 Eagle AXS 12speed
BRAKE	Shimano Deore XT M8100 / M8100 2-Piston
TIRES	Maxxis Rekon EXO/TR 62-622
MODULE NO.	021111
WEIGHT	11,4 kg (without pedals)



## SCARP MT MASTER

DRIVETRAIN	1×12 Shimano Deore XT
FRAME	Scarp 29" Premium Carbon SLL115mm / M-1926
FORK	FOX 34 Float SC 29" Performance 120mm remote
SHOCK	FOX Float DPS PerformanceElite remote 190x45
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore XT M8100 / M8100 2-Piston
TIRES	Maxxis Rekon EXO/TR 62-622
MODULE NO.	021112
WEIGHT	12,2 kg (without pedals)



## SCARP MT 1964 ELITE

DRIVETRAIN	1×12 Shimano Deore XT
FRAME	Scarp 29" Premium Carbon-Alloy rear SLL115mm / M-0916
FORK	FOX 32 Float 29" Rhythm 120mm remote
SHOCK	FOX Float DPS PerformanceElite remote 190x45
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore M6100 / M6100 2-Piston
TIRES	Maxxis Rekon EXO/TR 62-622
MODULE NO.	021113
WEIGHT	13,6 kg (without pedals)



## SCARP MT PRO

DRIVETRAIN	1×12 Shimano Deore
FRAME	Scarp 29" Premium Carbon-Alloy rear SLL115mm / M-0916
FORK	RockShox Recon silver RL 29" 120mm remote
SHOCK	Suntour Edge RLR remote 190x45
R. DERAILLEUR	Shimano Deore M6100-12 SGS shadow+
BRAKE	Shimano M4100 / MT410 2-Piston
TIRES	Schwalbe Tough Tom K-Guard 60-622
MODULE NO.	021114
WEIGHT	14,6 kg (without pedals)



# SCARP EXONIC



FULLY

66

<b>DRIVETRAIN</b>	1×12 Sram XX1 AXS
<b>FRAME</b>	Scarp 29" Premium Carbon SLL95mm / M-1926
<b>FORK</b>	FOX 32 Float SC 29" Factory 100mm (kashima) remote
<b>SHOCK</b>	FOX Float DPS Factory remote 190x37.5
<b>R. DERAILLEUR</b>	SRAM XX1 Eagle AXS 12speed
<b>DRAKE</b>	Shimano XTR M9100 / M9100 2-Piston
<b>TIRE F</b>	Schwalbe Racing Ray Evo SuperRace TLE 67-622
<b>TIRE R</b>	Schwalbe Racing Ralph Evo SuperRace TLE 67-622
<b>MODULE NO.</b>	021120
<b>WEIGHT</b>	9.4 kg (without pedals)

 95 mm REAR

 1×12 SRAM XX1 AXS

**MAKING YOU  
A LEADER.**



## SCARP PRIME

DRIVETRAIN	1x12 Shimano XTR
FRAME	Scarp 29" Premium Carbon SLL95mm / M-1926
FORK	RockShox SID SL Ultimate 29" 100mm remote
SHOCK	RockShox SID Luxe Ultimate remote 190x37.5
R. DERAILLEUR	Shimano XTR M9100-12 SGS shadow+
BRAKE	Shimano XTR M9100 / M9100 2-Piston
TIRE F	Schwalbe Racing Ray Evo SuperRace TLE 57-622
TIRE R	Schwalbe Racing Ralph Evo SuperRace TLE 57-622
MODULE NO.	021121
WEIGHT	10.3 kg (without pedals)



## SCARP MASTER

DRIVETRAIN	1x12 Shimano Deore XT
FRAME	Scarp 29" Premium Carbon SLL95mm / M-1926
FORK	FOX 32 Float SC 29" Factory 100mm (kashima) remote
SHOCK	FOX Float DPS Factory remote 190x37.5
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore XT M8100 / M8100 2-Piston
TIRE F	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622
TIRE R	Maxxis Rekon Race EXO/TR 57-622
MODULE NO.	021122
WEIGHT	10.9 kg (without pedals)



## SCARP GLORIOUS

DRIVETRAIN	1x12 Shimano Deore XT
FRAME	Scarp 29" Premium Carbon-Alloy rear SLL95mm / M-0916
FORK	RockShox SID SL Ultimate 29" 100mm remote
SHOCK	RockShox SID Luxe Select+ remote 190x37.5
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore XT M8100 / M8100 2-Piston
TIRE F	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622
TIRE R	Maxxis Rekon Race EXO/TR 57-622
MODULE NO.	021123
WEIGHT	11.9 kg (without pedals)



## SCARP ELITE

DRIVETRAIN	1x12 Shimano Deore XT
FRAME	Scarp 29" Premium Carbon-Alloy rear SLL95mm / M-0916
FORK	FOX 32 Float 29" Rhythm 100mm remote
SHOCK	FOX Float DPS PerformanceElite remote 190x37.5
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano M4100 / MT410 2-Piston
TIRE F	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622
TIRE R	Maxxis Rekon Race EXO/TR 57-622
MODULE NO.	021124
WEIGHT	13.1 kg (without pedals)



## SCARP 294

DRIVETRAIN	1x12 Sram SX
FRAME	Scarp 29" Alloy6061 triplebutted: SLL90mm / M-7936
FORK	RockShox Recon silver RL 29" 100mm remote
SHOCK	RockShox Monarch RL 165x38
R. DERAILLEUR	SRAM SX Eagle 12speed
BRAKE	Shimano MT201 / MT200 2-Piston
TIRE F	Schwalbe Rapid Rob K-Guard 57-622
TIRE R	Schwalbe Rapid Rob K-Guard 57-622
MODULE NO.	021125
WEIGHT	14.7 kg (without pedals)





# HARDTAIL



## MYROON



**MYROON EXONIC**  
SRAM XX1 AXS 1\*12

70



**MYROON PRIME**  
XTR 1\*12

71



**MYROON MASTER**  
DEORE XT 1\*12

71



**MYROON GLORIOUS**  
DEORE XT 1\*12

71



**MYROON ELITE**  
DEORE XT 1\*12

71



**MYROON PRO**  
DEORE 1\*12

71



# ULTRA



**ULTRA 1964 PRO 29**  
DEORE XT 1\*12

72



**ULTRA EVO DIM**  
SRAM SX 1\*12

73



**ULTRA 1964 COMP 29**  
DEORE XT 1\*12

73



**ULTRA SPORT 29**  
DEORE 1\*12

73



**ULTRA GLORIOUS 29**  
DEORE 1\*12

73



**ULTRA RIDE 29**  
SRAM SX 1\*12

73



**ULTRA FLITE 29**  
DEORE 2\*10

74



**ULTRA FLITE 27**  
DEORE 2\*10

74



**ULTRA FUN 29**  
DEORE 2\*9

75



**ULTRA FUN 27**  
DEORE 2\*10

75



**ULTRA GLORIETTE 29**  
DEORE 2\*9

75



**ULTRA GLORIETTE 27**  
DEORE 2\*9

75

# CHICAGO / PENNY LANE



**CHICAGO DISC 291/271**  
ALTUS 2\*9 / ALTUS 2\*8

76



**CHICAGO DISC 292/272**  
ALTUS 2\*9 / ALTUS 2\*8

77



**CHICAGO STREET 29**  
ALTUS 2\*8

77



**CHICAGO STREET 27**  
ALTUS 2\*8

77



**PENNY LANE DISC 271/272**  
ALTUS 2\*9 / ALTUS 2\*8

78-79



**PENNY LANE STREET**  
ALTUS 2\*8

79

# MYROON EXONIC

HARDTAIL

70



<b>DRIVETRAIN</b>	1×12 Sram XX1 AXS
<b>FRAME</b>	Myroon 29" Nano Premium Carbon / M-8866
<b>FORK</b>	FOX 32 Float SC 29" Factory 100mm (kashima) remote
<b>R. DERAILLEUR</b>	SRAM XX1 Eagle AXS 12speed
<b>BRAKE</b>	Shimano XTR M9100 / M9100 2-Piston
<b>TIRE F</b>	Schwalbe Racing Ray Evo SuperRace TLE 57-622
<b>TIRE R</b>	Schwalbe Racing Ralph Evo SuperRace TLE 57-622
<b>MODULE NO.</b>	021130
<b>WEIGHT</b>	8,5 kg (without pedals)

🔧 1×12 SRAM XX1 AXS

## FEEL THE ORANGE FLASH.



## MYROON PRIME

DRIVETRAIN	1x12 Shimano XTR
FRAME	Myroon 29" Premium Carbon / M-7876
FORK	RockShox SID SL Ultimate 29" 100mm remote
R. DERAILLEUR	Shimano XTR M9100-12 SGS shadow+
BRAKE	Shimano XTR M9100 / M9100 2-Piston
TIRE F	Maxxis Rekon 3C-MaxxTerra/ EX0/TR 57-622
TIRE R	Maxxis Rekon Race EX0/ TR 57-622
MODULE NO.	021131
WEIGHT	9.6 kg (without pedals)



## MYROON MASTER

DRIVETRAIN	1x12 Shimano Deore XT
FRAME	Myroon 29" Premium Carbon / M-7876
FORK	FOX 32 Float SC 29" Performance 100mm remote
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore XT M8100 / M8100 2-Piston
TIRE F	Maxxis Rekon 3C-MaxxTerra/ EX0/TR 57-622
TIRE R	Maxxis Rekon Race EX0/ TR 57-622
MODULE NO.	021132
WEIGHT	10.3 kg (without pedals)



## MYROON GLORIOUS

DRIVETRAIN	1x12 Shimano Deore XT
FRAME	Myroon 29" Performance Carbon / M-6886
FORK	RockShox SID SL Ultimate 29" 100mm remote
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano Deore M6100 / M6100 2-Piston
TIRE F	Maxxis Rekon 3C-MaxxTerra/EX0/ TR 57-622
TIRE R	Maxxis Rekon Race EX0/ TR 57-622
MODULE NO.	021133
WEIGHT	10.8 kg (without pedals)



## MYROON ELITE

DRIVETRAIN	1x12 Shimano Deore XT
FRAME	Myroon 29" Performance Carbon / M-6886
FORK	FOX 32 Float 29" Rhythm 100mm remote
R. DERAILLEUR	Shimano Deore XT M8100-12 SGS shadow+
BRAKE	Shimano M4100 / MT410 2-Piston
TIRE F	Schwalbe Racing Ray Perf. TLR 57-622
TIRE R	Schwalbe Racing Ralph Perf. TLR 57-622
MODULE NO.	021134
WEIGHT	12.2 kg (without pedals)



## MYROON PRO

DRIVETRAIN	1x12 Shimano Deore
FRAME	Myroon 29" Performance Carbon / M-6886
FORK	RockShox Judy silver TK 29" 100mm remote
R. DERAILLEUR	Shimano Deore M6100-12 SGS shadow+
BRAKE	Shimano MT201 / MT200 2-Piston
TIRES	Schwalbe Rapid Rob K-Guard 57-622
MODULE NO.	021135
WEIGHT	12.8 kg (without pedals)



# ULTRA 1964 PRO 29

HARDTAIL

72



<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>FRAME</b>	29" Alloy 6061 MTB Ultra TB M1306
<b>FORK</b>	FOX 36 Float 29" Rythm 100mm remote
<b>R. DERAILLEUR</b>	Shimano Deore XT M8100-SGS
<b>BRAKE</b>	Shimano M6100 2-Piston
<b>TIRES</b>	Schwalbe RACING RALPH Perf TwinSkin TLR 57-622
<b>MODULE NO.</b>	021140
<b>WEIGHT</b>	12.4 kg (without pedals)

⚙️ 1x12 SHIMANO DEORE XT

**A RELATIONSHIP  
YOU CAN TRUST.**



## ULTRA EVO DIM

DRIVETRAIN	1x12 Sram SX
FRAME	29" Alloy 6061 MTB ULTRA EVO TB M0346
FORK	RockShox Recon RL 29" 130mm
R. DERAILLEUR	SRAM SX EAGLE
BRAKE	Shimano MT4101 2-Piston
TIRE F	Schwalbe NOBBY NIC Perf Folding 60-622
TIRE R	Schwalbe NOBBY NIC Perf Folding 65-584
MODULE NO.	021141
WEIGHT	13,7 kg (without pedals)



## ULTRA 1964 COMP 29

DRIVETRAIN	1x12 Shimano Deore XT
FRAME	29" Alloy 6061 MTB Ultra TB M1306
FORK	RockShox Judy TK RL 29" 100mm remote
R. DERAILLEUR	Shimano Deore XT M8100-SGS
BRAKE	Shimano RT30 180/160 CL
BRAKE	Shimano MT4101 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-622
MODULE NO.	021142
WEIGHT	13,4 kg (without pedals)



## ULTRA SPORT 29

DRIVETRAIN	1x12 Shimano Deore
FRAME	29" Alloy 6061 MTB M1110
FORK	RockShox Judy Air TK RL 29" 100mm remotet
R. DERAILLEUR	Shimano Deore M6100-SGS
BRAKE	Shimano MT201 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-622
MODULE NO.	021143
WEIGHT	13,7 kg (without pedals)



## ULTRA GLORIOUS 29

DRIVETRAIN	1x12 Shimano Deore
FRAME	29" Alloy 6061 MTB M1110
FORK	RockShox Judy TK RL 29" 100mm remote
R. DERAILLEUR	Shimano Deore M6100-SGS
BRAKE	Shimano MT201 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-622
MODULE NO.	021144
WEIGHT	13,6 kg (without pedals)



## ULTRA RIDE 29

DRIVETRAIN	1x12 Sram SX
FRAME	29" Alloy 6061 MTB M1110
FORK	RockShox Judy Coil TK RL 29" 100mm remote
R. DERAILLEUR	SRAM SX EAGLE
BRAKE	Shimano MT201 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-622
MODULE NO.	021145
WEIGHT	14,3 kg (without pedals)



# ULTRA FLITE

HARDTAIL

74



## ULTRA FLITE 29

⚙️ 2x10 SHIMANO DEORE

DRIVETRAIN	2x10 Shimano Deore
FRAME	29" Alloy 6061 MTB M1110
FORK	RockShox Judy Coil TK RL 29" 100mm remote
R. DERAILLEUR	Shimano Deore M5120-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-622
MODULE NO.	021146
WEIGHT	14,3 kg (without pedals)

## ULTRA FLITE 27

⚙️ 2x10 SHIMANO DEORE

TRANSMISSION	2x10 Shimano Deore
FRAME	29" Alloy 6061 MTB M1110
FORK	RockShox Judy Coil TK RL 29" 100mm remote
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-584
MODULE NO.	021147
WEIGHT	14,1 kg (without pedals)



## ULTRA FUN 29

DRIVETRAIN	2x9 Shimano Deore
FRAME	29" Alloy 6061 MTB M1110
FORK	Suntour XCM RL DS 29" 100mm remote
R. DERAILLEUR	Shimano Deore M592-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-622
MODULE NO.	021150
WEIGHT	14,8 kg (without pedals)



## ULTRA FUN 27

DRIVETRAIN	2x9 Shimano Deore
FRAME	27.5" Alloy 6061 MTB M1100
FORK	Suntour XCM RL DS 27.5" 100mm remote
R. DERAILLEUR	Shimano Deore M592-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-584
MODULE NO.	021151
WEIGHT	14,5 kg (without pedals)



## ULTRA GLORINETTE 29

DRIVETRAIN	2x9 Shimano Deore
FRAME	29" Alloy 6061 MTB M1110
FORK	Suntour XCM RL DS 29" 100mm remote
R. DERAILLEUR	Shimano Alivio M3100-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-622
MODULE NO.	021152
WEIGHT	14,8 kg (without pedals)



## ULTRA GLORINETTE 27

DRIVETRAIN	2x9 Shimano Deore
FRAME	29" Alloy 6061 MTB M1110
FORK	Suntour XCM RL DS 27.5" 100mm remote
R. DERAILLEUR	Shimano Alivio M3100-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe RAPID ROB K-Guard 57-584
MODULE NO.	021153
WEIGHT	14,4 kg (without pedals)

# CHICAGO



HARDTAIL

76

## CHICAGO DISC 271

⚙️ 3x9

SHIMANO  
ALTUS

DRIVETRAIN	3x9 Shimano Altus
FRAME	27.5" Alloy 6061 MTB M1100
FORK	Suntour XCT 30 HLO DS 27.5" 80mm
R. DERAILLEUR	Shimano Altus M2000-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe SMART SAM Perf 57-584
MODULE NO.	021156
WEIGHT	14.7 kg (without pedals)

## CHICAGO DISC 291

⚙️ 3x9

SHIMANO  
ALTUS

TRANSMISSION	3x9 Shimano Altus
FRAME	29" Alloy 6061 MTB M1110
FORK	Suntour XCT 30 HLO DS 29" 100mm
R. DERAILLEUR	Shimano Altus M2000-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe SMART SAM Perf 57-622
MODULE NO.	021155
WEIGHT	15.1 kg (without pedals)



## CHICAGO DISC 292

DRIVETRAIN	3x8 Shimano Altus
FRAME	29" Alloy 6061 MTB M1110
FORK	Suntour XCE 28 DL 29" 100mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Shimano EF505 2-Piston
TIRES	Impac SMARTPAC TwinSkin 54-622
MODULE NO.	021157
WEIGHT	15,4 kg (without pedals)



## CHICAGO DISC 272

DRIVETRAIN	3x8 Shimano Altus
FRAME	27.5" Alloy 6061 MTB M1100
FORK	Suntour XCE 28 DL 27.5" 80mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Shimano EF505 2-Piston
TIRES	Impac SMARTPAC TwinSkin 54-584
MODULE NO.	021158
WEIGHT	15 kg (without pedals)

## CHICAGO STREET 29

DRIVETRAIN	2x8 Shimano Altus
FRAME	29" Alloy 6061 MTB STREET M0572
FORK	Suntour XCT ATB DS 29" 100mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Shimano EF505 2-Piston
TIRES	Impac SMARTPAC TwinSkin 54-622
MODULE NO.	021159
WEIGHT	16,9 kg (without pedals)



## CHICAGO STREET 27

DRIVETRAIN	2x8 Shimano Altus
FRAME	27.5" Alloy 6061 MTB STREET M0522-M
FORK	Suntour XCT ATB DS 27.5" 80mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Shimano EF505 2-Piston
TIRES	Impac SMARTPAC TwinSkin 54-584
MODULE NO.	021160
WEIGHT	16,5 kg (without pedals)

# PENNY LANE DISC 271



HARDTAIL

78



<b>DRIVETRAIN</b>	3x9 Shimano Altus
<b>FRAME</b>	27.5" Alloy 6061 MTB M1100-L
<b>FORK</b>	Suntour XCT 30 HLO DS 27.5" 80mm
<b>R. DERAILLEUR</b>	Shimano Altus M2000-SGS
<b>BRAKE</b>	Shimano MT200 2-Piston
<b>TIRES</b>	Schwalbe SMART SAM Perf 57-584
<b>MODULE NO.</b>	021161
<b>WEIGHT</b>	14,5 kg (without pedals)

⚙️ 3x9 SHIMANO ALTUS

A RELATIONSHIP  
YOU CAN TRUST.



## PENNY LANE DISC 272

DRIVETRAIN	3x8 Shimano Altus
FRAME	27.5" Alloy 6061 MTB M1100-L
FORK	Suntour XCE 28 DS 27.5" 80mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Shimano EF505 2-Piston
TIRES	Impac SMARTPAC TwinSkin 54-584
MODULE NO.	021162
WEIGHT	14,7 kg (without pedals)



## PENNY LANE STREET 27

DRIVETRAIN	2x8 Shimano Altus
FRAME	27.5" Alloy L6061 MTB STREET M0522-L
FORK	Suntour XCT ATB DS 27.5" 80mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Shimano EF505 2-Piston
TIRES	Impac SMARTPAC TwinSkin 54-584
MODULE NO.	021163
WEIGHT	16,2 kg (without pedals)





R

O





# A

# D

## REVELATOR LISSE



**REVELATOR LISSE SONIC**  
SRAM RED ETAP AXS 2\*12 82



**REVELATOR LISSE PRESTIGE**  
DURA ACE DI2 2\*11 83



**REVELATOR LISSE MASTER**  
ULTEGRA DI2 2\*11 83



**REVELATOR LISSE ELITE**  
105 2\*11 83



**REVELATOR LISSE PRO**  
105 2\*11 83

## REVELATOR ALTO



**REVELATOR ALTO EXONIC**  
DURA ACE DI2 2\*11 84



**REVELATOR ALTO MASTER**  
ULTEGRA DI2 2\*11 85



**REVELATOR ALTO ELITE**  
ULTEGRA 2\*11 86



**REVELATOR ALTO PRO**  
105 2\*11 87

# REVELATOR LISSE SONIC

ROAD

82



<b>DRIVETRAIN</b>	1×12 Sram XX1 AXS
<b>FRAME</b>	Revelator Lisse Aero-Design Premium Carbon / R-7617
<b>FORK</b>	Revelator Aero-Design Performance Carbon F11
<b>R. DERAILLEUR</b>	Sram Red eTap AXS 12speed
<b>BRAKE</b>	Sram Red 2-Piston flatmount
<b>TIRES</b>	Schwalbe Pro One Evo V-Guard TLE 25-622
<b>MODULE NO.</b>	020170
<b>WEIGHT</b>	7,6 kg (without pedals)

⚙️ 2×12 SRAM RED  
ETAP AXS

## AERODYNAMIC PERFECTION.



## REVELATOR LISSE PRESTIGE

DRIVETRAIN	2x11 Shimano Dura Ace Di2
FRAME	Revelator Lisse Aero-Design Premium Carbon / R-7614
FORK	Revelator Aero-Design Performance Carbon F11
R. DERRAILLEUR	Shimano Dura Ace Di2 R9150 SS
BRAKE	Shimano Dura Ace R9170 2-Piston
TIRES	Continental G-Prix 5000 TL 25-622
MODULE NO.	020171
WEIGHT	7,6 kg (without pedals)



## REVELATOR LISSE MASTER

DRIVETRAIN	2x11 Shimano Ultegra Di2
FRAME	Revelator Lisse Aero-Design Premium Carbon / R-7614
FORK	Revelator Aero-Design Performance Carbon F11
R. DERRAILLEUR	Shimano Ultegra Di2 R8050 SS
BRAKE	Shimano Ultegra R8070 2-Piston
TIRES	Continental G-Prix 5000 TL 25-622
MODULE NO.	020172
WEIGHT	7,9 kg (without pedals)



## REVELATOR LISSE ELITE

DRIVETRAIN	2x11 Shimano 105
FRAME	Revelator Lisse Aero-Design Premium Carbon / R-7610
FORK	Revelator Aero-Design Performance Carbon F11
R. DERRAILLEUR	Shimano 105 R7000 GS
BRAKE	Shimano 105 R7070 2-Piston
TIRES	Schwalbe One Perf. RaceGuard TLE 25-622
MODULE NO.	020173
WEIGHT	8,4 kg (without pedals)



## REVELATOR LISSE PRO

DRIVETRAIN	2x11 Shimano 105
FRAME	Revelator Lisse Aero-Design Performance Carbon / R-1620
FORK	Revelator Aero-Design Performance Carbon F11
R. DERRAILLEUR	Shimano 105 R7000 GS
BRAKE	Shimano 105 R7070 2-Piston
TIRES	Schwalbe One Perf. RaceGuard TLE 25-622
MODULE NO.	021173
WEIGHT	9,3 kg (without pedals)





# REVELATOR ALTO EXONIC

ROAD

84



<b>DRIVETRAIN</b>	2x11 Shimano Dura Ace Di2
<b>FRAME</b>	Revelator Alto Nano Premium Carbon / R-9814
<b>FORK</b>	Revelator Alto NanoPremium Carbon F12
<b>R. DERAILLEUR</b>	Shimano Dura Ace Di2 R9150 SS
<b>BRAKE</b>	Shimano Dura Ace R9170 2-Piston
<b>TIRES</b>	Continental G-Prix 5000 TR 28-622
<b>MODULE NO.</b>	021175
<b>WEIGHT</b>	6,9 kg (without pedals)

⚙️ 2x11 SHIMANO DURA ACE DI2



LEAVE THE  
VALLEY BEHIND.



# REVELATOR ALTO MASTER



<b>DRIVETRAIN</b>	2x11 Shimano Ultegra Di2
<b>FRAME</b>	Revelator Alto Premium Carbon / R-9824
<b>FORK</b>	Revelator Alto Performance Carbon F12
<b>R. DERAILLEUR</b>	Shimano Ultegra Di2 R8050 SS
<b>BRAKE</b>	Shimano Ultegra R8070 2-Piston
<b>TIRES</b>	Schwalbe Pro One Evo V-Guard TLE 28-622
<b>MODULE NO.</b>	021176
<b>WEIGHT</b>	7,6 kg (without pedals)


**2x11**




# REVELATOR ALTO ELITE

ROAD



86

<b>DRIVETRAIN</b>	2x11 Shimano Ultegra
<b>FRAME</b>	Revelator Alto Premium Carbon / R-9824
<b>FORK</b>	Revelator Alto Performance Carbon F12
<b>R. DERAILLEUR</b>	Shimano Ultegra R8000 GS
<b>BRAKE</b>	Shimano 105 R7070 2-Piston
<b>TIRES</b>	Schwalbe One Perf. RaceGuard TLE 28-622
<b>MODULE NO.</b>	021177
<b>WEIGHT</b>	8,5 kg (without pedals)

⚙️ 2x11

SHIMANO  
ULTEGRA





# REVELATOR ALTO PRO



<b>DRIVETRAIN</b>	2x11 Shimano 105
<b>FRAME</b>	Revelator Alto Performance Carbon / R-9830
<b>FORK</b>	Revelator Alto Carbon/Alloy-shaft F12
<b>R. DERAILLEUR</b>	Shimano 105 R7000 GS
<b>BRAKE</b>	Shimano 105 R7070 2-Piston
<b>TIRES</b>	Continental Ultra Sport III 28-622
<b>MODULE NO.</b>	021178
<b>WEIGHT</b>	9,3 kg (without pedals)

⚙️ 2x11

SHIMANO  
105



G

R

A





# U E L



**X-STRADA MASTER**  
GRX 1×11

90



**X-STRADA 710**  
GRX 2×11

91



**X-STRADA 720**  
GRX 2×10

91



**X-STRADA LFC**  
GRX 2×10

91



**X-STRADA 730 FIT**  
GRX 2×10

91

# X-STRADA MASTER

GRAVEL

90



<b>DRIVETRAIN</b>	1x11 Shimano GRX
<b>FRAME</b>	X-Strada Canic Performance Carbon / R-8976
<b>FORK</b>	X-Strada Gravel Carbon F8
<b>R. DERAILLEUR</b>	Shimano GRX RX812 shadow RD+
<b>BRAKE</b>	Shimano GRX RX810 2-Piston
<b>TIRES</b>	Continental Terra Speed Protection TR 35-622
<b>MODULE NO.</b>	021190
<b>WEIGHT</b>	8,7 kg (without pedals)

⚙️ 1x11 SHIMANO GRX

## GRAVEL UP YOUR LIFE.



## X-STRADA 710

DRIVETRAIN	2x11 Shimano GRX
FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILLEUR	Shimano GRX RX810 shadow RD+
BRAKE	Shimano GRX RX810 2-Piston
TIRES	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622
MODULE NO.	021191
WEIGHT	11 kg (without pedals)



## X-STRADA 720

DRIVETRAIN	2x10 Shimano GRX
FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILLEUR	Shimano GRX RX400 shadow RD+
BRAKE	Shimano GRX RX400 2-Piston
TIRES	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622
MODULE NO.	021192
WEIGHT	11.2 kg (without pedals)



## X-STRADA LFC

DRIVETRAIN	2x10 Shimano GRX
FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILLEUR	Shimano GRX RX400 shadow RD+
BRAKE	Shimano GRX RX400 2-Piston
TIRES	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622
MODULE NO.	021193
WEIGHT	12.5 kg (without pedals)



## X-STRADA 730 FIT

DRIVETRAIN	2x10 Shimano GRX
FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILLEUR	Shimano GRX RX400 shadow RD+
BRAKE	Shimano MT201 / UR300 2-Piston
TIRES	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622
MODULE NO.	021194
WEIGHT	11.1 kg (without pedals)





O F F





# R O A D



**LIFE RACE**  
DEORE XT 3\*10

94



**LIFE 1964 CROSS**  
DEORE XT 3\*10

95



**LIFE ACTION**  
DEORE XT 3\*10

95



**LIFE CROSS**  
SRAM SX 1\*12

96



**LIFE ROAD**  
DEORE XT 2\*9

96



**LIFE TRACK**  
ACERA 3\*8

97



**LIFE TRACK STREET**  
ACERA 3\*8

97

# LIFE RACE



OFFROAD

94

<b>DRIVETRAIN</b>	3x10 Shimano Deore XT
<b>FRAME</b>	28" Alloy 6061 OFFROAD TB T8660
<b>FORK</b>	Suntour NCX-E air RL DS 63mm
<b>R. DERAILLEUR</b>	Shimano Deore XT T8000-SGS
<b>BRAKE</b>	Shimano M8100 2-Piston
<b>TIRES</b>	Schwalbe SMART SAM Perf 44-622
<b>MODULE NO.</b>	021200
<b>WEIGHT</b>	12,6 kg (without pedals)

 **3x10** SHIMANO DEORE XT

**TREK KING  
KNOW-HOW BUILT  
ON EXPERIENCE.**



## LIFE 1964 CROSS

DRIVETRAIN	3x10 Shimano Deore XT
FRAME	28" Alloy 6061 OFFROAD TB T8660
FORK	Suntour NCX-E air LO DS 63mm
R. DERAILLEUR	Shimano Deore XT T8000-SGS
BRAKE	Shimano MT4103 2-Piston
TIRES	Schwalbe SMART SAM Perf 47-622
MODULE NO.	021201
WEIGHT	13,2 kg (without pedals)



## LIFE ACTION

DRIVETRAIN	3x10 Shimano Deore XT
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NCX-D air LO DS 63mm
R. DERAILLEUR	Shimano Deore RD-T6000-SGS
BRAKE	Shimano MT4103 2-Piston
TIRES	Schwalbe SMART SAM Perf 44-622
MODULE NO.	021202
WEIGHT	13,1 kg (without pedals)



## LIFE CROSS

DRIVETRAIN	1x12 Sram SX
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
R. DERAILLEUR	SRAM SX EAGLE
BRAKE	Shimano MT201 2-Piston
TIRES	Schwalbe SMART SAM Perf 44-622
MODULE NO.	021203
WEIGHT	13,7 kg (without pedals)



OFFROAD

96

## LIFE ROAD

DRIVETRAIN	3x9 Shimano Deore XT
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
R. DERAILLEUR	Shimano Deore XT M772-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe SMART SAM Perf 44-622
MODULE NO.	021204
WEIGHT	13,7 kg (without pedals)





## LIFE TRACK

DRIVETRAIN	3x8 Shimano Acera
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
R. DERAILLEUR	Shimano Acera M360-SGSL
BRAKE	Shimano EF505 2-Piston
TIRES	Schwalbe HURRICANE K-Guard 42-622
MODULE NO.	021205
WEIGHT	13,7 kg (without pedals)



## LIFE TRACK STREET

DRIVETRAIN	3x8 Shimano Acera
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
R. DERAILLEUR	Shimano Acera M360-SGSL
BRAKE	Shimano EF505 2-Piston
TIRES	Schwalbe HURRICANE K-Guard 42-622
MODULE NO.	021206
WEIGHT	15 kg (without pedals)





O

N

R





# O

# A

# D



**LIFE STYLE**  
DEORE XT 3\*10

100



**LIFE TOUR**  
DEORE XT 3\*10

101



**LIFE 1964**  
DEORE XT 3\*10

101



**LIFE FORCE**  
SRAM SX 1\*12

101



**LIFE LITE**  
SRAM SX 1\*12

101



**LIFE SPACE**  
DEORE XT 2\*9

102



**LIFE RIDE**  
ACERA 3\*8

103



**LIFE TIME**  
DEORE 2\*9

103



**LIFE JOY**  
ALTUS 2\*8

103

# LIFE STYLE



ONROAD

100



<b>DRIVETRAIN</b>	3x10 Shimano Deore XT
<b>FRAME</b>	28" Alloy 6061 ONROAD DISC TB T8610
<b>FORK</b>	Suntour NCX-E air LO DS 63mm
<b>R. DERAILLEUR</b>	Shimano Deore XT T8000-SGS
<b>BRAKE</b>	Shimano M8100 2-Piston
<b>TIRES</b>	Schwalbe MARATHON RACER Perf RaceGuard 40-622
<b>MODULE NO.</b>	021210
<b>WEIGHT</b>	14,5 kg (without pedals)

 **3x10** SHIMANO DEORE XT

**TREKKING  
KNOW-HOW BUILT  
ON EXPERIENCE.**



## LIFE TOUR

DRIVETRAIN	3x10 Shimano Deore XT
FRAME	28" Alloy 6061 ONROAD DISC TB T8610
FORK	Suntour NCX-E air L0 DS 63mm
R. DERAILLEUR	Shimano Deore XT T8000-SGS
BRAKE	Shimano MT4103 2-Piston
TIRES	Schwalbe MARATHON MONDIAL Perf. RaceGuard 42-622
MODULE NO.	021211
WEIGHT	15.5 kg (without pedals)



## LIFE 1964

DRIVETRAIN	3x10 Shimano Deore XT
FRAME	28" Alloy 6061 ONROAD DISC TB T8610
FORK	Suntour NCX-E air L0 DS 63mm
R. DERAILLEUR	Shimano Deore XT T8000-SGS
BRAKE	Shimano MT200 2-Piston
TIRES	Schwalbe MARATHON RACER Perf. RaceGuard 40-622
MODULE NO.	021212
WEIGHT	13.2 kg (without pedals)



## LIFE FORCE

DRIVETRAIN	1x12 Sram SX
FRAME	28" Alloy 6061 ONROAD DISC TB T1455
FORK	Suntour NCX-D air L0 DS 63mm
R. DERAILLEUR	SRAM SX EAGLE
BRAKE	Shimano MT201 2-Piston
TIRES	Schwalbe MARATHON RACER Perf. RaceGuard 40-622
MODULE NO.	021213
WEIGHT	15.2 kg (without pedals)



## LIFE LITE

DRIVETRAIN	1x12 Sram SX
FRAME	28" Alloy 6061 ONROAD DISC TB T8610
FORK	Rigid alloy disc 28"
R. DERAILLEUR	SRAM SX EAGLE
BRAKE	Shimano MT201 2-Piston
TIRES	Schwalbe MARATHON RACER Perf. RaceGuard 40-622
MODULE NO.	021214
WEIGHT	14.2 kg (without pedals)



# LIFE SPACE



ONROAD

102

<b>DRIVETRAIN</b>	3x9 Shimano Deore XT
<b>FRAME</b>	28" Alloy 6061 ONROAD DISC T1454
<b>FORK</b>	Suntour NEX HLO DS 63mm
<b>R. DERAILLEUR</b>	Shimano Deore XT M772-SGS
<b>BRAKE</b>	Shimano MT201 2-Piston
<b>TIRES</b>	Schwalbe MARATHON G.G., TwinSkin 40-622
<b>MODULE NO.</b>	021215
<b>WEIGHT</b>	17,2 kg (without pedals)

 **3x9** SHIMANO DEORE XT

## A RELATIONSHIP YOU CAN TRUST.



## LIFE RIDE

DRIVETRAIN	3x8 Shimano Acera
FRAME	28" Alloy 6061 ONROAD DISC T8340
FORK	Suntour NEX DS 63mm
R. DERAILLEUR	Shimano Acera M360-S6SL
BRAKE	Shimano EF505 2-Piston
TIRES	Schwalbe CITIZEN K-Guard 42-622
MODULE NO.	021216
WEIGHT	16.5 kg (without pedals)



## LIFE TIME

DRIVETRAIN	3x9 Shimano Deore
FRAME	28" Alloy 6061 ONROAD T8010
FORK	Suntour NEX P 63mm
R. DERAILLEUR	Shimano Deore M592-S6S
BRAKE	Shimano BRT4000 V-Br
TIRES	Schwalbe CITIZEN K-Guard 42-622
MODULE NO.	021217
WEIGHT	16.6 kg (without pedals)



## LIFE JOY

DRIVETRAIN	3x8 Shimano Altus
FRAME	28" Alloy 6061 ONROAD T8010
FORK	Suntour M3010 P 50mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Tektro 837AL V-Br
TIRES	Impac STREETPAC TwinSkin 42-622
MODULE NO.	021218
WEIGHT	16.2 kg (without pedals)





# U R B



## KENT/ OXFORD



**KENT**  
NEXUS 1x8

106



**OXFORD**  
ALTUS 1x9

107



# A

# N

## CITY



**CITY LINE 28**  
NEXUS - COASTERBRAKE 1\*7

108



**CITY FUN 28**  
NEXUS - COASTERBRAKE 1\*3

109



**CITY FUN 26**  
NEXUS - COASTERBRAKE 1\*7

109

## TOURELLA



**TOURELLA**  
NEXUS - COASTERBRAKE 1\*7

109

# KENT



URBAN

106

<b>DRIVETRAIN</b>	1x8 Shimano Nexus
<b>FRAME</b>	28" Alloy 6061 URBAN T9630
<b>FORK</b>	Rigid alloy 28"
<b>BRAKE</b>	Shimano RT10 CL 160
<b>TIRES</b>	Schwalbe CITIZEN K-Guard 42-622
<b>MODULE NO.</b>	021220
<b>WEIGHT</b>	14,8 kg (without pedals)

⚙️ 1x8 SHIMANO NEXUS

**YOUR CITY.  
YOUR BIKE.**



# OXFORD



<b>DRIVETRAIN</b>	1x9 Shimano Altus
<b>FRAME</b>	28" Alloy 6061 URBAN T8620
<b>FORK</b>	Rigid alloy 28"
<b>R. DERRAILLEUR</b>	Shimano Altus M2000 SGS
<b>BRAKE</b>	Shimano RT10 CL 160
<b>TIRES</b>	Schwalbe CITIZEN K-Guard 42-622
<b>MODULE NO.</b>	021221
<b>WEIGHT</b>	14 kg (without pedals)

🔧 1x9 SHIMANO ALTUS

URBAN

107

# CITY LINE 28



URBAN

108

<b>DRIVETRAIN</b>	1x7 Shimano Nexus - Coasterbrake
<b>FRAME</b>	28" Alloy 6061 CITY LINE C7690-L
<b>FORK</b>	Suntour CR8 - V 50mm
<b>BRAKE</b>	Tektro 855AL V-Br
<b>TIRES</b>	Schwalbe CITIZEN K-Guard 42-622
<b>MODULE NO.</b>	021230
<b>WEIGHT</b>	17,3 kg (without pedals)

 **1x7** SHIMANO NEXUS - COASTERBRAKE

**YOUR CITY.  
YOUR BIKE.**



## CITY FUN 28

**DRIVETRAIN** 1x7 Shimano Nexus - Coasterbrake  
**FRAME** 28" Alloy 6061 CITY FUN C7020  
**FORK** Rigid steel 28"  
**BRAKE** Tektro 855AL V-Br  
**TIRES** Impac STREETPAC TwinSkin 47-559  
**MODULE NO.** 021232  
**WEIGHT** 15,2 kg (without pedals)

## CITY FUN 26

**DRIVETRAIN** 1x3 Shimano Nexus - Coasterbrake  
**FRAME** 26" Alloy 6061 CITY FUN C7020  
**FORK** Rigid steel 26"  
**BRAKE** Tektro 855AL V-Br  
**TIRES** Impac STREETPAC TwinSkin 47-559  
**MODULE NO.** 021233  
**WEIGHT** 14,9 kg (without pedals)



## TOURELLA

**DRIVETRAIN** 1x7 Shimano Nexus - Coasterbrake  
**FRAME** 28" AL6061 CITY TOURELLA/DELUXE LADY C7500-L  
**FORK** Rigid steel 28"  
**BRAKE** Tektro 855AL V-Br  
**TIRES** Schwalbe FAT FRANK K-Guard, 50-622  
**MODULE NO.** 021235  
**WEIGHT** 16,3 kg (without pedals)



# K



**WILD SPEED 26**  
1×9

112



**WILD SPEED 24**  
1×9

112



**WILD CROSS 24**  
1×7

113



**WILD CROSS 24 STREET**  
1×7

113



**WILD CROSS 20**  
1×7

113



**WILD CROSS 16**  
1×1

114



**WILD CROSS 12**  
1×1

115



**WILD BUDDY 12**  
1×1

115



# D

# S



**WILD ONE 24**  
3X6 SHIMANO TY200

116



**WILD ONE 20**  
1X6 SHIMANO TY200

116



**COUNTRY STAR 26**  
3X7 SHIMANO ALTUS

117



**WILD CAT 24**  
3X6 SHIMANO TY200

117



**WILD CAT 20**  
1X6 SHIMANO TY200

117

## WILD SPEED 26

DRIVETRAIN	1x9 Shimano Altus
FRAME	26" Light K1262, high quality aluminium tubes, full integrated
FORK	Suntour XCE 28 DS 26" 80mm
R. DERAILLEUR	SHIMANO Altus M2000-SGS
BRAKE	TEKTRO HD-J285 JUNIOR
TIRES	SCHWALBE BLACK JACK 64-559 26x2.10
MODULE NO.	021240



Symbol Bild / Symbol picture

## WILD SPEED 24

DRIVETRAIN	1x9 Shimano Altus
FRAME	24" Light K1242, high quality aluminium tubes, full integrated
FORK	Suntour XCT JR L DS 24" 80mm
R. DERAILLEUR	SHIMANO Altus M2000-SGS
BRAKE	TEKTRO HD-J285 JUNIOR
TIRES	SCHWALBE BLACK JACK 47-507 24x1.90
MODULE NO.	021241





## WILD CROSS 24

DRIVETRAIN	1x7
FRAME	24" Light K1241, high quality aluminium tubes, full integrated
FORK	Light unicrown aluminium 24"
R. DERAILLEUR	SHIMANO RD-TY200-SS low cage
BRAKE	Ergonomic Alloy TEKTR0 TS325-A with V-Brake 837-102mm
TIRES	SCHWALBE BLACK JACK 47-507 24x1.90
MODULE NO.	021242



## WILD CROSS 24 STREET

DRIVETRAIN	1x7
FRAME	24" Light K1241, high quality aluminium tubes, full integrated
FORK	Light unicrown aluminium 24"
R. DERAILLEUR	SHIMANO RD-TY200-SS low cage
BRAKE	Ergonomic Alloy TEKTR0 TS325-A with V-Brake 837-102mm
TIRES	SCHWALBE BLACK JACK 47-507 24x1.90
MODULE NO.	021243



## WILD CROSS 20

DRIVETRAIN	1x7
FRAME	20" Light K1201, high quality aluminium tubes, full integrated
FORK	Light unicrown aluminium 20"
R. DERAILLEUR	SHIMANO RD-TY200-SS low cage
BRAKE	Ergonomic Alloy TEKTR0 TS325-A with V-Brake 837-102mm
TIRES	SCHWALBE BLACK JACK 47-406 20x1.90
MODULE NO.	021244



# WILD CROSS 16



KIDS

114

<b>DRIVETRAIN</b>	1x1
<b>FRAME</b>	16" Light K1165, high quality aluminium tubes, full integrated
<b>FORK</b>	Light unicrown aluminium 18"
<b>BRAKE</b>	Ergonomic Alloy TEKTRO JL350-RS with V-Brake 837-102mm
<b>TIRE F</b>	SCHWALBE BLACK JACK 47-355 18x1.90
<b>TIRE R</b>	SCHWALBE BLACK JACK 47-305 16x1.90
<b>MODULE NO.</b>	021245



## WILD CROSS 12

DRIVETRAIN	1x1
FRAME	12" Light K1125, high quality aluminium tubes, full integrated
FORK	Light unicrown aluminium 14"
BRAKE	Ergonomic Alloy TEKTRO JL350-RS with V-Brake 837-102mm
TIRE F	SCHWALBE BIG APPLE 14x2.0
TIRE R	SCHWALBE BIG APPLE 12x2.0
MODULE NO.	021246



## WILD BUDDY 12

FRAME	12" K1129, high quality aluminium tubes, full integrated
FORK	Light unicrown aluminium 14"
BRAKE	Ergonomic Alloy TEKTRO JL350-RS with V-Brake 837-102mm
TIRE F	SCHWALBE BIG APPLE 14x2.0
TIRE R	SCHWALBE BIG APPLE 12x2.0
MODULE NO.	021247



## WILD ONE 24

DRIVETRAIN	3x6 Shimano TY200
FRAME	24" Alloy 6061 KID WILD ONE K7430
FORK	Suntour M3010 P 24" 50mm
R. DERAILLEUR	Shimano TY21-6
BRAKE	Tektro 855AL V-Br
TIRES	Rubena V41 WALRUS 47-507
MODULE NO.	021250
WEIGHT	14,5 kg (without pedals)



KIDS

116

## WILD ONE 20

DRIVETRAIN	1x6 Shimano TY200
FRAME	20" Alloy 6061 KID WILD ONE K7030
FORK	Suntour M3010 P 20" 50mm
R. DERAILLEUR	Shimano TY200
BRAKE	Tektro 855AL V-Br
TIRES	Rubena V41 WALRUS 47-406
MODULE NO.	021252
WEIGHT	12,8 kg (without pedals)





## COUNTRY STAR 26

DRIVETRAIN	3x7 Shimano Altus
FRAME	26" Alloy 6061 KID COUNTRY STAR K7680 430mm
FORK	Suntour NEX P 63mm
R. DERAILLEUR	Shimano Altus M310DL
BRAKE	Tektro 855AL V-Br
TIRES	Impac STREETPAC TwinSkin 47-559
MODULE NO.	021252
WEIGHT	16.2 kg (without pedals)



## WILDCAT 24

DRIVETRAIN	3x6 Shimano TY200
FRAME	24" Alloy 6061 KID WILD CAT 21 K7440, 350mm
FORK	Rigid steel 24"
R. DERAILLEUR	Shimano TY200
BRAKE	Tektro 855AL V-Br
TIRES	Rubena V41 WALRUS 47-507
MODULE NO.	021253
WEIGHT	13.9 kg (without pedals)



## WILDCAT 20

DRIVETRAIN	1x6 Shimano TY200
FRAME	20" Alloy 6061 KID WILD CAT 6 K7040, 305mm
FORK	Rigid steel 20"
R. DERAILLEUR	Shimano TY200
BRAKE	Tektro 855AL V-Br
TIRES	Rubena V41 WALRUS 47-406
MODULE NO.	021254
WEIGHT	12 kg (without pedals)







**BOSCH**

Invented for life



A  
EMOU

WEBSITE ANSEHEN  
[bosch-ebike.at](https://bosch-ebike.at)

VISIT THE WEBSITE  
[bosch-ebike.com](https://bosch-ebike.com)



Kontrolle übernehmen. Die Fahrt beherrschen. Der Schwerkraft trotzen. Die neue Performance Line CX macht's möglich. Mit kraftvollem, direktem Ansprechverhalten und gesteigerter Kontrolle. Ab Modelljahr 2021 mit einem Drehmoment bis zu 85 Nm. Double the fun mit der Performance Line CX.

*Taking control. Mastering the journey. Defying gravity. The new Performance Line CX makes this possible. With powerful, direct response and increased control. From model year 2021 the performance Line CX will feature a torque of up to 85 Nm. Double the fun with the Performance Line CX.*

# NEW ERA FOR MOUNTAIN BIKERS

**NEW  
85 Nm**



**#FeelTheFlow**





BOSCH

## DIE BOSCH DRIVE UNITS

### Für noch mehr Flow

KTM rüstet eBikes mit Antrieben von Bosch aus – mit den Drive Units Active Line, Active Line Plus, Performance Line und Performance Line CX. ePowered by Bosch, das bedeutet: mehr Leichtigkeit und Freude an der Bewegung – aktiv und entspannt zugleich.

## DIE BOSCH DRIVE UNITS

### For even more flow

*KTM fits eBikes with drive units from Bosch, using Active Line, Active Line Plus, Performance Line and Performance Line CX Drive Units. ePowered by Bosch means: greater ease and enjoyment of activity – active and relaxed at the same time.*

### ACTIVE LINE

Der elegante Begleiter

### ACTIVE LINE

An elegant companion



- Leiser Motor für noch mehr Fahrfreude ohne störende Nebengeräusche.
  - Harmonisch dosierte Beschleunigung.
  - Kaum spürbarer Tretwiderstand über 25 km/h oder im Off-Modus.
  - Ausgezeichnet mit dem Red Dot Award.
- 
- The quiet motor provides even more riding enjoyment without annoying extraneous noises.
  - Smoothly controlled acceleration.
  - Barely perceptible pedal resistance above 25 km/h or in off mode.
  - Winner of the Red Dot Design Award.



## ACTIVE LINE PLUS

Die Drive Unit für Entdecker



## ACTIVE LINE PLUS

The drive unit for explorers

- Optimal dosierte Unterstützung für einen Ausflug oder für Touren auch außerhalb der Stadtgrenzen.
  - Einzigartiges Fahrerlebnis: Erleben Sie eine harmonisch dosierte Beschleunigung mit einem Drehmoment von bis zu 50 Nm.
  - Kaum spürbarer Tretwiderstand im Off-Modus oder bei Geschwindigkeiten von über 25 km/h.
- 
- Optimal support for an excursion – including beyond city limits.
  - Unique riding experience: Experience gentle customised acceleration with a maximum torque of up to 50 Nm.
  - Barely perceptible pedal resistance in off mode or at speeds above 25 km/h.

## PERFORMANCE LINE

Sportlich unterwegs



## PERFORMANCE LINE

Sporty riding

- Genug Power für Freizeit, City und Berge.
  - Bis zu 65 Nm Drehmoment für volle Fahrfreude auch im Gelände.
  - Unterstützung bis 25 km/h oder bis 45 km/h (Performance Line Speed).
  - Natürliches Fahrgefühl fast ohne Tretwiderstand.
  - Stark im Antritt – kraftvolle Unterstützung ab dem ersten Tritt.
- 
- Plenty of power für leisure trips, city cycling and mountain biking.
  - Torque of up to 65 Nm or 75 Nm (Performance Line Speed) for complete riding pleasure, even off-road.
  - Support up to 25 km/h or 45 km/h (Performance Line Speed).
  - Natural riding sensation with almost no pedal resistance.
  - Off to a good start – powerful support as soon as you step onto the pedals.

NEU

## PERFORMANCE LINE CX

Eine neue Ära für eMountainbiker



## PERFORMANCE LINE CX

A new era for eMountain bikers

- Max. Drehmoment (85 Nm) für kraftvolle Beschleunigung.
  - Kompakt und leicht für ein natürliches Fahrgefühl.
  - Mit bis zu 340 % perfekt dosierte Unterstützung.
  - Extrem druckvolle, verzögerungsfreie Beschleunigung.
- 
- Maximum momentum (85 Nm) for powerful acceleration.
  - Compact and lightweight a natural riding sensation.
  - With up to 340 % perfectly delivered support
  - Extremely powerful acceleration with no delays.



## BOSCH DISPLAYS

### Intelligenz am Lenker

Entscheiden Sie anhand der gewünschten Funktionen, welches Display das richtige für Sie ist.

## BOSCH DISPLAYS

### Intelligence on the handlebar

Choose the right display for you, depending on the functions you require.

	PURION	INTUUIA	KIOX	NYON	SMARTPHONE-HUB
5 Fahrmodi <i>5 riding modes</i>	●	●	●	●	●
Schaltempfehlung <i>Shift recommendation</i>	○	●	○	●	○
Schiebehilfe <i>Walk assistance</i>	●	●	●	●	●
Hochauflösendes Display <i>High resolution display</i>	○	○	●	●	○
Integriertes Display <i>Integrated display</i>	●	●	●	●	●
Aufladen per USB <i>USB charging option</i>	○	●	●	●	●
Spritzwasserdicht <i>Splash-proof</i>	●	●	●	●	●
Navigation <i>Navigation</i>	○	○	●	●	●
Fitnesstracking <i>Fitness tracking</i>	○	○	●	●	●
eShift-kompatibel <i>Compatible with eShift</i>	○	●	●	●	○
DualBattery-kompatibel <i>DualBattery-compatible</i>	●	●	●	●	●
Apps von Drittanbietern <i>Third-party apps</i>	○	○	●	●	●
Zusatzschutz vor Diebstahl <i>Additional theft protection</i>	○	○	●	●	○

## PURION

### Kompakter Purist



- Übersichtliches Display: Ladezustand, Geschwindigkeit, Fahrmodus, Reichweite, Trip-Distanz, Gesamtdistanz.
- Optimale Lesbarkeit: Durch das von hinten beleuchtete, spiegelfreie Display erkennen eBiker alle Fahrdaten auch bei direkter Sonneneinstrahlung.

## PURION

### Compact purist

- Clearly arranged display: Charge status, speed, riding mode, range, trip distance and total distance.
- Outstanding readability: The backlit non-glare display allows eBikers to read all riding data clearly, even in direct sunlight.

## INTUUIA

### Clever und übersichtlich



- Höchster Bedienkomfort: Einfache Steuerung über die separate Bedieneinheit.
- Ideal für unterwegs: Auch vom eBike abgenommen lassen sich alle wichtigen Informationen, wie zum Beispiel die Gesamtdistanz, abrufen.

## INTUUIA

### Clever and clear

- Maximum ease of use: Easy control thanks to the separate control unit.
- Ideal for travelling: Even when removed from the eBike, all important information such as the total distance can be displayed.





NYON

NEU

Vielseitig und einfach clever



Mit dem neuen Nyon kann das voll vernetzte eBike-Erlebnis starten. Ob bei ausgedehnten Touren oder kurzen Alltagsfahrten: Mit dem robusten und optimal ablesbaren Display sind eBiker für alle Anforderungen und jedes Wetter bestens gerüstet. Der neue Bordcomputer Nyon – eine Generation smarter, intuitiver und vernetzter. So fühlt sich Connected Biking an.

- Einfache Bedienung: Nyon lässt sich dank Touch-Funktion intuitiv bedienen und während der Fahrt über die Bedieneinheit steuern.
- Ausgezeichnetes Design: Das 3,2 Zoll große, hochauflösende Farbdisplay vereint smarte Funktionen mit elegantem Design und wurde mit dem Red Dot Award ausgezeichnet.
- Optimal ablesbar: Klare Sicht bei jedem Licht.
- Individuelle Screens: Die Benutzeroberfläche auf dem Display lässt sich den eigenen Bedürfnissen entsprechend anpassen. So hat jeder stets die Informationen im Blick, die er braucht.

NYON

Versatile and clever

The new Nyon paves the way for a fully connected eBike experience. Equally at home on long rides or short routine trips: The robust and easy-to-read display ensures that eBikers are well equipped for every situation and all weather conditions. The new Nyon on-board computer – a smarter, more intuitive and more connected generation. This is what Connected Biking feels like.

- Simple operation: The Touch function makes Nyon even more intuitive and a control unit can be used while riding.
- Award-winning design: The 3.2-inch, high-resolution colour display combines smart functions with elegant design and was awarded the Red Dot Design Award.
- Optimum readability: Clear visibility in all light conditions.
- Individual screens: The user interface on the display can be adapted to the rider's specific preferences. This means that all riders can see the information they need at all times.

SMARTPHONEHUB

Intelligenz am Lenker



Mit Smartphone und COBI.Bike Smartphone-App wird der SmartphoneHub zur intelligenten Steuerzentrale, die navigiert, Fitnesswerte im Blick behält und mit anderen Diensten und Apps verbunden werden kann. NEU: Das integrierte Display zeigt die wichtigsten Fahrdaten und ermöglicht das Fahren auch ohne Smartphone.

- Connected Biking: Von der Navigation über Fitnesstracking bis hin zur Integration von Diensten wie Strava oder komoot.
- Navigation: Wahlweise mit 2D- oder 3D-Kartenansicht. Die Navigationsanweisungen erfolgen per Sprachausgabe.
- Integriertes Display: Das 1,52-Zoll-Display zeigt die wichtigsten Fahrdaten an und erlaubt die Steuerung auch ohne Smartphone.
- Remote Compact: Komfortable Bedienung mit dem Daumen, ohne den Lenker loszulassen.
- Auch als Nachrüst-Kit verfügbar.

SMARTPHONEHUB

Intelligence on your handlebar

Thanks to the smartphone and the COBI.Bike smartphone app, the SmartphoneHub can become an intelligent control centre that navigates, keeps an eye on fitness readings and connects to other services and apps. NEW: The integrated display shows the most important riding data, so that you can continue riding even without a smartphone.

- Connected biking – from navigation and fitness tracking to the integration of services such as Strava or komoot.
- Navigation: Either with 2D or 3D map view. The navigation instructions are issued by voice output.
- Integrated display: The 1.52-inch display shows the most important riding data and enables the eBike to be controlled even without a smartphone.
- Remote Compact: Comfortable operation with the thumb, without letting go of the handlebar.
- Also available as Retrofit Kit.



## KIOX

### Sportlich und vernetzt

Das sportliche Display ist die Verbindung zur vernetzten eBike-Welt von Bosch. Alle relevanten Fahrdaten werden von Kiox aufgezeichnet und über das per Bluetooth verbundene Smartphone an das Online-Portal eBike Connect übertragen. Die neue Navigationsfunktion von Kiox unterstützt eBiker beim Erkunden von unbekanntem Gelände. Die Navigation wird über das Smartphone gestartet. Via Bluetooth ist der Bordcomputer mit diesem vernetzt und zeigt die geplante Tour auf dem Display als Linie an, die dem eBiker den Wegverlauf aufzeigt. Zusätzliche Sicherheit bietet Lock, die clevere Ergänzung zum mechanischen Schloss. Sie deaktiviert bei Abziehen des Kiox die Motorunterstützung und erst das Aufstecken desselben Kiox entriegelt die Sperre wieder.

## KIOX

### Sporty connectivity

*The sporty display is the connection to the networked eBike world of Bosch. Kiox records all the relevant riding data and transfers it to the eBike Connect online portal via the smartphone's Bluetooth connection. The new Kiox navigation function supports eBikers as they explore unfamiliar areas. Navigation is started using the smartphone. The on-board computer is connected via Bluetooth and indicates the planned ride on the display as a line showing the eBiker the route. 'Lock' offers added security as a smart complement to the mechanical lock. It deactivates motor support when the Kiox is disconnected and the electronic lock is only released again when the same Kiox is reconnected.*





### Vorteile auf einen Blick:

- Kiox lässt sich mit einem Herzfrequenzmesser verbinden, um das Training optimal auszurichten.
- Das Display zeigt, ob über oder unter der persönlichen Durchschnittsgeschwindigkeit gefahren wird, und spornt so zu mehr Leistung an.
- Kiox punktet mit styliher Optik: Screen mit kräftiger Farbgebung, eine übersichtliche Benutzeroberfläche, Magnethalterung für einen aufgeräumten Look am Lenker.
- Über die Tasten kann der Bordcomputer sicher und komfortabel mit dem Daumen bedient werden.
- Bruchsicher – auch bei Dreck oder Steinschlag: Das Display aus kratzfestem Glas ist ein guter Partner im Gelände oder in der Stadt.
- Licht: Das Licht lässt sich bequem über die mechanische Taste am Kiox einschalten.
- Einstellungen: Durch die Statusübersicht können Einstellungen einfach und schnell geändert werden. Aus Sicherheitsgründen ist das nur im Stand möglich.
- Lademöglichkeit: Über die USB-Schnittstelle können externe Geräte geladen werden, zum Beispiel das Smartphone.

### Advantages at a glance:

- Kiox can be combined with a heart-rate monitor to get the most out of training.
- The display shows you whether you're riding at above or below your personal average speed, motivating you to push yourself even harder.
- Kiox scores points for its stylish appearance: The screen with strong colours, clearly laid out user interface and magnetic mount ensures a tidy looking handlebar.
- The buttons allow the on-board computer to be operated safely and comfortably using your thumb.
- Unbreakable glass – impervious to dirt or stone chippings: the scratch-resistant glass display is an ideal partner both off-road and in the city.
- Light: You can turn on the light using the mechanical button on the Kiox.
- Settings: Settings can be changed quickly and easily from the status overview display. For safety reasons, you can only do so when the eBike is at a standstill.
- Device recharging: External devices such as your smartphone can be recharged via the USB port.



# BOSCH eBIKE APPS

## BOSCH eBIKE APPS



### eBIKE CONNECT APP

#### Connected Biking mit Kiox

Das sportliche Display verbindet den eBiker mit der vernetzten eBike-Welt von Bosch. Mit der eBike Connect App kann Kiox via Bluetooth Low Energy mit dem Smartphone verbunden werden, zum Beispiel um die eigenen Aktivitäten auszuwerten – für ein ganz persönliches und interaktives Connected Biking Erlebnis. Im Online-Portal [ebike-connect.com](http://ebike-connect.com) haben eBiker alle relevanten Informationen auf einem Tablet oder am PC im Blick.

Wieder zu Hause, können die gefahrene Strecke betrachtet und Performance-Daten wie Geschwindigkeits-, Trittfrequenz- und Herzfrequenzprofil ausgewertet werden. Und wer über einen Strava Account verfügt, kann seine Daten mit einem Klick dort hochladen.

#### Automatische Synchronisation

Immer alle Informationen zur Hand: Daten werden automatisch per Bluetooth zwischen Kiox und der App synchronisiert. Auch Software-Updates lassen sich komfortabel und kabellos auf den Bordcomputer laden.

### eBIKE CONNECT APP

#### Connected biking with Kiox

The sporty display connects the eBiker to the networked eBike world of Bosch. The eBike Connect app allows riders to connect Kiox via Bluetooth Low Energy with the smartphone, for example, in order to evaluate their own activities – for a very personal and interactive Connected Biking experience. eBikers will have all relevant information in view on a tablet or PC in the [ebike-connect.com](http://ebike-connect.com) online portal.

Back home, riders can view the route travelled and evaluate performance data such as altitude, speed, cadence and heart rate profile. Riders who have a Strava account can upload their data there with a single click.

#### Automatic synchronisation

All information at your fingertips at all times: Data is automatically synchronised by Bluetooth between Kiox and the app. Even software updates can be loaded comfortably and wirelessly on the on-board computer.





## COBI.BIKE SMARTPHONE-APP

### Smarter unterwegs

Dem eBiker steht mit der COBI.Bike Smartphone-App eine moderne, vollintegrierte Steuerzentrale zur Verfügung – mit Echtzeit-Fitnessdaten, Tour-Planung und -Aufzeichnung, Sprachausgabe sowie der Möglichkeit, mit anderen Diensten und Apps verbunden zu werden.


- **Konnektivität:** Der SmartphoneHub und COBI.Bike Smartphone-App vernetzen das eBike mit der digitalen Welt – von der Navigation über Musik hören, Fitnesstracking und Telefonieren bis hin zur Integration von anderen Diensten und Apps wie etwa Strava und komoot.
- **Navigation:** Die COBI.Bike Smartphone-App weiß, wo es langgeht – wahlweise mit 2D- oder 3D-Kartenansicht. Die Navigationsanweisungen erfolgen auch per Sprachausgabe.
- **Fitnessdaten:** eBiker haben die wichtigsten Trainingsdaten wie Leistung, Kadenz und Kalorienverbrauch mit der COBI.Bike Smartphone-App immer im Blick, per Knopfdruck werden diese auch vorgelesen. Zudem lässt sich auch ein Herzfrequenzmesser verbinden.
- **Unterhaltung:** Ganz einfach der Lieblingsmusik oder dem neuesten Krimi lauschen: Mit der COBI.Bike Smartphone-App haben eBiker Zugriff auf Musik- und Hörbuch-Streaming-Dienste wie Spotify oder Audible.
- **Digitaler Schutzengel:** Über die COBI.Bike Smartphone-App können sich eBiker bequem und schnell mit dem Bosch Emergency Assistant verbinden und dabei auch im Notfall ihren aktuellen Standort übermitteln.

## COBI.BIKE SMARTPHONE APP

### Smarter while on the go

The COBI.Bike smartphone app provides the eBiker with a modern, fully integrated control centre – with real-time fitness data, ride planning and recording options, voice output and the option of connecting to other services and apps.

- **Connectivity:** The SmartphoneHub and the COBI.Bike smartphone app connect the eBike to the digital world – from navigation, music, fitness tracking, or phoning to the integration of other services and apps such as Strava or komoot if they wish.
- **Navigation:** The COBI.Bike smartphone app points the way – with optional 2D or 3D map view. The navigation instructions are also issued by voice output.
- **Fitness data:** The COBI.Bike smartphone app gives eBikers a permanent overview of the most important training data, such as performance, cadence and calorie consumption; this information can also be played back at the press of a button. It is also possible to connect a heart rate monitor.
- **Entertainment:** The easy way to listen to your favourite music or the latest thriller: the COBI.Bike smartphone app allows eBikers access to music and audio book streaming services, such as Spotify or Audible.
- **A digital guardian angel:** The COBI.Bike smartphone app enables eBikers to connect quickly and easily to the Bosch Emergency Assistant and even transmit their current location in an emergency.



# BOSCH AKKUS

## Mehr Energie für unterwegs

Effiziente, ausdauernde und modernste eBike-Akkus – die Akkus von Bosch vereinen enorme Laufleistung, lange Lebensdauer und geringes Gewicht mit ergonomischem Design und einfachem Handling. Die hochwertigen Lithium-Ionen-Akkus sind mit einem Batterie-Management-System ausgestattet, das wichtige potenzielle Fehlerquellen erkennt und die Zellen bestmöglich vor Überlastung schützt.

# BOSCH BATTERIES

## More energy for travelling

*Efficient, durable, state-of-the-art eBike batteries – Bosch rechargeable batteries combine impressive mileage performance, a long service life and low weight with an ergonomic design and simple handling. The high-quality lithium-ion batteries have a battery management system that detects significant potential sources of error and protects cells against overload.*

BOSCH

128



### Integrierter Akku

Stylish-elegant: Die PowerTube lässt sich perfekt in den Rahmen integrieren und bietet neue eBike-Designs. Jetzt zusätzlich in einer neuen Variante: PowerTube 625 für noch mehr Flexibilität.

### Integrated rechargeable battery

*Stylishly elegant: the PowerTube can be integrated perfectly in the frame to create new eBike designs. Now available in a new variant: PowerTube 625 for even more flexibility.*



**PowerTube 500**  
**PowerTube 625**



### Rahmenakku

Sportlich-dynamisch: Der PowerPack liegt als Rahmenakku nah am Schwerpunkt und sorgt für eine optimale Gewichtsverteilung.

### Frame battery

*Sporty & dynamic: When used as a frame battery, the PowerPack sits close to the centre of gravity of your eBike to ensure optimal weight distribution.*



**PowerPack 400**  
**PowerPack 500**



# LEBENSDAUER

Tipps für viele gemeinsame Kilometer

# SERVICE LIFE

Tips for maximising your charge



## Faktoren, die die Lebensdauer verkürzen:

- Starke Beanspruchung
- Lagerung bei über 30 °C Umgebungstemperatur
- Längere Lagerung in ganz vollem oder völlig leerem Zustand
- Abstellen des eBikes in der prallen Sonne



## Faktoren, die die Lebensdauer verlängern:

- Geringe Beanspruchung
- Lagerung bei einer Temperatur zwischen 10 und 20 °C
- Lagerung in einem ca. 30 - 60%igen Ladezustand
- Abstellen des eBikes im Schatten oder in kühlen Räumen




## Factors that shorten the service life:

- Heavy-load use
- Storage at over 30°C ambient temperature
- Prolonged storage in a fully charged or fully discharged state
- Parking the eBike in direct sunlight



## Factors that extend the service life:

- Low-load use
- Storage at a temperature between 10 and 20°C
- Storage at approx. 30 - 60% charge status
- Parking the eBike in the shade or a cool location



Die Abbildung zeigt typische Verläufe für den Energieinhalt über Nutzungsdauer und -häufigkeit.

The figure shows typical curves for energy content over usage duration and frequency.

## Reichweite selbst berechnen:

Mit dem Reichweiten-Assistenten können typische Reichweiten unter verschiedenen Rahmenbedingungen ermittelt werden.

[bosch-ebike.at/reichweite](https://bosch-ebike.at/reichweite)

## Calculate the range yourself:

You can use the Range Assistant to calculate typical ranges under various conditions.

[bosch-ebike.com/en/service/range-assistant](https://bosch-ebike.com/en/service/range-assistant)



# BOSCH CHARGER

## Zuverlässige Energielieferanten

# BOSCH CHARGER

## Reliable power source



### COMPACT CHARGER - DER BEGLEITER

Der Compact Charger ist das ideale Ladegerät für alle eBiker, die viel unterwegs sind. Er wiegt weniger als 600 g und hat 40 % weniger Volumen als der Standard Charger.



### STANDARD CHARGER - DER GENERALIST

Der robuste und funktionale Standard Charger ist der Allrounder unter den Bosch Ladegeräten. Er bietet ein ideales Verhältnis zwischen Leistung, Gewicht und Größe und ist vielseitig einsetzbar.

### COMPACT CHARGER - THE COMPANION

*The Compact Charger is the ideal charger for all eBikers who are constantly on the move. It weighs less than 600 grams and is 40% less bulky than the Standard Charger.*

### STANDARD CHARGER - THE ALL-ROUNDER

*The robust, functional standard charger is the all-rounder among Bosch chargers. It offers the ideal balance between performance, weight and size and is extremely versatile.*

BOSCH

130



### Fast Charger - der Schnellste

Der Fast Charger ist das derzeit schnellste Bosch eBike-Ladegerät und versorgt den eBike-Akku in kürzester Zeit mit Energie. Der Fast Charger ist ideal für eBikes, die viel im Einsatz sind und schnell wieder startklar sein müssen. Optimal für DualBattery mit bis zu 1.000 Wh.

### Fast Charger - the fastest


*The Fast Charger is the fastest Bosch eBike charger and will recharge a Bosch eBike battery in the shortest possible time. The Fast Charger is ideal for eBikes that are often used and that need to be ready for takeoff again as quickly as possible. Perfect for DualBattery with up to 1,000 Wh.*

## Ladezeiten

Die Ladezeit ist abhängig von der Kapazität des Akkus und vom Charger. Wie schnell die verschiedenen Akkus mit einem bestimmten Charger wieder aufgeladen werden können, verrät die folgende Grafik.

### Charging times

*The charging time depends on the capacity of the battery and charger. The following graphic shows how quickly the various batteries can be recharged using each specific charger.*





# BOSCH eBIKE ABS

## Mehr Sicherheit, mehr Stabilität



Moderne und leistungsfähige Bremssysteme haben Bremsverhalten und Bremsweg optimiert. Das erste serienreife Antiblockiersystem für eBikes ist die logische Konsequenz aus dieser Entwicklung. Bosch eBike ABS wurde für City-, Touring- und Trekking-Räder mit 28-Zoll-Rädern entwickelt und bietet speziell in diesem Segment erhöhten Schutz.

### Hier ist Ihr Sicherheits-Plus:

- Sie können Ihre Vorderradbremse aktiver und effizienter einsetzen.
- Optimierte Fahrstabilität und Lenkbarkeit Ihres eBikes während des Bremsvorgangs, vor allem bei rutschigen Fahrbahnbedingungen.
- Bei extrem starkem Überbremsen des Vorderrads verringert die Hinterrad-Abheberegelung die Wahrscheinlichkeit eines Überschlags.

### ABS für das Vorderrad

Front-wheel ABS



# BOSCH eBIKE ABS

## Greater safety, improved stability

Modern and powerful braking systems have optimised braking behaviour and braking distance. The first production-ready anti-lock braking system for eBikes is the next logical step of this development. The Bosch eBike ABS was specifically designed for city, touring and trekking bikes with 28-inch wheels and thus offers increased protection especially in this segment.

### The safety advantages:

- More controlled and efficient use of the front brake.
- Optimised riding stability and manageability of your eBike during braking, especially under slippery road conditions.
- When the front wheel is significantly overbraked, the rear wheel lift control reduces the risk of an accident.

### Hinterrad-Abheberegelung

Rear wheel lift control



# TECHNISCHE DETAILS

# TECHNICAL DETAILS

## Drive Units *Drive Units*



	Active Line Cruise 25 km/h		Active Line Plus Cruise 25 km/h		Performance Line Cruise 25 km/h		Performance Line CX 25 km/h	
Schaltart <i>Gear type</i>	Kettenschaltung <i>Derailleur system</i>	Nabenschaltung <i>Hub gear system</i>	Kettenschaltung <i>Derailleur system</i>	Nabenschaltung <i>Hub gear system</i>	Kettenschaltung <i>Derailleur system</i>	Nabenschaltung <i>Hub gear system</i>	Kettenschaltung <i>Derailleur system</i>	Nabenschaltung <i>hub gear system</i>
Unterstützungsstufe (%) <i>Support level (%)</i>	Turbo: 250 Sport: 170 Tour: 100 Eco: 40	Turbo: 250 Sport: 170 Tour: 100 Eco: 40	Turbo: 270 Sport: 180 Tour: 100 Eco: 40	Turbo: 250 Sport: 170 Tour: 100 Eco: 40	Turbo: 300 Sport/eMTB: 200 Tour: 120 Eco: 55	Turbo: 300 Sport: 200 Tour: 120 Eco: 55	Turbo: 340 Sport/eMTB: 140-340 Tour: 140 Eco: 60	Turbo: 340 Sport/eMTB: 240 Tour: 140 Eco: 60
Maximal mögliches Antriebsdrehmoment (Nm) (umgerechnet auf ein Übersetzungsverhältnis 1:1 Tretkurbel zu Kettenblatt)  <i>Maximum possible drive torque (Nm) (converted to a gear ratio of 1:1 crankset to chainring)</i>	Turbo: 40 Sport: 38 Tour: 35 Eco: 30	Turbo: 40 Sport: 38 Tour: 35 Eco: 30	Turbo: 50 Sport: 45 Tour: 40 Eco: 35	Turbo: 50 Sport: 45 Tour: 40 Eco: 35	Turbo: 65 Sport/eMTB: 60 Tour: 45 Eco: 35	Turbo: 65 Sport: 50 Tour: 45 Eco: 35	Turbo: 75 Sport/eMTB: 60 Tour: 50 Eco: 40	Turbo: 75/60/50 Sport: 60/55/50 Tour: 50/45 Eco: 40
Unterstützung bis maximale Trittfrequenz (U/min)  <i>Maximum cadence (rpm) with drive support</i>	Turbo: 100 Sport: 100 Tour: 100 Eco: 100	Turbo: 100 Sport: 100 Tour: 100 Eco: 100	Turbo: 105 Sport: 105 Tour: 105 Eco: 105	Turbo: 105 Sport: 105 Tour: 105 Eco: 105	Turbo: >120 Sport/eMTB: >120 Tour: >120 Eco: >120	Turbo: >120 Sport: >120 Tour: >120 Eco: >120	Turbo: >120 Sport/eMTB: >120 Tour: >120 Eco: >120	Turbo: >120 Sport: >120 Tour: >120 Eco: >120
Anfahrverhalten <i>Start-up behaviour</i>	harmonisch <i>smooth</i>	harmonisch <i>smooth</i>	harmonisch agil <i>smooth and agile</i>	harmonisch agil <i>smooth and agile</i>	sportlich <i>sporty</i>	dynamisch <i>dynamic</i>	sehr sportlich <i>very sporty</i>	sehr sportlich <i>very sporty</i>
Max. Unterstützung bis <i>Max. support up to</i>	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h
Rücktrittfunktion <i>Backpedal function</i>	nein <i>no</i>	optional <i>optional</i>	nein <i>no</i>	optional <i>optional</i>	nein <i>no</i>	optional <i>optional</i>	nein <i>no</i>	nein <i>no</i>
Schalterkennung <i>Gear shift detection</i>	ja <i>yes</i>	nein <i>no</i>	ja <i>yes</i>	nein <i>no</i>	ja <i>yes</i>	nein <i>no</i>	ja (dynamisch) <i>yes (dynamic)</i>	ja (dynamisch) <i>yes (dynamic)</i>
Gewicht <i>Weight</i>	2.9 kg <i>2.9 kg</i>	2.9 kg <i>2.9 kg</i>	3.2 kg <i>3.2 kg</i>	3.2 kg <i>3.2 kg</i>	< 3.2 kg <i>&lt; 3.2 kg</i>	< 3.2 kg <i>&lt; 3.2 kg</i>	< 2.9 kg <i>&lt; 2.9 kg</i>	< 2.9 kg <i>&lt; 2.9 kg</i>



## Akkus Batteries



	PowerPack 400	PowerPack 500	PowerTube 500	PowerTube 625
Montageart <i>Mounting type</i>	Rahmenakku <i>Frame battery</i>	Rahmenakku <i>Frame battery</i>	Im Rahmen: horizontal/vertikal <i>In the frame: horizontal/vertical</i>	Im Rahmen: horizontal/vertikal <i>In the frame: horizontal/vertical</i>
Spannung <i>Voltage</i>	36 V	36 V	36 V	36 V
Kapazität <i>Capacity</i>	11,0 Ah <i>11.0 Ah</i>	13,4 Ah <i>13.4 Ah</i>	13,4 Ah <i>13.4 Ah</i>	16,7 Ah <i>16.7 Ah</i>
Energiegehalt <i>Energy content</i>	ca. 400 Wh <i>approx. 400 Wh</i>	ca. 500 Wh <i>approx. 500 Wh</i>	ca. 500 Wh <i>approx. 500 Wh</i>	ca. 625 Wh <i>approx. 625 Wh</i>
Gewicht <i>Weight</i>				
Rahmenakku: <i>Frame Battery:</i>	ca. 2,5 kg <i>approx. 2.5 kg</i>	ca. 2,6 kg <i>approx. 2.6 kg</i>	ca. 2,9 kg <i>approx. 2.9 kg</i>	ca. 3,5 kg <i>approx. 3.5 kg</i>
Gepäckträgerakku: <i>Rack battery:</i>	ca. 2,6 kg <i>approx. 2.6 kg</i>	ca. 2,7 kg <i>approx. 2.7 kg</i>		
Größe <i>Size</i>				
Rahmenakku <i>Frame Battery</i>	325 x 92 x 90 mm	325 x 92 x 90 mm		
Horizontal <i>Horizontal</i>			349 x 84 x 65 mm	416 x 84 x 65 mm
Vertikal <i>Vertical</i>			349 x 65 x 84 mm	416 x 65 x 84 mm

## Charger Chargers



	Compact Charger	Standard Charger	Fast Charger
Ladestrom <i>Charging current</i>	max. 2 A	max. 4 A	max. 6 A
Spannung <i>Voltage</i>	100-240 V	220-240 V	220-240 V
Größe <i>Size</i>	ca. 160 x 75 x 45 mm <i>approx. 160 x 75 x 45 mm</i>	ca. 190 x 86 x 54 mm <i>approx. 190 x 86 x 54 mm</i>	200 x 90 x 60 mm <i>approx. 200 x 90 x 60 mm</i>
Kabellängen <i>Cable lengths</i>	AC-Input: ca. 1,5 m, DC-Output: ca. 1,0 m <i>AC Input: approx. 1.5 m, DC Output: approx. 1.0 m</i>		
Stecker <i>Connectors</i>	länderspezifischer Netzstecker <i>country-specific power plug</i>		
Gewicht <i>Weight</i>	ca. 600 g <i>approx. 600 g</i>	ca. 800 g <i>approx. 800 g</i>	1.000 g
Kompatibilität <i>Compatibility</i>	Active Line / Active Line Plus / Performance Line / Performance Line CX kompatibel <i>Active Line/Active Line Plus/Performance Line/Performance Line CX compatible</i>		

	<b>MACINA PROWLER EXONIC</b> 6	<b>MACINA PROWLER PRESTIGE</b> 7	<b>MACINA PROWLER MASTER</b> 7	<b>MACINA KAPOHO PRESTIGE</b> 8	<b>MACINA KAPOHO MASTER</b> 9	<b>MACINA KAPOHO ELITE</b> 10
<b>DRIVE TRAIN</b>	1x12 Sram XX1 AXS	1x12 Shimano XTR	1x12 Shimano Deore XT	1x12 Shimano XTR	1x12 Shimano Deore XT	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K6	BOSCH PT-CX6K4	BOSCH PT-CX6K4	BOSCH PT-CX6K6	BOSCH PT-CX6K4	BOSCH PT-CX6P4
<b>FRAME</b>	Macina Prowler Dimmix Performance Carbon SLL-LTE 170mm; PT625 Bosch Gen.4 / M-0136	Macina Prowler Dimmix Performance Carbon SLL-LTE 170mm; PT625 Bosch Gen.4 / M-0136	Macina Prowler Dimmix Performance Carbon SLL-LTE 170mm; PT625 Bosch Gen.4 / M-0136	Macina Kapoho Dimmix Performance Carbon SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0146	Macina Kapoho Dimmix Performance Carbon SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0146	Macina Kapoho Dimmix Performance Carbon SLL-LTE 160mm; PT625 Bosch Gen.4 / M-0146
<b>FORK</b>	FOX 38 Float 29" Factory e-bike 180mm (kashima) FIT4	FOX 38 Float 29" Performance e-bike 180mm	RockShox Lyrik Select 29" 180mm	FOX 36 Float 29" Factory e-bike 160mm (kashima) FIT4	FOX 36 Float 29" Performance e-bike 160mm	RockShox 35 silver TK 29" 160mm 15x110
<b>SHOCK</b>	FOX DHX2 Factory 2Position 250x75	FOX DHX2 PerformanceElite 2Position 250x75	RockShox SuperDeluxe Select+ 250x75	FOX Float DPX2 Factory 3Position 250x70	FOX Float DPX2 Performance 3Position 250x70	FOX Float DPX2 Performance 3Position 250x70
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote	Bosch KIOX TFT Display with Remote	Bosch KIOX TFT Display with Remote	Bosch KIOX TFT Display with Remote	Bosch KIOX TFT Display with Remote	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch FAST Charger 6A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch FAST Charger 6A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	SRAM XX1 Eagle AXS 12speed	Shimano XTR M9100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	Shimano XTR M9100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+
<b>SHIFT LEVER</b>	SRAM Eagle AXS Controller	Shimano XTR M9100-12	Shimano Deore M6100-12	Shimano XTR M9100-12	Shimano Deore XT M8100-12	Shimano Deore M6100-12
<b>CRANKSET</b>	FSA CK-702/IS Carbon 160mm	KTM TRAIL ISIS 160mm Q16	KTM TRAIL ISIS 160mm Q16	KTM TRAIL ISIS 160mm Q16	KTM TRAIL ISIS 160mm Q16	KTM TRAIL ISIS 160mm Q16
<b>CHAINRING</b>	SRAM X-Sync 2 Eagle 38T Direct Mount	FSA Megatooth steel 38T Direct Mount	FSA Megatooth steel 38T Direct Mount	FSA Megatooth steel 38T Direct Mount	FSA Megatooth steel 38T Direct Mount	FSA Megatooth steel 38T Direct Mount
<b>SPROCKET</b>	SRAM XX1 Eagle XG-1299 / 10-52 rainbow	Shimano Deore XT M8100-12 / 10-51	Shimano Deore M6100-12 / 10-51	Shimano Deore XT M8100-12 / 10-51	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51
<b>CHAIN</b>	SRAM XX1 Eagle 12s	Shimano Deore XT M8100-12	Shimano Deore M6100-12	Shimano Deore XT M8100-12	Shimano Deore M6100-12	Shimano Deore M6100-12
<b>BRAKE</b>	Shimano XTR M9100 / M9120 4-Piston	Shimano XTR M9100 / M9120 4-Piston	Shimano Deore XT M8100 / M8120 4-Piston	Shimano XTR M9100 / M9120 4-Piston	Shimano Deore XT M8100 / M8120 4-Piston	Shimano M4100 / MT420 4-Piston
<b>ROTOR</b>	Shimano MT900 CL 203 / 180 Freeza	Shimano MT900 CL 203 / 180 Freeza	Shimano MT800 CL 203 / 180 Freeza	Shimano MT900 CL 203 / 180 Freeza	Shimano MT800 CL 203 / 180 Freeza	Shimano RT64 CL 203 / 180
<b>WHEEL F</b>	DT Swiss HXC 1200 Spline 30 Carbon CL 110-15TA / 622x30TSS TLR	KTM E-Team Trail 29 CL 110-15TA / 622x30TC TLR made by DT Swiss	KTM Line - Shimano Deore XT M8110BS CL 28H 110-15TA / Ambrosio E30 Trail 28H 622x30TC / DT Champion 2.0 black	KTM E-Prime Trail 29 CL 110-15TA / 28H 110-15TA / Ambrosio E30 Trail 28H 622x30TC TLR made by DT Swiss	KTM Line 622x30TC TLR made by DT Swiss	KTM Line - Shimano MT410B CL 32H 110-15TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black
<b>WHEEL R</b>	DT Swiss HXC 1200 Spline 30 Carbon CL 148-12TA / 584x30TSS TLR	KTM E-Team Trail 27 CL 148-12TA / 584x35TC TLR made by DT Swiss	KTM Line - Shimano Deore XT M8110BS CL 28H 148-12TA / Ambrosio E35 Trail 28H 584x35TC / DT Champion 2.0 black	KTM E-Prime Trail 27 CL 148-12TA / 148-12TA / Ambrosio E35 Trail 28H 584x35TC / 584x35TC TLR made by DT Swiss	KTM Line	KTM Line - Shimano MT410B CL 32H 148-12TA Ambrosio E35 Trail 32H 584x35TC DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Eddy Current Front Evo SuperTrail TLE 65-622	Schwalbe Eddy Current Front Evo SuperTrail TLE 65-622	Maxxis Minion DHF 3C-MaxxTerra/ EXO/TR 63-622	Schwalbe Eddy Current Front Evo SuperTrail TLE 65-622	Maxxis Minion DHF 3C-MaxxTerra/ EXO/TR 63-622	Maxxis Minion DHF 3C-MaxxTerra/ EXO/TR 63-622
<b>TIRE R</b>	Schwalbe Eddy Current Rear Evo SuperGravity TLE 70-584	Schwalbe Eddy Current Rear Evo SuperGravity TLE 70-584	Maxxis Minion DHR II 3C-MaxxTerra/ EXO/TR 70-584	Schwalbe Eddy Current Rear Evo SuperGravity TLE 70-584	Maxxis Minion DHR II 3C-MaxxTerra/ EXO/TR 70-584	Maxxis Minion DHR II 3C-MaxxTerra/ EXO/TR 70-584
<b>GRIP</b>	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic
<b>BAR</b>	KTM Prime Trail35 Carbon rizer20 800mm	KTM Prime Trail35 Carbon rizer20 800mm	KTM Team Trail35 rizer25 800mm	KTM Prime Trail35 Carbon rizer20 800mm	KTM Team Trail35 rizer25 800mm	KTM Team Trail35 rizer25 800mm
<b>STEM</b>	KTM Team Trail35 Kiox	KTM Team Trail35 Kiox	KTM Team Trail35 Kiox	KTM Team Trail35 Kiox	KTM Team Trail35 Kiox	KTM Team Trail35
<b>HEADSET</b>	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Ergon SM10 E-Mountain Sport	Ergon SM10 E-Mountain	Ergon SM10 E-Mountain	Ergon SM10 E-Mountain	Ergon SM10 E-Mountain	Ergon SM10 E-Mountain
<b>SEATPOST</b>	RockShox Reverb AXS wireless	FOX Transfer Performance internal	KTM Comp dropper internal	FOX Transfer Factory internal	KTM Comp dropper internal	KTM Comp dropper internal
<b>PEDAL</b>	MTB - Pedal flat VP-539 nylon	MTB - Pedal flat VP-539 nylon	MTB - Pedal flat VP-539 nylon	MTB - Pedal flat VP-539 nylon	MTB - Pedal flat VP-539 nylon	MTB - Pedal flat VPE-527 alloy
<b>MODULE NO.</b>	021300	021301	021302	021304	021305	021306
<b>CATEGORY</b>	E4	E4	E4	E4	E4	E4
<b>SYSTEM WEIGHT</b>	113kg (permissible total weight)	125kg (permissible total weight)	130kg (permissible total weight)	124kg (permissible total weight)	130kg (permissible total weight)	135kg (permissible total weight)
<b>WEIGHT</b>	24 kg (without pedals)	25 kg (without pedals)	23.7 kg (without pedals)	24,3 kg (without pedals)	24,2 kg (without pedals)	24,8 kg (without pedals)

**fire orange (black+orange)**

- 0213001103 M 43cm
- 0213001108 L 48cm
- 0213001113 XL 53cm

**space galaxy (orange+black)**

- 0213011103 M 43cm
- 0213011108 L 48cm
- 0213011113 XL 53cm

**metallic black (orange)**

- 0213021103 M 43cm
- 0213021108 L 48cm
- 0213021113 XL 53cm

**fire orange (black+orange)**

- 0213041103 M 43cm
- 0213041108 L 48cm
- 0213041113 XL 53cm













**green purple flip (orange+black)**

- 0213051103 M 43cm
- 0213051108 L 48cm
- 0213051113 XL 53cm




**metallic grey (black matt)**

- 0213061103 M 43cm
- 0213061108 L 48cm
- 0213061113 XL 53cm






	<b>MACINA KAPOHO 2971</b> 	<b>MACINA KAPOHO 2972</b> 	<b>MACINA KAPOHO 2973</b> 	<b>MACINA LYCAN 271</b> 	<b>MACINA LYCAN 271 GLORIOUS</b> 	<b>MACINA LYCAN 272</b> 
<b>DRIVETRAIN</b>	1x12 Shimano Deore XT	1x12 Shimano Deore XT	1x12 Sram SX	1x12 Shimano Deore XT	1x12 Shimano Deore XT	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX6K6	BOSCH PT-CX6K4	BOSCH PT-CX6P4	BOSCH PT-CX6K4	BOSCH PT-CX6K4	BOSCH PT-CX6P4
<b>FRAME</b>	Macina Kapoho Dimmix Alloy6061 SLL-LTE 160mm:	Macina Kapoho Dimmix Performance Carbon SLL-LTE 160mm:	Macina Kapoho Dimmix Alloy6061 SLL-LTE 160mm:	Macina Lycan 27.5" Alloy6061 SLL-E 140mm:	Macina Lycan 27.5" Alloy6061 SLL-E 140mm:	Macina Lycan 27.5" Alloy6061 SLL-E 140mm:
	PT625 Bosch Gen.4 / M-0166	T625 Bosch Gen.4 / M-0146	PT625 Bosch Gen.4 / M-0166	PT625 Bosch Gen.4 / M-0196	PT625 Bosch Gen.4 / M-0196	PT625 Bosch Gen.4 / M-0196
<b>FORK</b>	FOX 36 Float 29" Performance e-bike 160mm	RockShox 35 silver TK 29" 160mm 15x110	RockShox 35 silver TK 29" 160mm 15x110	RockShox 35 gold RL 27.5" 140mm 15x110	RockShox 35 gold RL 27.5" 140mm 15x110	Suntour XCR 34 air 27.5" LOR 140mm 15x110 taper
<b>SHOCK</b>	FOX Float DPX2 Performance 3Position 250x70	FOX Float DPX2 Performance 3Position 250x70	Suntour Tri-Air 3CR 250x70	RockShox Deluxe Select+ 230x62.5	RockShox Deluxe Select+ 230x62.5	RockShox Deluxe Select+ 230x62.5
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote	Bosch KIOX TFT Display with Remote	Bosch PURION LCD Display	Bosch KIOX TFT Display with Remote	Bosch KIOX TFT Display with Remote	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch FAST Charger 6A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	SRAM SX Eagle 12speed	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	SRAM SX Eagle 12speed
<b>SHIFTLEVER</b>	Shimano Deore XT M8100-12	Shimano Deore M6100-12	SRAM SX Eagle eClick	Shimano Deore M6100-12	Shimano Deore M6100-12	SRAM SX Eagle eClick
<b>CRANKSET</b>	KTM TRAIL ISIS 160mm Q16	KTM TRAIL ISIS 160mm Q16	KTM TRAIL ISIS 160mm Q16	KTM TRAIL ISIS 170mm Q16	KTM TRAIL ISIS 170mm Q16	KTM TRAIL ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 38T Direct Mount	FSA Megatooth steel 38T Direct Mount	SRAM X-Sync 2 Eagle 36T Direct Mount	FSA Megatooth steel 38T Direct Mount	FSA Megatooth steel 38T Direct Mount	SRAM X-Sync 2 Eagle 36T Direct Mount
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	SRAM SX Eagle PG-1210 / 11-50	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	SRAM SX Eagle PG-1210 / 11-50
<b>CHAIN</b>	Shimano Deore M6100-12	Shimano Deore M6100-12	SRAM NX Eagle 12s	Shimano Deore M6100-12	Shimano Deore M6100-12	SRAM NX Eagle 12s
<b>BRAKE</b>	Shimano Deore XT M8100 / M8120 4-Piston	Shimano M4100 / MT420 4-Piston	Shimano M4100 / MT420 4-Piston	Shimano Deore M6100 / M6120 4-Piston	Shimano Deore M6100 / M6120 4-Piston	Shimano M4100 / MT420 4-Piston
<b>ROTOR</b>	Shimano MT800 CL 203 / 180 Freeza	Shimano RT64 CL 203 / 180	Shimano RT64 CL 203 / 180	Shimano RT64 CL 203 / 180	Shimano RT64 CL 203 / 180	Shimano RT64 CL 203 / 180
<b>WHEEL F</b>	KTM E-Comp Trail 29 CL 110-15TA 622x30TC TLR made by DT Swiss	KTM Line - Shimano MT410B CL 32H 110-15TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	KTM Line - Shimano SLX M7110B CL 32H 110-15TA Ambrosio E30 Trail 32H 584x30TC DT Champion 2.0 black	KTM Line - Shimano SLX M7110B CL 32H 110-15TA Ambrosio E30 Trail 32H 584x30TC DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ambrosio E30 Trail 32H 584x30TC DT Champion 2.0 black
<b>WHEEL R</b>	KTM E-Comp Trail 27 CL 148-12TA 584x35TC TLR made by DT Swiss	KTM Line - Shimano MT410B CL 32H 148-12TA Ambrosio E35 Trail 32H 584x35TC DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ambrosio E35 Trail 32H 584x35TC DT Alpine II 2.34 black	KTM Line - Shimano SLX M7110B CL 32H 148-12TA Ambrosio E30 Trail 32H 584x30TC DT Alpine II 2.34 black	KTM Line - Shimano SLX M7110B CL 32H 148-12TA Ambrosio E30 Trail 32H 584x30TC DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ambrosio E30 Trail 32H 584x30TC DT Alpine II 2.34 black
<b>TIRE F</b>	Maxxis Minion DHF 3C-MaxxTerra/ EXO/TR 63-622	Maxxis Minion DHF 3C-MaxxTerra/ EXO/TR 63-622	Schwalbe Nobby Nic Perf. Folding 65-622	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 65-584
<b>TIRE R</b>	Maxxis Minion DHR II 3C-MaxxTerra/ EXO/TR 70-584	Maxxis Minion DHR II 3C-MaxxTerra/ EXO/TR 70-584	Schwalbe Nobby Nic Perf. Folding 70-584	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 65-584
<b>GRIP</b>	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	KTM Comp Lock	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	KTM Comp Lock
<b>BAR</b>	KTM Team Trail35 rizer25 800mm	KTM Team Trail35 rizer25 800mm	KTM Comp Trail35 rizer15 780mm	KTM Comp Trail35 rizer15 760mm	KTM Comp Trail35 rizer15 760mm	KTM Comp rizer25 740mm
<b>STEM</b>	KTM Team Trail35 Kiox	KTM Team Trail35 Kiox	KTM Team Trail35	KTM Team Trail35 Kiox	KTM Team Trail35 Kiox	KTM Comp 7"
<b>HEADSET</b>	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Ergon SM10 E-Mountain	Selle Italia X3 E-Bike flow	Selle Italia X3 E-Bike flow	Ergon SM10	Ergon SMA10 Gel Women	KTM Line Sport
<b>SEATPOST</b>	FOX Transfer Performance internal	KTM Comp dropper internal	KTM Comp dropper internal	KTM Comp dropper internal	KTM Comp dropper internal	KTM Comp 30.9/400
<b>PEDAL</b>	MTB - Pedal flat VP-539 nylon	MTB - Pedal flat VPE-527 alloy	MTB - Pedal flat VPE-527 alloy	MTB - Pedal flat VPE-527 alloy	MTB - Pedal flat VPE-527 alloy	MTB - Pedal flat VPE-527 alloy
<b>MODULE NO.</b>	021307	021308	021309	021310	021311	021312
<b>CATEGORY</b>	 E4	 E4	 E4	 E3	 E3	 E3
<b>SYSTEM WEIGHT</b>	143 kg (permissible total weight)	144 kg (permissible total weight)	144 kg (permissible total weight)	143 kg (permissible total weight)	143 kg (permissible total weight)	143 kg (permissible total weight)
<b>WEIGHT</b>	25,3 kg (without pedals)	25,7 kg (without pedals)	25,8 kg (without pedals)	24,8 kg (without pedals)	24,8 kg (without pedals)	25,3 kg (without pedals)




 **metallic black (orange)**


-  021307103 M 43cm
-  021307108 L 48cm
-  021307113 XL 53cm





 **plant green (black+orange)**

-  021308103 M 43cm
-  021308108 L 48cm
-  021308113 XL 53cm





 **fire orange (black+orange)**


-  021309103 M 43cm
-  021309108 L 48cm
-  021309113 XL 53cm





 **fire orange (black)**

-  021310100 S 40cm
-  021310103 M 43cm
-  021310108 L 48cm
-  021310113 XL 53cm

 **starlight silver (white+rose matt)**

-  021311100 S 40cm
-  021311103 M 43cm
-  021311108 L 48cm
-  021311113 XL 53cm

 **metallic black (orange+black matt)**

-  021312100 S 40cm
-  021312103 M 43cm
-  021312108 L 48cm
-  021312113 XL 53cm

	<b>MACINA LYCAN 272 GLORIOUS</b> 13	<b>MACINA CHACANA 291</b> 14	<b>MACINA CHACANA 292</b> 15	<b>MACINA CHACANA 293</b> 15	<b>MACINA CHACANA 294</b> 15	<b>MACINA CHACANA LFC</b> 15
<b>DRIVETRAIN</b>	1x12 Sram SX	1x12 Shimano Deore XT	1x12 Shimano Deore XT	1x12 Sram SX	1x12 Sram SX	1x12 Sram SX
<b>E-SYSTEM</b>	BOSCH PT-CX6P4	BOSCH PT-CX6K6	BOSCH PT-CX6I4	BOSCH PT-CX6P4	BOSCH PT-CX5P2	BOSCH PT-CX6I4
<b>FRAME</b>	Macina Lycan 27.5" Alloy6061 SLL-E 140mm; PT625 Bosch Gen.4 / M-0196	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186	Macina Chacana 29" Alloy6061 SLL-E 125mm; PT625 Bosch Gen.4 / M-0186
<b>FORK</b>	Suntour XCR 34 air 27.5" LOR 140mm 15x110 taper	FOX 34 Float 29" Rhythm e-bike 130mm	RockShox 35 gold RL 29" 130mm 15x110	Suntour XCR 34 air 29" LOR 130mm 15x110 taper	Suntour XCR 34 coil 29" LOR 130mm 15x110 taper	RockShox 35 silver TK 29" 130mm 15x110
<b>SHOCK</b>	RockShox Deluxe Select+ 230x62.5	FOX Float DPS Performance 230x57.5	RockShox Deluxe Select+ 230x57.5	RockShox Deluxe Select+ 230x57.5	RockShox Deluxe Select 230x57.5	RockShox Deluxe Select+ 230x57.5
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display	Bosch KIOX TFT Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch PURION LCD Display	Bosch PURION LCD Display	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 500Wh hor.	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A	Bosch FAST Charger 6A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch COMPACT Charger 2A	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	SRAM SX Eagle 12speed	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	SRAM SX Eagle 12speed	SRAM SX Eagle 12speed	SRAM SX Eagle 12speed
<b>SHIFT LEVER</b>	SRAM SX Eagle eClick	Shimano Deore XT M8100-12	Shimano Deore M6100-12	SRAM SX Eagle eClick	SRAM SX Eagle eClick	SRAM SX Eagle eClick 12
<b>CRANKSET</b>	KTM TRAIL ISIS 170mm Q16	KTM TEAM ISIS 170mm Q16	KTM TEAM ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	SRAM X-Sync 2 Eagle 36T Direct Mount	FSA Megatooth steel 36T with Chainguard	FSA Megatooth steel 36T with Chainguard	SRAM X-Sync 2 Eagle 36T Direct Mount with Chainguard	SRAM X-Sync 2 Eagle 36T Direct Mount with Chainguard	SRAM X-Sync 2 Eagle 36T Direct Mount with Chainguard
<b>SPROCKET</b>	SRAM SX Eagle PG-1210 / 11-50	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	SRAM SX Eagle PG-1210 / 11-50	SRAM SX Eagle PG-1210 / 11-50	SRAM SX Eagle PG-1210 / 11-50
<b>CHAIN</b>	SRAM NX Eagle 12s	Shimano Deore M6100-12	Shimano Deore M6100-12	SRAM NX Eagle 12s	SRAM NX Eagle 12s	SRAM NX Eagle 12s
<b>BRAKE</b>	Shimano M4100 / MT420 4-Piston	Shimano Deore XT M8100 / M8120 4-Piston	Shimano M4100 / MT420 4-Piston	Tektro HD-M750 / E730 4-Piston	Shimano MT401 / MT420 4-Piston	Shimano MT402 (3-F) / MT420 4-Piston
<b>ROTOR</b>	Shimano RT64 CL 203 / 180	Shimano MT800 CL 203 / 180 Freeza	Shimano RT64 CL 203 / 180	Tektro TR-45 2.3mm CL 203 / 180	Shimano RT30 CL 203 / 180	Shimano RT64 CL 203 / 180
<b>WHEEL F</b>	KTM Line - Shimano MT400B CL 32H 110-15TA Ambrosio E30 Trail 32H 584x30TC DT Champion 2.0 black	KTM Line	KTM Line - Shimano SLX M7110B CL 32H 110-15TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano MT400B CL 32H 148-12TA Ambrosio E30 Trail 32H 584x30TC DT Alpine II 2.34 black	KTM Line	KTM Line - Shimano SLX M7110B CL 32H 148-12TA Ambrosio E30 Trail 32H 622x30TC DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ambrosio E30 Trail 32H 622x30TC DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 622x30C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 622x30C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Johnny Watts Perf. DD RaceGuard Folding 65-622	Schwalbe Johnny Watts Perf. DD RaceGuard Folding 65-622	Schwalbe Johnny Watts Perf. DD RaceGuard Folding 60-622	Schwalbe Smart Sam K-Guard 60-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622
<b>TIRE R</b>	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Johnny Watts Perf. DD RaceGuard Folding 65-622	Schwalbe Johnny Watts Perf. DD RaceGuard Folding 65-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622	Schwalbe Smart Sam K-Guard 60-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622
<b>GRIP</b>	KTM Comp Lock	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	KTM Comp Lock	KTM Comp Lock	KTM Comp Ergo Lock
<b>BAR</b>	KTM Comp rizer25 740mm	KTM Team rizer15 740mm	KTM Team rizer15 720mm	KTM Comp rizer15 720mm	KTM Comp rizer15 720mm	KTM Comp rizer15 720mm
<b>STEM</b>	KTM Comp 7°	KTM Team Kiox	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°
<b>HEADSET</b>	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit
<b>SADDLE</b>	KTM Line Sport	Ergon SM10 Sport Men	Ergon SM10	KTM Line Sport	KTM Line Sport	Selle Royal Lookin Athletic
<b>SEATPOST</b>	KTM Comp 30.9/400	KTM Comp dropper internal	KTM Comp dropper internal	KTM Comp 30.9/400	KTM Comp 30.9/400	KTM Comp 30.9/400
<b>PEDAL</b>	MTB-Pedal flat VPE-527 alloy	MTB-Pedal flat VPE-539 nylon	MTB-Pedal flat VPE-527 alloy	MTB-Pedal flat VPE-527 alloy	MTB-Pedal flat VPE-527 alloy	MTB-Pedal flat VPE-527 alloy
<b>CARRIER</b>						Wingee alloy fender- rails (plattform option)
<b>LIGHT F</b>						LITEMOVE SE-150K 150Lux
<b>FENDER</b>						Racktime Alu 72mm B&M Xeltec
<b>KICKSTAND</b>						KTM 28" adjust
<b>MODULE NO.</b>	021313	021315	021316	021317	021318	021319
<b>CATEGORY</b>	E3	E3	E3	E3	E3	E2
<b>SYSTEM WEIGHT</b>	143 kg (permissible total weight)	140 kg (permissible total weight)	144 kg (permissible total weight)	143 kg (permissible total weight)	143 kg (permissible total weight)	146 kg (permissible total weight)
<b>WEIGHT</b>	25.3 kg (without pedals)	25.3 kg (without pedals)	25.7 kg (without pedals)	25.2 kg (without pedals)	24.7 kg (without pedals)	28.1 kg (without pedals)
	<b>dark red (coral+black)</b>	<b>fire orange (black)</b>	<b>metallic white (black matt)</b>	<b>metallic black (orange)</b>	<b>metallic blue (orange+eveblue)</b>	<b>black matt (white)</b>
	021313100 S 40cm 021313103 M 43cm 021313108 L 48cm 021313113 XL 53cm	021315103 M 43cm 021315108 L 48cm 021315113 XL 53cm	021316103 M 43cm 021316108 L 48cm 021316113 XL 53cm	021317103 M 43cm 021317108 L 48cm 021317113 XL 53cm	021318103 M 43cm 021318108 L 48cm 021318113 XL 53cm	021319103 M 43cm 021319108 L 48cm 021319113 XL 53cm



	<b>MACINA TEAM 291</b> 18	<b>MACINA TEAM 292</b> 19	<b>MACINA TEAM 272</b> 19	<b>MACINA TEAM 272 GLORIOUS</b> 20	<b>MACINA TEAM 293</b> 21	<b>MACINA TEAM 273</b> 21
<b>DRIUETRAIN</b>	1x12 Shimano Deore XT	1x11 Shimano Deore	1x11 Shimano Deore	1x11 Shimano Deore	1x10 Shimano Deore	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX6K4	BOSCH PT-CX6I4	BOSCH PT-CX6I4	BOSCH PT-CX6I4	BOSCH PT-CX6P2	BOSCH PT-CX6P2
<b>FRAME</b>	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen. 4 / M-0666	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen. 4 / M-0666	Macina MTB 27.5" Alloy6061; PT625Wh Bosch Gen. 4 / M-1676	Macina MTB 27.5" Alloy6061; PT625Wh Bosch Gen. 4 / M-1676	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen. 4 / M-0666	Macina MTB 27.5" Alloy6061; PT625Wh Bosch Gen. 4 / M-1676
<b>FORK</b>	FOX 34 Float 29" Rhythm e-bike 120mm	RockShox 35 silver TK 29" 120mm 15x110	RockShox 35 silver TK 27.5" 100mm 15x110	RockShox 35 silver TK 27.5" 100mm 15x110	Suntour XCM 34 coil 29" NLO 120mm 15x110 taper	Suntour XCM 34 coil 27.5" NLO 100mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch PURION LCD Display	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore M5100-11 SGS shadow+	Shimano Deore M5100-11 SGS shadow+	Shimano Deore M5100-11 SGS shadow+	Shimano Deore M5120-11/10 SGS shadow+	Shimano Deore M5120-11/10 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore XT M8100-12	Shimano Deore M5100-11 display	Shimano Deore M5100-11 display	Shimano Deore M5100-11 display	Shimano Deore M4100-10 display	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM TEAM ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51	Shimano Deore M5100-11 / 11-51	Shimano Deore M5100-11 / 11-51	Shimano Deore M5100-11 / 11-51	Shimano Deore M4100-10 / 11-46	Shimano Deore M4100-10 / 11-46
<b>CHAIN</b>	Shimano Deore M6100-12	KMC e11 Sport EPT e-bike	KMC e11 Sport EPT e-bike	KMC e11 Sport EPT e-bike	KMC e10 EPT e-bike	KMC e10 EPT e-bike
<b>BRAKE</b>	Shimano Deore M6100 / M6120 4-Piston	Shimano MT401 / MT420 4-Piston	Shimano MT401 / MT420 4-Piston	Shimano MT401 / MT420 4-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT64 CL 180 / 180	Shimano RT54 CL 180 / 180	Shimano RT54 CL 180 / 180	Shimano RT54 CL 180 / 180	Shimano RT30 CL 180 / 180	Shimano RT30 CL 180 / 180
<b>WHEEL F</b>	KTM Line - Shimano SLX M7110B CL 32H 110-15TA / Ambrosio E30 Trail 32H 622x30TC	KTM Line - Shimano MT400B CL 32H 110-15TA	KTM Line - Shimano MT400B CL 32H 110-15TA	KTM Line - Shimano MT400B CL 32H 110-15TA	KTM Line - Shimano MT400B CL 32H 110-15TA	KTM Line - Shimano MT400B CL 32H 110-15TA
	DT Champion 2.0 black	DT Champion 2.0 black	DT Champion 2.0 black	DT Champion 2.0 black	Ryde Rival30 32H 622x30C	Ryde Rival30 32H 622x30C
<b>WHEEL R</b>	KTM Line - Shimano SLX M7110B CL 32H 148-12TA / Ambrosio E30 Trail 32H 622x30TC	KTM Line - Shimano MT400B CL 32H 148-12TA	KTM Line - Shimano MT400B CL 32H 148-12TA	KTM Line - Shimano MT400B CL 32H 148-12TA	KTM Line - Shimano MT400B CL 32H 148-12TA	KTM Line - Shimano MT400B CL 32H 148-12TA
	DT Alpine II 2.34 black	DT Alpine II 2.34 black	DT Alpine II 2.34 black	DT Alpine II 2.34 black	Ryde Rival30 32H 622x30C	Ryde Rival30 32H 622x30C
<b>TIRE F</b>	Schwalbe Nobby Nic P erf. Folding 60-622	Schwalbe Nobby Nic Perf. Folding 60-622	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 60-622	Schwalbe Nobby Nic Perf. Folding 65-584
<b>TIRE R</b>	Schwalbe Nobby Nic Perf. Folding 60-622	Schwalbe Nobby Nic Perf. Folding 60-622	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 65-584	Schwalbe Nobby Nic Perf. Folding 60-622	Schwalbe Nobby Nic Perf. Folding 65-584
<b>GRIP</b>	Ergon GE10 Evo ergonomic	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock
<b>BAR</b>	KTM Team flat 2X 720mm	KTM Comp flat 2X 720mm	KTM Comp rizer15 700mm	KTM Comp rizer15 700mm	KTM Comp flat 2X 720mm	KTM Comp rizer15 700mm
<b>STEM</b>	KTM Team Kiox	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°
<b>HEADSET</b>	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Ergon SM10	KTM Line Sport	KTM Line Sport	KTM Line Sport	KTM Line Sport	KTM Line Sport
<b>SEATPOST</b>	KTM Team 30.9/400	KTM Comp 30.9/400	KTM Comp 30.9/350	KTM Comp 30.9/350	KTM Comp 30.9/400	KTM Comp 30.9/350
<b>PEDAL</b>	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy
<b>MODULE NO.</b>	021320	021321	021322	021323	021324	021325
<b>CATEGORY</b>	E3	E3	E3	E3	E3	E3
<b>SYSTEM WEIGHT</b>	141 kg (permissible total weight)	141 kg (permissible total weight)	141 kg (permissible total weight)	141 kg (permissible total weight)	142 kg (permissible total weight)	142 kg (permissible total weight)
<b>WEIGHT</b>	22,9 kg (without pedals)	23,2 kg (without pedals)	22,5 kg (without pedals)	23,2 kg (without pedals)	24,3 kg (without pedals)	24 kg (without pedals)

**fire orange (black)**

- 021320103 M 43cm
- 021320108 L 48cm
- 021320113 XL 53cm

**black matt (white)**

- 021321103 M 43cm
- 021321108 L 48cm
- 021321113 XL 53cm

**black matt (white)**

- 021322100 S 38cm
- 021322103 M 43cm
- 021322108 L 48cm

**deeppurple (sunset)**

- 021323100 S 38cm
- 021323103 M 43cm
- 021323108 L 48cm

**black matt (orange+black glossy)**

- 021324103 M 43cm
- 021324108 L 48cm
- 021324113 XL 53cm

**black matt (orange+black glossy)**

- 021325100 S 38cm
- 021325103 M 43cm
- 021325108 L 48cm

	MACINA <b>TEAM XL</b> <span>21</span>	MACINA <b>TEAM LFC</b> <span>21</span>	MACINA <b>RACE 291</b> <span>22</span>	MACINA <b>RACE 271</b> <span>23</span>	MACINA <b>RACE 292</b> <span>23</span>	MACINA <b>RACE 272</b> <span>23</span>
<b>DRIVETRAIN</b>	1x11 Shimano Deore	1x11 Shimano Deore	1x10 Shimano Deore	1x10 Shimano Deore	1x9 Shimano Alivio	1x9 Shimano Alivio
<b>E-SYSTEM</b>	BOSCH PT-CX6I4	BOSCH PT-CX6I4	BOSCH PT-CX5P2	BOSCH PT-CX5P2	BOSCH PT-CX5P2	BOSCH PT-CX5P2
<b>FRAME</b>	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen.4 / M-0666	Macina MTB 29" Alloy6061; PT625Wh Bosch Gen.4 / M-0666	Macina MTB 29" Alloy6061; PT500Wh Bosch Gen.4 / M-1766	Macina MTB 27.5" Alloy6061; PT500Wh Bosch Gen.4 / M-1776	Macina MTB 27.5" Alloy6061; PT500Wh Bosch Gen.4 / M-1776	Macina MTB 27.5" Alloy6061; PT500Wh Bosch Gen.4 / M-1776
<b>FORK</b>	Suntour XCR 34 air 29" LOR 120mm 15x110 taper	Suntour XCR 34 air 29" LOR 120mm 15x110 taper	Suntour XCR 34 air 29" LOR 100mm 15x110 taper	Suntour XCR 34 air 27.5" LOR 100mm 15x110 taper	Suntour XCM 34 coil 27.5" NLO 100mm 15x110 taper	Suntour XCM 34 coil 27.5" NLO 100mm 15x110 taper
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch PURION LCD Display	Bosch PURION LCD Display	Bosch PURION LCD Display	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 500Wh hor.	Bosch PowerTUBE 500Wh hor.	Bosch PowerTUBE 500Wh hor.	Bosch PowerTUBE 500Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Deore M5100-11 SGS shadow+	Shimano Deore M5100-11 SGS shadow+	Shimano Deore M5120-11/10 SGS shadow+	Shimano Deore M5120-11/10 SGS shadow+	Shimano Alivio M3100-9 SGS shadow	Shimano Alivio M3100-9 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M5100-11 display	Shimano Deore M5100-11 display	Shimano Deore M4100-10 display	Shimano Deore M4100-10 display	Shimano Alivio M3100-9 display	Shimano Alivio M3100-9 display
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard
<b>SPROCKET</b>	Shimano Deore M5100-11 / 11-51	Shimano Deore M5100-11 / 11-51	Shimano Deore M4100-10 / 11-46	Shimano Deore M4100-10 / 11-46	Shimano HG200-9 / 11-36	Shimano HG200-9 / 11-36
<b>CHAIN</b>	KMC e11 Sport EPT e-bike	KMC e11 Sport EPT e-bike	KMC e10 EPT e-bike	KMC e10 EPT e-bike	Shimano E6070-9 e-bike	Shimano E6070-9 e-bike
<b>BRAKE</b>	Tektro HD-M750 / E730 4-Piston	Shimano MT402 (3-F) / MT420 4-Piston	Shimano MT401 / MT420 4-Piston	Shimano MT401 / MT420 4-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Tektro TR-17 2.3mm 6bolt 203 / 180	Shimano RT54 CL 180 / 180	Shimano RT30 CL 180 / 180	Shimano RT30 CL 180 / 180	Shimano RT30 CL 180 / 180	Shimano RT30 CL 180 / 180
<b>WHEEL F</b>	KTM Line - DT Swiss 370 6bolt 32H 110-15TA Ryde Andra29 32H 622x29C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 584x30C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 584x30C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 584x30C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - DT Swiss 370 6bolt 32H 148-12TA Ryde Andra29 32H 622x29C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 622x30C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 622x30C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 584x30C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 622x30C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 584x30C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Smart Sam Plus Perf. DD GreenGuard 57-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-584	Schwalbe Smart Sam K-Guard 57-622	Schwalbe Smart Sam K-Guard 57-584
<b>TIRE R</b>	Schwalbe Smart Sam Plus Perf. DD GreenGuard 57-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-622	Schwalbe Johnny Watts Perf. DD RaceGuard 60-584	Schwalbe Smart Sam K-Guard 57-622	Schwalbe Smart Sam K-Guard 57-584
<b>GRIP</b>	Ergon GE10 Evo ergonomic	KTM Comp Ergo Lock	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock
<b>BAR</b>	Ergotec low rizer GH15 Savety 740mm	KTM Comp rizer15 700mm	KTM Comp flat 2X 720mm	KTM Comp rizer15 700mm	KTM Comp flat 2X 720mm	KTM Comp rizer15 700mm
<b>STEM</b>	Ergotec Piranha2 6°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°
<b>HEADSET</b>	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team eMTB 1.1/8"-1.5" angle limit	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"
<b>SADDLE</b>	Selle Royal Viaggio	Selle Royal Lookin Athletic	KTM Line Sport	KTM Line Sport	KTM Line Sport	KTM Line Sport
<b>SEATPOST</b>	bySchulz G2.ST zuspension 30.9/400	KTM Comp 30.9/400	KTM Comp 30.9/400	KTM Comp 30.9/350	KTM Comp 30.9/400	KTM Comp 30.9/350
<b>PEDAL</b>	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy
<b>CARRIER</b>		Wingee alloy fender- plattform (snap-it 1+2)				
<b>LIGHT F</b>		LITEMOVE SE-150K 150Lux				
<b>FENDER</b>		Racktime Alu 72mm B&M Xeltec				
<b>KICKSTAND</b>		KTM 28" adjust				
<b>MODULE NO.</b>	021326	021327	021328	021329	021330	021331
<b>CATEGORY</b>	E2	E2	E3	E3	E3	E3
<b>SYSTEM WEIGHT</b>	144 kg (permissible total weight)	144 kg (permissible total weight)	140 kg (permissible total weight)	140 kg (permissible total weight)	141 kg (permissible total weight)	140 kg (permissible total weight)
<b>WEIGHT</b>	25,5 kg (without pedals)	26,1 kg (without pedals)	22,3 kg (without pedals)	22,2 kg (without pedals)	22,6 kg (without pedals)	22,4 kg (without pedals)
	<b>metallic black (grey+orange matt)</b>	<b>metallic blue (blue)</b>	<b>fire orange (black+orange)</b>	<b>fire orange (black+orange)</b>	<b>metallic white (black+orange)</b>	<b>metallic white (black+orange)</b>
	021326103 M 43cm 021326108 L 48cm 021326113 XL 53cm 021326117 XXL 57cm	021327103 M 43cm 021327108 L 48cm 021327113 XL 53cm	021328103 M 43cm 021328108 L 48cm 021328113 XL 53cm	021329100 S 38cm 021329103 M 43cm 021329108 L 48cm	021330103 M 43cm 021330108 L 48cm 021330113 XL 53cm	021331100 S 38cm 021331103 M 43cm 021331108 L 48cm



	<b>MACINA RIDE 291</b> <span>24</span>	<b>MACINA RIDE 271</b> <span>24</span>	<b>MACINA MINI ME 261</b> <span>25</span>	<b>MACINA MINI ME 241</b> <span>25</span>	<b>MACINA AERA 271</b> <span>26</span>	<b>MACINA AERA 271 LFC</b> <span>27</span>
<b>DRIVETRAIN</b>	1x9 Shimano Alivio	1x9 Shimano Alivio	1x9 Shimano Alivio	1x9 Shimano Alivio	1x11 Shimano Deore	1x11 Shimano Deore
<b>E-SYSTEM</b>	BOSCH UC-A+5P2 B	BOSCH UC-A+5P2 B	BOSCH PT-PS12	BOSCH PT-A+4I2	BOSCH PT-CX614	BOSCH PT-CX614
<b>FRAME</b>	Macina MTB 29" Alloy6061; UC-PP500Wh Bosch Gen.3 / M-9680	Macina MTB 27.5" Alloy6061; UC-PP500Wh Bosch Gen.3 / M-9690	Macina MTB 26" Alloy6061; PT500Wh Bosch Gen.3 / M-1036	Macina MTB 24" Alloy6061; PT500Wh Bosch Gen.3 / M-1026	Macina PTS Offroad 27.5" Alloy6061; PT625Wh Bosch Gen.4 / T-1270	Macina PTS Offroad 27.5" Alloy6061; PT625Wh Bosch Gen.4 / T-1270
<b>FORK</b>	Suntour XCM coil 29" HLO 100mm	Suntour XCM coil 27.5" HLO 100mm	RockShox Judy silver TK 26" 80mm	Suntour XCR air 24" L0 63mm	Suntour XCR 34 air 27.5" LOR 80mm 15x110 taper	Suntour XCR 34 air 27.5" LOR 8 Omm 15x110 taper
<b>MOTOR</b>	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm	Bosch ACTIVE PLUS Gen.3 - 20km/h / 40Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display	Bosch PURION LCD Display	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerPACK 500Wh	Bosch PowerPACK 500Wh	Bosch PowerTUBE 500Wh hor.	Bosch PowerTUBE 400Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Alivio M3100-9 SGS shadow	Shimano Alivio M3100-9 SGS shadow	Shimano Alivio M3100-9 SGS shadow	Shimano Alivio M3100-9 SGS shadow	Shimano Deore M5100-11 SGS shadow+	Shimano Deore M5100-11 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Alivio M3100-9 display	Shimano Alivio M3100-9 display	Shimano Alivio M3100-9 display	Shimano Alivio M3100-9 display	Shimano Deore M5100-11 display	Shimano Deore M5100-11 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 160mm Q16	KTM LINE BNI 152mm Q16	KTM COMPISIS 170mm Q16	KTM COMPISIS 170mm Q16
<b>CHAINRING</b>	FSA steel 38T Direct Mount with Chainguard	FSA steel 38T Direct Mount with Chainguard	FSA steel 38T Direct Mount with Chainguard	FSA steel 38T Direct Mount with Chainguard	FSA Megatooth steel 38T with Chainguard	FSA Megatooth steel 38T with Chainguard
<b>SPROCKET</b>	Shimano HG200-9 / 11-36	Shimano HG200-9 / 11-36	Shimano HG201-9 / 11-36	Shimano HG201-9 / 11-36	Shimano Deore M5100-11 / 11-51	Shimano Deore M5100-11 / 11-51
<b>CHAIN</b>	Shimano E6070-9 e-bike	Shimano E6070-9 e-bike	Shimano E6070-9 e-bike	Shimano E6070-9 e-bike	KMC e11 Sport EPT e-bike	KMC e11 Sport EPT e-bike
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston	Shimano M4100 / MT410 2-Piston	Shimano M4100 / MT410 2-Piston	Tektro HD-M750 / E730 4-Piston	Tektro HD-M750 / E730 4-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 180	Shimano RT30 CL 180 / 180	Shimano RT30 CL 180 / 160	Shimano RT30 CL 160 / 160	Tektro TR-45 2.3mm CL 180 / 180	Tektro TR-45 2.3mm CL 180 / 180
<b>WHEEL F</b>	KTM Line - Shimano Acera M3050 CL 32H 100-5QR / Ryde Rival30 32H 622x30C DT Champion 2.0 silver	KTM Line KTM Line - Shimano Acera M3050 CL 32H 135-5QR Ryde Rival30 32H 584x30C	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Sport Disc 28H 559x23C DT Champion 2.0 black	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Sport Disc 32H 507x23C DT Champion 2.0 black	KTM Line - Shimano Deore M5100-11 / 11-51 Ryde Rival30 32H 584x30C DT Champion 2.0 black	KTM Line - Shimano Deore M5100-11 / 11-51 Ryde Rival30 32H 584x30C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Acera M3050 CL 32H 135-5QR / Ryde Rival30 32H 622x30C DT Alpine II 2.34 silver	KTM Line - Shimano Acera M3050 CL 32H 135-5QR Ryde Rival30 32H 584x30C DT Alpine II 2.34 silver	KTM Line - Shimano MT400B CL 32H 148-12TA Ambrosio Sport Disc 28H 559x23C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ambrosio Sport Disc 32H 507x23C DT Alpine II 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival30 32H 584x30C DT Alpine II 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival30 32H 584x30C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Smart Sam K-Guard 57-622	Schwalbe Smart Sam K-Guard 57-584	Maxxis Ikon Folding 56-559	Maxxis Rekon Folding 56-622	Schwalbe Smart Sam Perf. DD 57-584	Schwalbe Smart Sam Perf. DD 57-584
<b>TIRE R</b>	Schwalbe Smart Sam K-Guard 57-622	Schwalbe Smart Sam K-Guard 57-584	Maxxis Ikon Folding 56-559	Maxxis Rekon Folding 56-507	Schwalbe Smart Sam Perf. DD 57-584	Schwalbe Smart Sam Perf. DD 57-584
<b>GRIP</b>	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock	Ergon GP1 SD with Barend	Ergon GP1 SD with Barend
<b>BAR</b>	KTM Comp rizer15 700mm	KTM Comp rizer15 680mm	KTM Team flat 2X 620mm	KTM Comp flat 560mm	KTM Comp rizer15 680mm	KTM Comp rizer15 680mm
<b>STEM</b>	KTM Comp 7°	KTM Comp 7°	KTM Team MTB 7°	KTM Team MTB 7°	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°
<b>HEADSET</b>	Ritchey Zero Logic OE 1.1/8"	Ritchey Zero Logic OE 1.1/8"	KTM Team eMTB 1.1/8"-1.5" angle limit	Acros 1.1/8" angle limit	Ritchey Zero Logic Comp 1.1/8"-1.5"	Ritchey Zero Logic Comp 1.1/8"-1.5"
<b>SADDLE</b>	KTM Line Sport	KTM Line Sport	KTM Line Sport	KTM Line Kid	Selle Royal Lookin+	Selle Royal Lookin+
<b>SEATPOST</b>	KTM Comp 30.9/400	KTM Comp 30.9/350	KTM Comp 30.9/300	KTM Comp 30.9/300	KTM Comp 30.9/350	KTM Comp 30.9/350
<b>PEDAL</b>	MTB-Pedal C280DU alloy	MTB-Pedal C280DU alloy	MTB-Pedal C280DU alloy	Pedal kids VP-225	MTB-Pedal flat VPE-527 alloy	MTB-Pedal flat VPE-527 alloy
<b>CARRIER</b>						Wingee alloy fender- plattform (snap-it 1+2)
<b>LIGHT F</b>						B&M Lumotec IQ-XS LED 70Lux
<b>FENDER</b>						Racktime Alu 72mm B&M Xeltec
<b>KICKSTAND</b>						KTM 28" adjust
<b>MODULE NO.</b>	021332	021333	021335	021336	021340	021341
<b>CATEGORY</b>	E2	E2	E2	E2	E2	E2
<b>SYSTEM WEIGHT</b>	141 kg (permissible total weight)	140 kg (permissible total weight)	138kg (permissible total weight)	70 kg (permissible total weight)	143 kg (permissible total weight)	145 kg (permissible total weight)
<b>WEIGHT</b>	22.5 kg (without pedals)	22.2 kg (without pedals)	20.2 kg (without pedals)	20 kg (without pedals)	25.1 kg (without pedals)	27 kg (without pedals)

**black matt (grey+orange)**

- 021332103 M 43cm
- 021332108 L 48cm
- 021332113 XL 53cm

**black matt (grey+orange)**

- 021333100 S 38cm
- 021333103 M 43cm
- 021333108 L 48cm

**black matt (orange)**

- 021335100 S 38cm

**fire orange (black)**

- 021336100 S 38cm


**oak (black)**

- 021340603 PTS 43cm
- 021340606 PTS 46cm
- 021340611 PTS 51cm
- 021340616 PTS 56cm
- 021340620 PTS 60cm


**metallic black (grey+orange)**

- 021341606 PTS 46cm
- 021341611 PTS 51cm
- 021341616 PTS 56cm
- 021341620 PTS 60cm


	<b>MACINA AERA P272</b> 27	<b>MACINA AERA P272 LFC</b> 27	<b>MACINA MEZZO</b> 29	<b>MACINA CROSS 610</b> 32	<b>MACINA CROSS 620</b> 33	<b>MACINA CROSS P610</b> 33
<b>DRIVETRAIN</b>	1x10 Shimano Deore	1x10 Shimano Deore	2x11 Shimano Ultegra Di2	1x12 Shimano Deore XT	1x10 Shimano Deore	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH SI-P5i4	BOSCH SI-P5i4	Fazua Evation 1.0	BOSCH PT-CX6K4	BOSCH PT-CX6i4	BOSCH PT-P6i2
<b>FRAME</b>	Macina Offroad 27.5" US Alloy6061; Si-PP500Wh Bosch Gen.3 / T-0280	Macina Offroad 27.5" US Alloy6061; Si-PP500Wh Bosch Gen.3 / T-0280	Macina Mezzo Road Performance Carbon; Fazua / R-0200	Macina Trekking Offroad Alloy6061; PT625Wh Bosch Gen.4 / T-0460	Macina Trekking Offroad Alloy6061; PT625Wh Bosch Gen.4 / T-0460	Macina Trekking Offroad Alloy6061; PT625Wh Bosch Gen.3 / T-1160
<b>FORK</b>	Suntour XCR 34 coil 27.5" LOR 80mm 15x110 taper	Suntour XCR 34 coil 27.5" LOR 80mm 15x110 taper	Mezzo Road Fork Performance Carbon	Suntour NCX-E air LO 63mm 15QLC	Suntour NCX-D coil LO 63mm	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm	Fazua DRIVEPACK Evation 1.0 - 25km/h / 60Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Fazua TOUCH REMOTE Evation 1.0	Bosch KIOX TFT Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerPACK 500Wh	Bosch PowerPACK 500Wh	Fazua BATTERY PACK Evation 1.0 250Wh	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Fazua CHARGER Evation 1.0 2A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Deore M5120-11/10 SGS shadow+	Shimano Deore M5120-11/10 SGS shadow+	Shimano Ultegra Di2 R8050 GS	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore M4120-10 SGS shadow	Shimano Deore M4120-10 SGS shadow
<b>F. DERAILL.</b>			Shimano Ultegra Di2 R8050			Shimano Deore M4100-10 display
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display	Shimano Deore M4100-10 display	Shimano Ultegra Di2 R8070 STI 2x11	Shimano Deore M6100-12 display	Shimano Deore M4100-10 display	KTM LINE BNI 170mm Q16
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM Kappa ISIS 160mm Q0	KTM TEAM ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 38T Direct Mount with Chainguard	FSA steel 38T Direct Mount with Chainguard		FSA Megatooth steel 42T with Chainguard	FSA Megatooth steel 42T with Chainguard	FSA steel 40T Direct Mount with Chainguard
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-46	Shimano Deore M4100-10 / 11-46	Shimano Ultegra R8000 / 11-28	Shimano Deore M6100-12 / 10-51	Shimano Deore M4100-10 / 11-42	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike	KMC e10 EPT e-bike	Shimano HG701-11	Shimano Deore M6100-12	KMC e10 EPT e-bike	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston	Shimano MT402 (3-F) / MT420 4-Piston	Shimano Ultegra R8070 2-Piston	Shimano MT402 (3-F) / MT420 4-Piston	Shimano MT402 (3-F) / MT420 4-Piston	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 180	Shimano RT30 CL 180 / 180	Shimano RT800 CL 160 / 160 Freeze	Shimano RT64 CL 180 / 160	Shimano RT54 CL 180 / 160	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 584x30C DT Champion 2.0 black	DT Swiss ER 1600 Spline DB 32 CL 100-12TA / 622x18TC TLR	KTM Line - DT Swiss 350 CL 32H 100-15TA DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 black	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival30 32H 584x30C DT Alpine II 2.34 black	DT Swiss ER 1600 Spline DB 32 CL 142-12TA / 622x18TC TLR	KTM Line - DT Swiss 370 CL 32H 135-5QR DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Smart Sam Perf. 57-584	Schwalbe Smart Sam Perf. 57-584	Continental G-Prix 5000 TR 28-622	Schwalbe Smart Sam Perf. 47-622	Schwalbe Smart Sam Perf. 47-622	Schwalbe Smart Sam Perf. 47-622
<b>TIRE R</b>	Schwalbe Smart Sam Perf. 57-584	Schwalbe Smart Sam Perf. 57-584	Continental G-Prix 5000 TR 28-622	Schwalbe Smart Sam Perf. 47-622	Schwalbe Smart Sam Perf. 47-622	Schwalbe Smart Sam Perf. 47-622
<b>GRIP</b>	Ergon GP1 SD with Barend	Ergon GP1 SD with Barend	KTM Tape anti-slip	Ergon GP30 SD with Barend	Ergon GP30 SD with Barend	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Comp rizer15 680mm	KTM Comp rizer15 680mm	KTM Team Road	KTM Team low rizer 640mm	KTM Comp low rizer 640mm	KTM Comp low rizer 640mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Team Road 8°	KTM Team Kiox	KTM Comp 17°	KTM Line 20° internal
<b>HEADSET</b>	Ritchey Zero Logic Comp 1.1/8"-1.5"	Ritchey Zero Logic Comp 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team eTrekking 1.1/8"-1.5" angle limit	KTM Team eTrekking 1.1/8"-1.5" angle limit	Acros AICR internal 1.1/8">1.5" angle limit
<b>SADDLE</b>	Selle Royal Essenza	Selle Royal Essenza	Ergon SM10 Sport Men	KTM Line Hybrid	KTM Line Hybrid	KTM Line Hybrid
<b>SEATPOST</b>	KTM Comp 30.9/350	KTM Comp 30.9/350	KTM Team 27.2/350	KTM Team 30.9/350	KTM Comp 30.9/350	KTM Comp 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip		MTB-Pedal light VP-197 alloy	MTB-Pedal VP-195E alloy	MTB-Pedal VP-195E alloy
<b>CARRIER</b>		Wingee alloy fender- plattform (snap-it 1+2)				
<b>LIGHT F</b>		B&M Lumotec MYC LED 50Lux				
<b>FENDER</b>		Racktime Alu 72mm B&M Xeltec				
<b>KICKSTAND</b>		KTM 28" adjust		Hebie 28" adjust	KTM 28" adjust	KTM 28" adjust
<b>MODULE NO.</b>	021342	021343	020495	021345	021347	021349
<b>CATEGORY</b>	● E2	● E2	⚡ 1	● E2	● E2	● E2
<b>SYSTEM WEIGHT</b>	140kg (permissible total weight)	142kg (permissible total weight)	124kg (permissible total weight)	140kg (permissible total weight)	140kg (permissible total weight)	141kg (permissible total weight)
<b>WEIGHT</b>	22.1 kg (without pedals)	24.1 kg (without pedals)	13.1 kg (without pedals)	22.1 kg (H46 without pedals) 23.6 kg (PTS46 without pedals)	22.4 kg (H46 without pedals) 24.2 kg (PTS46 without pedals)	23 kg (without pedals)

 metallic white (grey+blue)


- ✓ 021342503 US 43cm
- ✓ 021342506 US 46cm
- ✓ 021342511 US 51cm
- ✓ 021342516 US 56cm

 black matt (grey+orange)

- ✓ 021343503 US 43cm
- ✓ 021343506 US 46cm
- ✓ 021343511 US 51cm
- ✓ 021343516 US 56cm

 black matt (space orange glossy)

- ✓ 020495304 S 44.5cm
- ✓ 020495308 M 48cm
- ✓ 020495312 L 52cm
- ✓ 020495316 XL 55cm

 metallic white (black+orange)

- ✓ 021345106 H 46cm
- ✓ 021345111 H 51cm
- ✓ 021345116 H 56cm
- ✓ 021345120 H 60cm

- ✓ 021345206 D 46cm
- ✓ 021345211 D 51cm
- ✓ 021345216 D 56cm


- ✓ 021346606 PTS 46cm
- ✓ 021346611 PTS 51cm
- ✓ 021346616 PTS 56cm

 metallic black (grey+blue)

- ✓ 021347106 H 46cm
- ✓ 021347111 H 51cm
- ✓ 021347116 H 56cm
- ✓ 021347120 H 60cm

- ✓ 021347206 D 46cm
- ✓ 021347211 D 51cm
- ✓ 021347216 D 56cm

- ✓ 021348606 PTS 46cm
- ✓ 021348611 PTS 51cm
- ✓ 021348616 PTS 56cm

 denim (blue+white)

- ✓ 021349106 H 46cm
- ✓ 021349111 H 51cm
- ✓ 021349116 H 56cm
- ✓ 021349120 H 60cm

- ✓ 021349206 D 46cm
- ✓ 021349211 D 51cm
- ✓ 021349216 D 56cm



**MACINA**  
**CROSS LFC** 33

<b>DRIVETRAIN</b>	1x11 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-P6I4
<b>FRAME</b>	Macina Trekking Offroad Alloy6061; PT625Wh Bosch Gen.3 / T-1160
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M5100-11 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore M5100-11 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount with Chainguard
<b>SPROCKET</b>	Shimano Deore M5100-11 / 11-51
<b>CHAIN</b>	KMC e11 Sport EPT e-bike
<b>DRAKE</b>	Tektro HD-E390 2-Piston
<b>ROTOR</b>	Tektro TR-45 2.3mm CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 32H 100-5QR / Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR / Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Smart Sam Perf. 47-622
<b>TIRE R</b>	Schwalbe Smart Sam Perf. 47-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Comp low rizer 640mm
<b>STEM</b>	KTM Line 20° internal
<b>HEADSET</b>	Acros AICR internal 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Lookin Athletic
<b>SEATPOST</b>	KTM Comp 30.9/350
<b>PEDAL</b>	MTB-Pedal VP-195E alloy
<b>CARRIER</b>	Wingee alloy fender- rails (plattform option)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	Spanninga Pixeo LED Standlight
<b>FENDER</b>	Racktime Alu 52mm B&M Xeltec
<b>CHAINGUARD</b>	
<b>KICKSTAND</b>	KTM 28° adjust
<b>MODULE NO.</b>	021350
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	142kg (permissible total weight)
<b>WEIGHT</b>	24.4 kg (without pedals)

**black matt (green pur.flip glossy)**

- 021350106 H 46cm
- 021350111 H 51cm
- 021350116 H 56cm
- 021350120 H 60cm

- 021350206 D 46cm
- 021350211 D 51cm
- 021350216 D 56cm

**MACINA**  
**CROSS P510 STREET** 33

<b>DRIVETRAIN</b>	1x9 Shimano Alivio
<b>E-SYSTEM</b>	BOSCH UC-P5P2
<b>FRAME</b>	Macina Trekking Offroad Alloy6061; UC-PP500Wh Bosch Gen.3 / T-9710
<b>FORK</b>	Suntour NEX-E25 coil NLO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>CHARGER</b>	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Alivio M3100-9 SGS shadow
<b>SHIFTLEVER</b>	Shimano Alivio M3100-9 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount with Chainguard
<b>SPROCKET</b>	Shimano HG201-9 / 11-36
<b>CHAIN</b>	Shimano E6070-9 e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Acera M3050 CL 32H 100-5QR Ryde Rival23 32H 622x23C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival23 32H 622x23C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Smart Sam K-Guard 42-622
<b>TIRE R</b>	Schwalbe Smart Sam K-Guard 42-622
<b>GRIP</b>	KTM Comp Ergo Lock
<b>BAR</b>	KTM Comp low rizer 640mm
<b>STEM</b>	KTM Comp 17°
<b>HEADSET</b>	Ritchey Zero Logic OE 1.1/8"
<b>SADDLE</b>	KTM Line Hybrid
<b>SEATPOST</b>	KTM Comp 30.9/350
<b>PEDAL</b>	MTB-Pedal C280DU alloy
<b>CARRIER</b>	
<b>LIGHT F</b>	B&M Lumotec UPP LED 30Lux
<b>LIGHT R</b>	Spanninga Pixeo LED Standlight
<b>FENDER</b>	
<b>CHAINGUARD</b>	
<b>KICKSTAND</b>	KTM 28° adjust
<b>MODULE NO.</b>	021351
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	140kg (permissible total weight)
<b>WEIGHT</b>	22 kg (without pedals)

**black matt (grey+orange)**

- 021351106 H 46cm
- 021351111 H 51cm
- 021351116 H 56cm
- 021351120 H 60cm

- 021351206 D 46cm
- 021351211 D 51cm
- 021351216 D 56cm

**MACINA**  
**SPRINT** 35

<b>DRIVETRAIN</b>	1x9 Shimano Alivio
<b>E-SYSTEM</b>	BOSCH UC-CX5P2
<b>FRAME</b>	Macina Trekking Offroad Alloy6061 MC; UC-PP500Wh Bosch Gen.4 / T-0210
<b>FORK</b>	Alloy Rigid Longleg, PM-Disc 9QR
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>CHARGER</b>	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Alivio M3100-9 SGS shadow
<b>SHIFTLEVER</b>	Shimano Alivio M3100-9 display
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T with Chainguard
<b>SPROCKET</b>	Shimano HG201-9 / 11-36
<b>CHAIN</b>	Shimano E6070-9 e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Acera M3050 CL 32H 100-5QR Ryde Dutch19 32H 622x19C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Dutch19 32H 622x19C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe G-One Bite Perf. RaceGuard 50-622
<b>TIRE R</b>	Schwalbe G-One Bite Perf. RaceGuard 50-622
<b>GRIP</b>	KTM Comp Ergo Lock
<b>BAR</b>	KTM Team flat 2X 680mm
<b>STEM</b>	KTM Team Road 8°
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	KTM Line Hybrid
<b>SEATPOST</b>	KTM Team 30.9/350
<b>PEDAL</b>	MTB-Pedal C280DU alloy
<b>CARRIER</b>	
<b>LIGHT F</b>	
<b>LIGHT R</b>	
<b>FENDER</b>	
<b>CHAINGUARD</b>	
<b>KICKSTAND</b>	KTM 28° adjust
<b>MODULE NO.</b>	021352
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	137kg (permissible total weight)
<b>WEIGHT</b>	19.4 kg (without pedals)

**black matt (orange+grey)**

- 021352106 H 46cm
- 021352111 H 51cm
- 021352116 H 56cm
- 021352120 H 60cm

- 021352206 D 46cm
- 021352211 D 51cm
- 021352216 D 56cm

**MACINA**  
**SPORT ABS** 36

<b>DRIVETRAIN</b>	1x11 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K6
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; ABS PT625Wh Bosch Gen.4 / T-0470
<b>FORK</b>	Suntour Mobie25 air LOR 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch FAST Charger 6A
<b>R. DERAILL.</b>	Shimano Deore XT M8000-11 GS shadow+
<b>SHIFTLEVER</b>	Shimano Deore XT M8000-11 w/Display
<b>CRANKSET</b>	KTM TEAM ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano SLX M7000-11 / 11-46
<b>CHAIN</b>	Shimano E8000-11 e-bike
<b>DRAKE</b>	Bosch / Magura ABS set w/Rotor 180 / 180
<b>ROTOR</b>	Shimano RT64 CL 180 / 160
<b>WHEEL F</b>	KTM Line - DT Swiss 350 6bolt 32H 100-15TA DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>WHEEL R</b>	KTM Line - DT Swiss 370 6bolt 32H 135-5QR DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>TIRE F</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>TIRE R</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>GRIP</b>	Ergon GP3 SD w/Barend
<b>BAR</b>	KTM Team low rizer 640mm
<b>STEM</b>	KTM Line Kiox adjust. 0-25°
<b>HEADSET</b>	Ritchey Zero Logic Comp 1.1/8"-1.5"
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	KTM Team 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime light (snap-it)
<b>LIGHT F</b>	B&M Lumotec IQ-X LED 150Lux
<b>LIGHT R</b>	B&M Toplight View LED
<b>FENDER</b>	SKS A46R 46mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28° adjust
<b>MODULE NO.</b>	020450
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	143 kg (permissible total weight)
<b>WEIGHT</b>	22.5 kg (without pedals)

**black matt (black+orange glossy)**

- 020450106 H 46cm
- 020450111 H 51cm
- 020450116 H 56cm
- 020450120 H 60cm

- 020450206 D 46cm
- 020450211 D 51cm
- 020450216 D 56cm

**MACINA**  
**SPORT 610** 39

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6K4
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
<b>FORK</b>	Suntour NCX-E air LO 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore M6100-12 display
<b>CRANKSET</b>	KTM TEAM ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51
<b>CHAIN</b>	Shimano Deore M6100-12
<b>DRAKE</b>	Shimano Deore XT T8100 / M8120 4-Piston
<b>ROTOR</b>	Shimano RT64 CL 180 / 160
<b>WHEEL F</b>	KTM Line - DT Swiss 350 CL 32H 100-15TA DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>WHEEL R</b>	KTM Line - DT Swiss 370 CL 32H 135-5QR DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>TIRE F</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>TIRE R</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Team low rizer 640mm
<b>STEM</b>	KTM Team Kiox
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	KTM Team 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime light (snap-it+2)
<b>LIGHT F</b>	B&M Lumotec IQ-XS LED 70Lux
<b>LIGHT R</b>	B&M Toplight View LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28° adjust
<b>MODULE NO.</b>	021355
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	142kg (permissible total weight)
<b>WEIGHT</b>	24 kg (H46 without pedals) 25.3 kg (PTS43 without pedals)

**black matt (orange flip-black glossy)**

- 021355106 H 46cm
- 021355111 H 51cm
- 021355116 H 56cm
- 021355120 H 60cm

- 021355206 D 46cm
- 021355211 D 51cm
- 021355216 D 56cm

- 021356606 PTS 46cm
- 021356611 PTS 51cm
- 021356616 PTS 56cm

**MACINA**  
**SPORT 620** 39

<b>DRIVETRAIN</b>	1x11 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX6I4
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-0450
<b>FORK</b>	Suntour NCX-E air LO 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M5100-11 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore M5100-11 display
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M5100-11 / 11-51
<b>CHAIN</b>	KMC e11 Sport EPT e-bike
<b>DRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston
<b>ROTOR</b>	Shimano RT54 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6010 CL 32H 100-15TA Ambrosio Track Disc 32H 622x20C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Track Disc 32H 622x20C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>TIRE R</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Team low rizer 640mm
<b>STEM</b>	KTM Line 17°
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	KTM Line 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime light (snap-it+2)
<b>LIGHT F</b>	B&M Lumotec IQ-XS LED 70Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28° adjust
<b>MODULE NO.</b>	021357
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	142kg (permissible total weight)
<b>WEIGHT</b>	24.4 kg (H46 without pedals) 25.5 kg (PTS43 without pedals)

**black matt (green+grey)**

- 021357106 H 46cm
- 021357111 H 51cm
- 021357116 H 56cm
- 021357120 H 60cm

- 021357206 D 46cm
- 021357211 D 51cm
- 021357216 D 56cm

- 021358603 PTS 43cm
- 021358606 PTS 46cm
- 021358611 PTS 51cm
- 021358616 PTS 56cm

MACINA  
SPORT 630 39

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 4 / T-0450
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen. 4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M4120-10 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 32H 100-5QR / Ambrosio Track Disc 32H 622x20C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR / Ambrosio Track Disc 32H 622x20C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>TIRE R</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Line low rizer 640mm
<b>STEM</b>	KTM Line 17°
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	KTM Line 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime light (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021359
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	142kg (permissible total weight)
<b>WEIGHT</b>	24,5 kg (H48 without pedals) 25,6 kg (PTS43 without pedals)

## metallic black (orange)

	021359106 H 46cm
	021359111 H 51cm
	021359116 H 56cm
	021359120 H 60cm

	021359206 D 46cm
	021359211 D 51cm
	021359216 D 56cm

	021359206 PTS 43cm
	021360606 PTS 46cm
	021360611 PTS 51cm
	021360616 PTS 56cm

## green purple flip (orange+black)

	021359136 H 46cm
	021359141 H 51cm
	021359146 H 56cm
	021359150 H 60cm

	021359236 D 46cm
	021359241 D 51cm
	021359246 D 56cm

	021360633 PTS 43cm
	021360636 PTS 46cm
	021360641 PTS 51cm
	021360646 PTS 56cm

MACINA  
SPORT P610 39

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-P614
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 3 / T-1150
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen. 3 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M4120-10 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Track Disc 32H 622x20C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Track Disc 32H 622x20C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>TIRE R</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Line low rizer 640mm
<b>STEM</b>	KTM Line 20° internal
<b>HEADSET</b>	Acros AICR internal 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	KTM Line 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime light (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 5 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021361
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	143kg (permissible total weight)
<b>WEIGHT</b>	24,9 kg (without pedals)

## metallic white (black+blue)

	021361106 H 46cm
	021361111 H 51cm
	021361116 H 56cm
	021361120 H 60cm

	021361206 D 46cm
	021361211 D 51cm
	021361216 D 56cm

	021361206 PTS 43cm
	021361211 PTS 46cm
	021361216 PTS 51cm
	021361216 PTS 56cm

## black matt (white+blue)

	021361136 H 46cm
	021361141 H 51cm
	021361146 H 56cm
	021361150 H 60cm

	021361236 D 46cm
	021361241 D 51cm
	021361246 D 56cm

	021361236 PTS 43cm
	021361241 PTS 46cm
	021361246 PTS 51cm
	021361246 PTS 56cm

MACINA  
SPORT P510 39

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-P5P2
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 3 / T-1150
<b>FORK</b>	Bosch PERFORMANCE Gen. 3 - 25km/h / 85Nm
<b>MOTOR</b>	Bosch PURION LCD Display Gen. 4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 500Wh hor.
<b>CHARGER</b>	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Deore XT M8100-10 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Track Disc 32H 622x20C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Track Disc 32H 622x20C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>TIRE R</b>	Schwalbe Marathon Mondial Perf. RaceGuard 42-622
<b>GRIP</b>	KTM Comp Ergo Lock
<b>BAR</b>	KTM Line low rizer 640mm
<b>STEM</b>	KTM Line 20° internal
<b>HEADSET</b>	Acros AICR internal 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	KTM Line 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime light (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec UPP LED 30Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 5 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021362
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	142kg (permissible total weight)
<b>WEIGHT</b>	24,1 kg (without pedals)

## denim (white+blue)

	021362106 H 46cm
	021362111 H 51cm
	021362116 H 56cm
	021362120 H 60cm

	021362206 D 46cm
	021362211 D 51cm
	021362216 D 56cm

	021362206 PTS 43cm
	021362211 PTS 46cm
	021362216 PTS 51cm
	021362216 PTS 56cm

MACINA  
STYLE 610 NYON 49

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX6N4
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 4 / T-0450
<b>FORK</b>	Suntour NCX-E air LO 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen. 4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA TFT Touch Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore M6100-12 display
<b>CRANKSET</b>	KTM TEAM ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51
<b>CHAIN</b>	Shimano Deore M6100-12
<b>DRAKE</b>	Shimano Deore XT T8100 / M8120 4-Piston
<b>ROTOR</b>	Shimano RT64 CL 180 / 160
<b>WHEEL F</b>	KTM Line - DT Swiss 350 CL 32H 100-15TA DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>WHEEL R</b>	KTM Line - DT Swiss 370 CL 32H 135-5QR DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Lookin+
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec IQ-X LED 150Lux
<b>LIGHT R</b>	B&M Toplight View LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	Hebie 28" adjust
<b>MODULE NO.</b>	021365
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	144kg (permissible total weight)
<b>WEIGHT</b>	25,9 kg (without pedals)

## oak (black+orange)

	021365106 H 46cm
	021365111 H 51cm
	021365116 H 56cm
	021365120 H 60cm

	021365206 D 46cm
	021365211 D 51cm
	021365216 D 56cm

	021365503 US 43cm
	021365506 US 46cm
	021365511 US 51cm
	021365516 US 56cm

MACINA  
STYLE 610 41

<b>DRIVETRAIN</b>	1x12 Shimano Deore XT
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 4 / T-0450
<b>FORK</b>	Suntour NCX-E air LO 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen. 4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore M6100-12 display
<b>CRANKSET</b>	KTM TEAM ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51
<b>CHAIN</b>	Shimano Deore M6100-12
<b>DRAKE</b>	Shimano Deore XT T8100 / M8120 4-Piston
<b>ROTOR</b>	Shimano RT64 CL 180 / 160
<b>WHEEL F</b>	KTM Line - DT Swiss 350 CL 32H 100-15TA DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>WHEEL R</b>	KTM Line - DT Swiss 370 CL 32H 135-5QR DT Swiss H1950 32H 622x25TC DT Alpine III 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Lookin+
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec IQ-X LED 150Lux
<b>LIGHT R</b>	B&M Toplight View LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	Hebie 28" adjust
<b>MODULE NO.</b>	021366
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	144kg (permissible total weight)
<b>WEIGHT</b>	25,8 kg (without pedals)

## metallic black (silver+grey)

	021366106 H 46cm
	021366111 H 51cm
	021366116 H 56cm
	021366120 H 60cm

	021366206 D 46cm
	021366211 D 51cm
	021366216 D 56cm

	021366503 US 43cm
	021366506 US 46cm
	021366511 US 51cm
	021366516 US 56cm



**MACINA**  
**STYLE 620** 41

<b>DRIVETRAIN</b>	1x11 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 4 / T-0450
<b>FORK</b>	Suntour NCX-E air LO 63mm 15QLC
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M5100-11 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore M5100-11 display
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M5100-11 / 11-51
<b>CHAIN</b>	KMC e11 Sport EPT e-bike
<b>DRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston
<b>ROTOR</b>	Shimano RT54 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6010 CL 32H 100-15TA Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Lookin+
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec IQ-XS LED 70Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021368
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	145kg (permissible total weight)
<b>WEIGHT</b>	26.5 kg (without pedals)

**steel grey (black+orange)**

- 021368106 H 46cm
- 021368111 H 51cm
- 021368116 H 56cm
- 021368120 H 60cm

- 021368206 D 46cm
- 021368211 D 51cm
- 021368216 D 56cm

- 021368503 US 43cm
- 021368506 US 46cm
- 021368511 US 51cm
- 021368516 US 56cm

**racing green (silver+copper)**

- 021368136 H 46cm
- 021368141 H 51cm
- 021368146 H 56cm
- 021368150 H 60cm

- 021368236 D 46cm
- 021368241 D 51cm
- 021368246 D 56cm

- 021368533 US 43cm
- 021368536 US 46cm
- 021368541 US 51cm
- 021368546 US 56cm

**MACINA**  
**STYLE XL** 41

<b>DRIVETRAIN</b>	1x11 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 4 / T-0450
<b>FORK</b>	Suntour NCX-D coil LO 63mm (HD)
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M5100-11 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore M5100-11 display
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M5100-11 / 11-51
<b>CHAIN</b>	KMC e11 Sport EPT e-bike
<b>DRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston
<b>ROTOR</b>	Shimano RT64 CL 180 / 180
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 36H 100-5QR Ryde Andra29 36H 622x29C DT Alpine II 2.34 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 36H 135-5QR Ryde Andra29 36H 622x29C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. DualGuard 50-622
<b>TIRE R</b>	Schwalbe Marathon E-Plus Perf. DualGuard 50-622
<b>GRIP</b>	Ergon GP1 SD with Barend
<b>BAR</b>	Ergotec Lady Town GH16 630mm
<b>STEM</b>	Ergotec Swell RE70 adjust.
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Viaggio
<b>SEATPOST</b>	bySchulz 62 ST zuspension 30.9/400
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec IQ-XS LED 70Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021370
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	145kg (permissible total weight)
<b>WEIGHT</b>	27.4kg (without pedals)

**black matt (silver+grey)**

- 021370106 H 46cm
- 021370111 H 51cm
- 021370116 H 56cm
- 021370120 H 60cm
- 021370123 H 63cm

- 021370206 D 46cm
- 021370211 D 51cm
- 021370216 D 56cm

- 021370506 US 46cm
- 021370511 US 51cm
- 021370516 US 56cm
- 021370520 US 60cm

**MACINA**  
**TOUR CX610** 41

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-CX614
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen. 4 / T-0450
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M4120-10 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 42T
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 32H 100-5QR / Ambrosio Sport Disc 32H 622x23C / DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR / Ambrosio Sport Disc 32H 622x23C / DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Lookin+
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 1 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021369
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	145kg (permissible total weight)
<b>WEIGHT</b>	26.2 kg (without pedals)

**metallic black (white+golden green)**

- 021369106 H 46cm
- 021369111 H 51cm
- 021369116 H 56cm
- 021369120 H 60cm

- 021369206 D 46cm
- 021369211 D 51cm
- 021369216 D 56cm

- 021369503 US 43cm
- 021369506 US 46cm
- 021369511 US 51cm
- 021369516 US 56cm

**metallic white (grey+golden green)**

- 021369136 H 46cm
- 021369141 H 51cm
- 021369146 H 56cm
- 021369150 H 60cm

- 021369236 D 46cm
- 021369241 D 51cm
- 021369246 D 56cm

- 021369533 US 43cm
- 021369536 US 46cm
- 021369541 US 51cm
- 021369546 US 56cm

**MACINA**  
**TOUR P610** 42

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-P6I4
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.3 / T-1150
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	wBosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Deore M4120-10 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>GRIP</b>	Ergon GP30 SD with Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line adjust. 0-60° internal
<b>HEADSET</b>	Acros AICR internal 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Lookin+
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS A55K 55mm black matt
<b>CHAINGUARD</b>	KTM type 5 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021371
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	145kg (permissible total weight)
<b>WEIGHT</b>	26.7 kg (without pedals)

**dark red (fire orange+black)**

- 021371106 H 46cm
- 021371111 H 51cm
- 021371116 H 56cm
- 021371120 H 60cm

- 021371206 D 46cm
- 021371211 D 51cm
- 021371216 D 56cm

- 021371503 US 43cm
- 021371506 US 46cm
- 021371511 US 51cm
- 021371516 US 56cm

**metallic black (white+blue)**

- 021371136 H 46cm
- 021371141 H 51cm
- 021371146 H 56cm
- 021371150 H 60cm

- 021371236 D 46cm
- 021371241 D 51cm
- 021371246 D 56cm

- 021371536 US 46cm
- 021371541 US 51cm
- 021371546 US 56cm

**metallic black (fire orange)**

- 021371166 H 46cm
- 021371171 H 51cm
- 021371176 H 56cm
- 021371180 H 60cm

- 021371266 D 46cm
- 021371271 D 51cm
- 021371276 D 56cm

- 021371563 US 43cm
- 021371566 US 46cm
- 021371571 US 51cm
- 021371576 US 56cm

**MACINA**  
**TOUR P510** 43

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH PT-P5I2
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; PT625Wh Bosch Gen.3 / T-1150
<b>FORK</b>	Suntour NCX-D coil LO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 500Wh hor.
<b>CHARGER</b>	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Deore M4120-10 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT200 / MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622
<b>GRIP</b>	Ergon GP1 SD with Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line adjust. 0-60° internal
<b>HEADSET</b>	Acros AICR internal 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec UPP LED 30Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS B46R 46mm black glossy
<b>CHAINGUARD</b>	KTM type 5 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021372
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	144kg (permissible total weight)
<b>WEIGHT</b>	26.3 kg (without pedals)

**denim (orange+white)**

- 021372106 H 46cm
- 021372111 H 51cm
- 021372116 H 56cm
- 021372120 H 60cm

- 021372206 D 46cm
- 021372211 D 51cm
- 021372216 D 56cm

- 021372503 US 43cm
- 021372506 US 46cm
- 021372511 US 51cm
- 021372516 US 56cm

**metallic black (white+orange)**

- 021372136 H 46cm
- 021372141 H 51cm
- 021372146 H 56cm
- 021372150 H 60cm

- 021372236 D 46cm
- 021372241 D 51cm
- 021372246 D 56cm

- 021372533 US 43cm
- 021372536 US 46cm
- 021372541 US 51cm
- 021372546 US 56cm

**MACINA**  
**FUN P510** 44

<b>DRIVETRAIN</b>	1x10 Shimano Deore
<b>E-SYSTEM</b>	BOSCH SI-P5I2
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; SI-PP500Wh Bosch Gen.3 / T-9690
<b>FORK</b>	Suntour NEX-E25 coil NLO 63mm
<b>MOTOR</b>	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerPACK 500Wh
<b>CHARGER</b>	Bosch COMPACT Charger 2A
<b>R. DERAILL.</b>	Shimano Deore M4120-10 SGS shadow
<b>SHIFTLEVER</b>	Shimano Deore M4100-10 display
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount
<b>SPROCKET</b>	Shimano Deore M4100-10 / 11-42
<b>CHAIN</b>	KMC e10 EPT e-bike
<b>DRAKE</b>	Shimano MT402 (3-F) / MT420 4-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano Acera M3050 CL 32H 100-5QR Ambrosio Track Disc 32H 622x20C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ambrosio Track Disc 32H 622x20C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 40-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 40-622
<b>GRIP</b>	Ergon GP1 SD with Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°
<b>HEADSET</b>	Ritchey Zero Logic OE 1.1/8"
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec AVY LED 40Lux
<b>LIGHT R</b>	B&M Toplight 2C LED
<b>FENDER</b>	SKS B46R 46mm black glossy
<b>CHAINGUARD</b>	KTM type 6 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28" adjust
<b>MODULE NO.</b>	021373
<b>CATEGORY</b>	E2
<b>SYSTEM WEIGHT</b>	143kg (permissible total weight)
<b>WEIGHT</b>	25.2 kg (without pedals)

**denim (silver+white)**

- 021373503 US 43cm
- 021373506 US 46cm
- 021373511 US 51cm
- 021373516 US 56cm

**epicgrey matt (black+orange)**

- 021373533 US 43cm
- 021373536 US 46cm
- 021373541 US 51cm
- 021373546 US 56cm



	<b>MACINA FUN AS10</b> 45	<b>MACINA GRAN 291</b> 48	<b>MACINA GRAN 271</b> 48	<b>MACINA GRAN P292</b> 49	<b>MACINA GRAN P272</b> 49	<b>MACINA CITY 5 ABS BELT</b> 50
<b>DRIVETRAIN</b>	1x10 Shimano Deore	1x10 Shimano Deore	1x10 Shimano Deore	1x9 Shimano Alivio	1x9 Shimano Alivio	1x5 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH UC-A+5P2	BOSCH PT-CX614	BOSCH PT-CX614	BOSCH SI-P512	BOSCH SI-P512	BOSCH PT-CX6K6
<b>FRAME</b>	Macina Trekking Onroad Alloy6061; UC-PP500Wh Bosch Gen.3 / T-9700	Macina Onroad 29" Alloy6061; PT625Wh Bosch Gen.4 / M-1656	Macina PTS Onroad Alloy6061; PT625Wh Bosch Gen.4 / T-1250	Macina Onroad 29" Alloy6061; UC-PP500Wh Bosch Gen.3 / M-1640	Macina Onroad 29" Alloy6061; UC-PP500Wh Bosch Gen.3 / M-1640	Macina City US Alloy6061 belt; PT625Wh Bosch Gen.4 / T-0740
<b>FORK</b>	Suntour NEX-E25 coil NLO 63mm	Suntour XCR 34 air 29" LOR 100mm 15x110 taper	Suntour XCR 34 air 27.5" LOR 80mm 15x110 taper	Suntour XCM 32 coil 29" NLO 100mm 15x100	Suntour XCM 32 coil 29" NLO 100mm 15x100	Suntour Mobie25 air LOR 63mm 15QLC
<b>MOTOR</b>	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 85Nm	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm	Bosch PERFORMANCE Gen.3 - 25km/h / 65Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm
<b>DISPLAY</b>	Bosch PURION LCD Display	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch KIOX TFT Display with Remote
<b>BATTERY</b>	Bosch PowerPACK 500Wh	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerPACK 500Wh	Bosch PowerPACK 500Wh	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch COMPACT Charger 2A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch FAST Charger 6A
<b>R. DERAILL.</b>	Shimano Alivio M3100-9 SGS shadow	Shimano Deore M4120-10 SGS shadow	Shimano Deore M4120-10 SGS shadow	Shimano Alivio M3100-9 SGS shadow	Shimano Alivio M3100-9 SGS shadow	Shimano Nexus 5 Revoshifter
<b>SHIFTLEVER</b>	Shimano Alivio M3100-9 display	Shimano Deore M4100-10 display	Shimano Deore M4100-10 display	Shimano Alivio M3100-9 display	Shimano Alivio M3100-9 display	Shimano Nexus 5 Revoshifter
<b>CRANKSET</b>	KTM LINE BNI 170mm Q16	KTM COMP ISIS 170mm Q16	KTM COMP ISIS 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM COMP ISIS 170mm Q16
<b>CHAINRING</b>	FSA steel 40T Direct Mount	FSA Megatooth steel 42T with Chainguard	FSA Megatooth steel 42T with Chainguard	FSA steel 40T Direct Mount with Chainguard	FSA steel 40T Direct Mount with Chainguard	Gates front-sprocket 39T
<b>SPROCKET</b>	Shimano HG201-9 / 11-36	Shimano Deore M4100-10 / 11-42	Shimano Deore M4100-10 / 11-42	Shimano HG201-9 / 11-36	Shimano HG201-9 / 11-36	Gates rear-sprocket 28T
<b>CHAIN</b>	Shimano E6070-9 e-bike	KMC e10 EPT e-bike	KMC e10 EPT e-bike	Shimano E6070-9 e-bike	Shimano E6070-9 e-bike	Gates drive-belt 120T CDX
<b>BRAKE</b>	Shimano MT200 / MT200 2-Piston	Shimano MT402 (3-F) / MT400 2-Piston	Shimano MT402 (3-F) / MT400 2-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston	Bosch / Magura ABS set w/Rotor 180 / 180
<b>ROTOR</b>	Shimano RT30 CL 180 / 160	Shimano RT54 CL 180 / 160	Shimano RT54 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160	
<b>WHEEL F</b>	KTM Line - Shimano MT200 CL 32H 100-5QR Ambrosio Track Disc 32H 622x20C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival30 32H 584x30C DT Champion 2.0 black	KTM Line - Shimano MT400 CL 32H 100-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	KTM Line - Shimano MT400 CL 32H 100-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	KTM Line - DT Swiss 370 6bolt 32H 100-15TA Ambrosio Track Disc 32H 622x20C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Acera M3050 CL 32H 135-5QR Ambrosio Track Disc 32H 622x20C DT Alpine II 2.34 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival30 32H 622x30C DT Alpine II 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival30 32H 584x30C DT Alpine II 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival30 32H 622x30C DT Alpine II 2.34 black	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival30 32H 622x30C DT Alpine II 2.34 black	KTM Line - Shimano Nexus 5 SG-C700050 CL 32H Ambrosio Track Disc 32H 622x20C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 40-622	Schwalbe Marathon Almotion Perf. RaceGuard 55-622	Schwalbe Marathon Almotion Perf. RaceGuard 55-584	Schwalbe Marathon Almotion Perf. RaceGuard 55-622	Schwalbe Marathon Almotion Perf. RaceGuard 55-622	Schwalbe Marathon Almotion Perf. GreenGuard 47-622
<b>TIRE R</b>	Schwalbe Energizer Plus Perf. GreenGuard 40-622	Schwalbe Marathon Almotion Perf. RaceGuard 55-622	Schwalbe Marathon Almotion Perf. RaceGuard 55-584	Schwalbe Marathon Almotion Perf. RaceGuard 55-622	Schwalbe Marathon Almotion Perf. RaceGuard 55-622	Schwalbe Energizer Plus Perf. GreenGuard 47-622
<b>GRIP</b>	Ergon GP1 SD with Barend	Ergon GP1 SD with Barend	Ergon GP1 SD with Barend	KTM Comp Ergo Lock	KTM Comp Ergo Lock	Ergon GP1 short without Barend
<b>BAR</b>	KTM Line rizer20 640mm	Ergotec Lady Town GH16 630mm	Ergotec Lady Town GH16 630mm	Ergotec Lady Town GH16 630mm	Ergotec Lady Town GH16 630mm	Ergotec Lady Town GH16 630mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Line Kiox adjust. 0-25°
<b>HEADSET</b>	Ritchey Zero Logic OE 1.1/8"	KTM Team eMTB 1.1/8"-1.5" angle limit	Ritchey Zero Logic Comp 1.1/8"-1.5"	Ritchey Zero Logic OE 1.1/8"	Ritchey Zero Logic OE 1.1/8"	Ritchey Zero Logic Comp 1.1/8"-1.5"
<b>SADDLE</b>	Selle Royal Essenza	Selle Royal Lookin+	Selle Royal Lookin+	Selle Royal Essenza	Selle Royal Essenza	Selle Royal Lookin
<b>SEATPOST</b>	KTM Line Elegance suspension 30.9/300	KTM Line 30.9/350	KTM Line 30.9/350	KTM Line 30.9/350	KTM Line 30.9/350	Suntour SP17-NCX suspension 30.9/350
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)	KTM Racktime light (snap-it 1+2)	KTM Racktime light (snap-it 1+2)	KTM Racktime light (snap-it 1+2)	KTM Racktime light (snap-it 1+2)	KTM Racktime tour (snap-it)
<b>LIGHT F</b>	B&M Lumotec AVY LED 40Lux	B&M Lumotec IQ-XS LED 70Lux	B&M Lumotec IQ-XS LED 70Lux	B&M Lumotec MYC LED 50Lux	B&M Lumotec MYC LED 50Lux	B&M Lumotec IQ-XS LED 70Lux
<b>LIGHT R</b>	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight View LED
<b>FENDER</b>	SKS B46R 46mm black glossy	SKS A65R 65mm black matt	SKS A65R 65mm black matt	SKS A65R 65mm black matt	SKS A65R 65mm black matt	SKS B53T 53mm black matt
<b>CHAINGUARD</b>	KTM type 5 for Bosch Gen.4					
<b>KICKSTAND</b>	KTM 28" adjust	KTM 28" adjust	KTM 28" adjust	KTM 28" adjust	KTM 28" adjust	KTM 28" adjust
<b>MODULE NO.</b>	021374	021380	021381	021382	021383	020475
<b>CATEGORY</b>	E2	E2	E2	E2	E2	E2
<b>SYSTEM WEIGHT</b>	142kg (permissible total weight)	144kg (permissible total weight)	145kg (permissible total weight)	143kg (permissible total weight)	143kg (permissible total weight)	145kg (permissible total weight)
<b>WEIGHT</b>	24,4 kg (without pedals)	24 kg (without pedals)	25,8 kg (without pedals)	25kg (without pedals)	24,8 kg (without pedals)	27,1 kg (without pedals)

**black matt (orange+grey)**

- 021374106 H 46cm
- 021374111 H 51cm
- 021374116 H 56cm
- 021374120 H 60cm

- 021374206 D 46cm
- 021374211 D 51cm
- 021374216 D 56cm

- 021375503 US 43cm
- 021375506 US 46cm
- 021375511 US 51cm
- 021375516 US 56cm

**metallic black (grey+orange)**

- 021380103 M 43cm
- 021380108 L 48cm
- 021380113 XL 53cm
- 021380117 XXL 57cm

**metallic black (grey+orange)**

- 021381603 PTS 43cm
- 021381606 PTS 46cm
- 021381611 PTS 51cm
- 021381616 PTS 56cm
- 021381620 PTS 60cm

**oak (black+orange)**

- 021382103 M 43cm
- 021382108 L 48cm
- 021382113 XL 53cm
- 021382117 XXL 57cm

**oak (black+orange)**

- 021383503 US 43cm
- 021383506 US 46cm
- 021383511 US 51cm
- 021383516 US 56cm

**black matt (grey+white)**

- 020475506 US 46cm
- 020475511 US 51cm
- 020475516 US 56cm

	<b>MACINA CITY 610 BELT</b> <span>S1</span>	<b>MACINA CITY P610 RT</b> <span>S2</span>	<b>MACINA CITY P610</b> <span>S2</span>	<b>MACINA CITY A510 RT</b> <span>S3</span>	<b>MACINA CITY A510</b> <span>S3</span>	<b>MACINA CITY XL RT</b> <span>S3</span>
<b>DRIVETRAIN</b>	1x5 Shimano Nexus	1x5 Shimano Nexus - Coasterbrake	1x5 Shimano Nexus	1x5 Shimano Nexus - Coasterbrake	1x5 Shimano Nexus	1x5 Shimano Nexus - Coasterbrake
<b>E-SYSTEM</b>	BOSCH PT-CX614	BOSCH PT-P614	BOSCH PT-P614	BOSCH PT-A+512	BOSCH PT-A+512	BOSCH PT-CX614
<b>FRAME</b>	Macina City US Disc Alloy6061 belt; PT625Wh Bosch Gen.4 / T-0730	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.3 / T-1180	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.3 / T-1180	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.3 / T-1180	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.3 / T-1180	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.4 / T-0750
<b>FORK</b>	Suntour NCX-E air LO 63mm 15QLC	Suntour NCX-D coil LO 63mm	Suntour NCX-D coil LO 63mm	Suntour NCX-D coil LO 63mm	Suntour NCX-D coil LO 63mm	Suntour NCX-D coil LO 63mm (HD)
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm	Bosch PERFORMANCE CX Gen.3 - 25km/h / 60Nm	Bosch PERFORMANCE CX Gen.3 - 25km/h / 60Nm	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 625Wh hor.	Bosch PowerTUBE 500Wh hor.	Bosch PowerTUBE 500Wh hor.	Bosch PowerTUBE 625Wh hor.
<b>CHARGER</b>	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch STANDARD Charger 4A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>	Shimano Nexus 5 Revoshifter	Shimano Nexus 5 Revoshifter	Shimano Nexus 5 Revoshifter	Shimano Nexus 5 Revoshifter	Shimano Nexus 5 Revoshifter	Shimano Nexus 5 Revoshifter
<b>SHIFTLEVER</b>	KTM COMP ISIS 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM COMP ISIS 170mm Q16
<b>CRANKSET</b>	Gates front-sprocket 39T	FSA steel 38T Direct Mount	FSA steel 38T Direct Mount	FSA steel 38T Direct Mount	FSA steel 38T Direct Mount	FSA Megatooth steel 38T
<b>CHAINRING</b>	Gates rear-sprocket 28T	ESJOT 30T	ESJOT 30T	ESJOT 30T	ESJOT 30T	ESJOT 30T
<b>SPROCKET</b>	Gates drive-belt 120T CDX	KMC Z1eHX	KMC Z1eHX	KMC Z1eHX	KMC Z1eHX	KMC Z1eHX
<b>CHAIN</b>	Shimano MT402 (3-F) / MT400 2-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT402 (3-F) / MT400 2-Piston
<b>BRAKE</b>	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160
<b>ROTOR</b>	KTM Line - Shimano Deore M6010 CL 36H 100-15TA	KTM Line - Shimano Deore M6000 CL 36H 100-5QR /	KTM Line - Shimano Deore M6000 CL 36H 100-5QR	KTM Line - Shimano Deore M6000 CL 36H 100-5QR	KTM Line - Shimano Deore M6000 CL 36H 100-5QR /	KTM Line - Shimano Deore M6000 CL 36H 100-5QR
<b>WHEEL F</b>	Ambrosio Sport Disc 36H 622x23C DT Champion 2.0 black	Ambrosio Sport Disc 36H 622x23C DT Champion 2.0 black	Ambrosio Sport Disc 36H 622x23C DT Champion 2.0 black	Ambrosio Sport Disc 36H 622x23C DT Champion 2.0 black	Ambrosio Sport Disc 36H 622x23C DT Champion 2.0 black	Ambrosio Sport Disc 36H 622x29C DT Champion 2.0 black
<b>WHEEL R</b>	KTM Line - Shimano Nexus 5 Disc CL 36H 135-5QR Ambrosio Sport Disc 36H 622x23C DT Alpine II 2.34 black	KTM Line - Shimano Nexus 5 Disc 5bolt 36H 135-5QR coasterbrake / Ambrosio Sport Disc 36H 622x23C / DT Alpine II 2.34 black	KTM Line - Shimano Nexus 5 Disc CL 36H 135-5QR Ambrosio Sport Disc 36H 622x23C DT Alpine II 2.34 black	KTM Line - Shimano Nexus 5 Disc 5bolt 36H 135-5QR coasterbrake / Ambrosio Sport Disc 36H 622x23C DT Alpine II 2.34 black	KTM Line - Shimano Nexus 5 Disc CL 36H 135-5QR Ambrosio Sport Disc 36H 622x23C DT Alpine II 2.34 black	KTM Line - Shimano Nexus 5 Disc 5bolt 36H 135-5QR coasterbrake / Ryde Andra29 36H 622x29C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Energizer Plus Perf. GreenGuard 50-622 Schwalbe Energizer Plus	Schwalbe Energizer Plus Perf. GreenGuard 50-622 Schwalbe Energizer Plus	Schwalbe Energizer Plus Perf. GreenGuard 50-622 Schwalbe Energizer Plus	Schwalbe Energizer Plus Perf. GreenGuard 50-622 Schwalbe Energizer Plus	Schwalbe Energizer Plus Perf. GreenGuard 50-622 Schwalbe Energizer Plus	Schwalbe Marathon E-Plus Perf. DualGuard 50-622 Schwalbe Energizer Plus
<b>TIRE R</b>	Perf. GreenGuard 50-622	Perf. GreenGuard 50-622	Perf. GreenGuard 50-622	Perf. GreenGuard 50-622	Perf. GreenGuard 50-622	Perf. DualGuard 50-622
<b>GRIP</b>	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend
<b>BAR</b>	KTM Line Noirette Plus 660mm	KTM Line Noirette Plus 660mm	KTM Line Noirette Plus 660mm	KTM Line Noirette Plus 660mm	KTM Line Noirette Plus 660mm	Ergotec Lady Town GH16 630mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°	KTM Line adjust. 0-60° internal	KTM Line adjust. 0-60° internal	KTM Line adjust. 0-60° internal	KTM Line adjust. 0-60° internal	Ergotec Swell RE70 adjust.
<b>HEADSET</b>	KTM Team eTrekking 1.1/8"-1.5" angle limit	Acros AICR internal 1.1/8"-1.5" angle limit	Acros AICR internal 1.1/8"-1.5" angle limit	Acros AICR internal 1.1/8"-1.5" angle limit	Acros AICR internal 1.1/8"-1.5" angle limit	Acros AICR internal 1.1/8"-1.5" angle limit
<b>SADDLE</b>	Selle Royal Lookin+	Selle Royal Lookin+	Selle Royal Lookin+	Selle Royal Essenza	Selle Royal Essenza	Selle Royal Viaggio City
<b>SEATPOST</b>	Suntour SP17-NCX suspension 30.9/350	Suntour SP17-NCX suspension 30.9/350	Suntour SP17-NCX suspension 30.9/350	KTM Line Elegance suspension 30.9/300	KTM Line Elegance suspension 30.9/300	bySchulz G2.ST zuspension 30.9/400
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)
<b>LIGHT F</b>	B&M Lumotec IQ-XS LED 70Lux	B&M Lumotec MYC LED 50Lux	B&M Lumotec MYC LED 50Lux	B&M Lumotec UPP LED 30Lux	B&M Lumotec UPP LED 30Lux	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED
<b>FENDER</b>	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler
<b>CHAINGUARD</b>		KTM type 6 for Bosch Gen.4	KTM type 6 for Bosch Gen.4	KTM type 6 for Bosch Gen.4	KTM type 6 for Bosch Gen.4	KTM type 6 for Bosch Gen.4
<b>KICKSTAND</b>	KTM 28° adjust	KTM 28° adjust	KTM 28° adjust	KTM 28° adjust	KTM 28° adjust	KTM 28° adjust
<b>MODULE NO.</b>	021385	021386	021387	021388	021389	021390
<b>CATEGORY</b>	E2	E2	E2	E2	E2	E2
<b>SYSTEM WEIGHT</b>	145 kg (permissible total weight)	146 kg (permissible total weight)	146 kg (permissible total weight)	145 kg (permissible total weight)	145 kg (permissible total weight)	178 kg (permissible total weight)
<b>WEIGHT</b>	27,1 kg (without pedals)	28,1 kg (without pedals)	28,2 kg (without pedals)	26,8 kg (without pedals)	27,1 kg (without pedals)	28,1 kg (without pedals)

**oak (black+orange)**

- 021385503 US 43cm
- 021385506 US 46cm
- 021385511 US 51cm
- 021385516 US 56cm

**black matt (white+blue)**

- 021386503 US 43cm
- 021386506 US 46cm
- 021386511 US 51cm
- 021386516 US 56cm

**black matt (white+blue)**

- 021387503 US 43cm
- 021387506 US 46cm
- 021387511 US 51cm
- 021387516 US 56cm

**black matt (grey+orange)**

- 021388503 US 43cm
- 021388506 US 46cm
- 021388511 US 51cm
- 021388516 US 56cm

**black matt (grey+orange)**

- 021389503 US 43cm
- 021389506 US 46cm
- 021389511 US 51cm
- 021389516 US 56cm

**steelgrey matt (black+orange)**

- 021390503 US 43cm
- 021390506 US 46cm
- 021390511 US 51cm
- 021390516 US 56cm



	MACINA MACINA CITY XL <span>53</span>	MACINA CENTRAL 5 RT <span>54</span>	MACINA CENTRAL 5 <span>54</span>	MACINA CENTRAL 7 RT <span>55</span>	MACINA CENTRAL 7 <span>55</span>	MACINA FOLD <span>56</span>
<b>DRIVETRAIN</b>	1x5 Shimano Nexus	1x5 Shimano Nexus - Coasterbrake	1x5 Shimano Nexus	1x7 Shimano Nexus - Coasterbrake	1x7 Shimano Nexus	1x8 Shimano Nexus
<b>E-SYSTEM</b>	BOSCH PT-CX614	BOSCH SI-P512	BOSCH SI-P512	BOSCH SI-A412	BOSCH SI-A412	BOSCH PT-A+5P4
<b>FRAME</b>	Macina City US Disc Alloy6061; PT625Wh Bosch Gen.4 / T-0750	Macina City US Disc Alloy6061; SI-PP500Wh Bosch Gen.3 / T-1670	Macina City US Disc Alloy6061; SI-PP500Wh Bosch Gen.3 / T-1670	Macina City US Alloy6061; SI-PP500Wh Bosch Gen.3 / T-9680	Macina City US Alloy6061; SI-PP500Wh Bosch Gen.3 / T-9680	Macina Fold 20" Alloy6061 IGH belt; PT500Wh Bosch Gen.3 / T-9300
<b>FORK</b>	Suntour NCX-D coil LO 63mm (HD)	Suntour NEX-E25 coil NLO 63mm	Suntour NEX-E25 coil NLO 63mm	Suntour CR85-E25 coil 63mm	Suntour CR85-E25 coil 63mm	Macina Fold 20" Alloy6061 PM-disc
<b>MOTOR</b>	Bosch PERFORMANCE CX Gen.4 - 25km/h / 75Nm	Bosch PERFORMANCE Gen.3 - 25km/h / 60Nm	Bosch PERFORMANCE Gen.3 - 25km/h / 60Nm	Bosch ACTIVE Gen.3 - 25km/h / 40Nm	Bosch ACTIVE Gen.3 - 25km/h / 40Nm	Bosch ACTIVE PLUS Gen.3 - 25km/h / 50Nm
<b>DISPLAY</b>	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch INTUVIA LCD Display with Remote	Bosch PURION LCD Display
<b>BATTERY</b>	Bosch PowerTUBE 625Wh hor.	Bosch PowerPACK 500Wh	Bosch PowerPACK 500Wh	Bosch PowerPACK 400Wh	Bosch PowerPACK 400Wh	Bosch PowerTUBE 500Wh vert.
<b>CHARGER</b>	Bosch STANDARD Charger 4A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch COMPACT Charger 2A	Bosch STANDARD Charger 4A
<b>R. DERAILL.</b>						
<b>SHIFTLEVER</b>	Shimano Nexus 5 Revoshifter	Shimano Nexus 5 Revoshifter	Shimano Nexus 5 Revoshifter	Shimano Nexus 7 Revoshifter	Shimano Nexus 7 Revoshifter	Shimano Nexus 8 Revoshifter
<b>CRANKSET</b>	KTM COMP ISIS 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM LINE BNI 170mm Q16	KTM Delta BNI160mm Q16
<b>CHAINRING</b>	FSA Megatooth steel 38T	FSA steel 38T Direct Mount	FSA steel 38T Direct Mount	FSA steel 38T Direct Mount	FSA steel 38T Direct Mount	
<b>SPROCKET</b>	ESJOT 30T	ESJOT 30T	ESJOT 30T	Shimano Nexus 22T	Shimano Nexus 22T	Gates rear-sprocket 22T
<b>CHAIN</b>	KMC Z1eHX	KMC Z1eHX	KMC Z1eHX	KMC Z1eHX	KMC Z1eHX	Gates drive-belt 115T CDX
<b>BRAKE</b>	Shimano MT402 (3-F) / MT400 2-Piston	Shimano MT200 / MT200 2-Piston	Shimano MT200 / MT200 2-Piston	Magura HS11 Evo2	Magura HS11 Evo2	Shimano Altus BR-M315 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160		Shimano RT54 CL 180 / 160	
<b>WHEEL F</b>	KTM Line - Shimano Deore M6000 CL 36H 100-5QR Ryde Andra29 36H 622x29C DT Champion 2.0 black	KTM Line - Shimano Acera M3050 CL 36H 100-5QR / Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 silver	KTM Line - Shimano Acera M3050 CL 36H 100-5QR Ambrosio Sport Disc 32H 622x23C DT Champion 2.0 silver	KTM Line - Shimano Acera T3000 36H 100-5QR Ambrosio Track 36H 622x20C DT Champion 2.0 silver	KTM Line - Shimano Acera T3000 36H 100-5QR Ambrosio Track 36H 622x20C DT Champion 2.0 silver	KTM Line - Shimano Acera T3000 36H 100-5QR Ambrosio Track 36H 622x20C DT Champion 2.0 silver
<b>WHEEL R</b>	KTM Line - Shimano Nexus 5 Disc CL 36H 135-5QR Ryde Andra29 36H 622x29C DT Alpine II 2.34 black	KTM Line - Shimano Nexus 5 Disc CL 36H 135-5QR / Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 silver	KTM Line - Shimano Nexus 5 Disc CL 36H 135-5QR Ambrosio Sport Disc 32H 622x23C DT Alpine II 2.34 silver	KTM Line - Shimano Nexus 7 36H 135-5QR coaster-brake / Ambrosio Track 36H 622x20C DT Alpine II 2.34 silver	KTM Line - Shimano Nexus 7 36H 135-5QR Ambrosio Track 36H 622x20C DT Alpine II 2.34 silver	KTM Line - Shimano Alfine 8 S7001 CL 32H Ambrosio Pulse 32H 406x19C DT Alpine II 2.34 black
<b>TIRE F</b>	Schwalbe Marathon E-Plus Perf. DualGuard 50-622	Schwalbe Energizer Plus Perf. GreenGuard 50-622	Schwalbe Energizer Plus Perf. GreenGuard 50-622	Schwalbe Energizer Plus Perf. GreenGuard 40-622	Schwalbe Energizer Plus Perf. GreenGuard 40-622	Schwalbe Marathon Plus Perf. SmartG. 47-406
<b>TIRE R</b>	Schwalbe Marathon E-Plus Perf. DualGuard 50-622	Schwalbe Energizer Plus Perf. GreenGuard 50-622	Schwalbe Energizer Plus Perf. GreenGuard 50-622	Schwalbe Energizer Plus Perf. GreenGuard 40-622	Schwalbe Energizer Plus Perf. GreenGuard 40-622	Schwalbe Marathon Plus Perf. SmartG. 47-406
<b>GRIP</b>	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend	Ergon GP1 short without Barend
<b>BAR</b>	Ergotec Lady Town GH16 630mm	KTM Line Noirette Plus 660mm	KTM Line Noirette Plus 660mm	KTM Line Noirette Plus 660mm	KTM Line Noirette Plus 660mm	KTM Banzei 25.4 560mm
<b>STEM</b>	Ergotec Swell RE70 adjust.	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Line UP3 adjust. 0-90°	KTM Banzei 12" folding
<b>HEADSET</b>	Acros AICR internal 1.1/8"-1.5" angle limit	Ritchey Zero Logic OE 1.1/8"	Ritchey Zero Logic OE 1.1/8"	Ritchey Zero Logic OE 1.1/8"	Ritchey Zero Logic OE 1.1/8"	KTM Banzei 1.1/8"
<b>SADDLE</b>	Selle Royal Viaggio City	Selle Royal Lookin+	Selle Royal Lookin+	Selle Royal Essenza	Selle Royal Essenza	Selle Royal Hertz
<b>SEATPOST</b>	bySchulz G2.ST zuspension 30.9/400	KTM Line Elegance suspension 30.9/300	KTM Line Elegance suspension 30.9/300	KTM Line Elegance suspension 30.9/300	KTM Line Elegance suspension 30.9/300	KTM Banzei 34/400
<b>PEDAL</b>	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Trekking-Pedal VP-616 anti-slip	Pedal VP-F80 folding
<b>CARRIER</b>	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime tour (snap-it 1+2)	KTM Racktime Banzei (snap-it)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux	B&M Lumotec AVY LED 40Lux	B&M Lumotec AVY LED 40Lux	B&M Lumotec UPP LED 30Lux	B&M Lumotec UPP LED 30Lux	B&M Lumotec EVC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Toplight 2C LED	B&M Xelttec Mini LED Standlight
<b>FENDER</b>	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B55 55mm black glossy Spoiler	SKS B53T 53mm black glossy
<b>CHAINGUARD</b>	KTM type 4 for Bosch Gen.4	SKS Chainbow 38T	SKS Chainbow 38T	SKS Chainbow 38T	SKS Chainbow 38T	SKS Chainbow 38T
<b>KICKSTAND</b>	KTM 28" adjust	KTM 28" adjust	KTM 28" adjust	KTM 28" adjust	KTM 28" adjust	KTM 20"-24" adjust
<b>MODULE NO.</b>	021391	021392	021393	021394	021395	020490
<b>CATEGORY</b>	E2	E2	E2	E2	E2	E2
<b>SYSTEM WEIGHT</b>	178 kg (permissible total weight)	144 kg (permissible total weight)	145 kg (permissible total weight)	143 kg (permissible total weight)	143 kg (permissible total weight)	120 kg (permissible total weight)
<b>WEIGHT</b>	28,1 kg (without pedals)	26,2 kg (without pedals)	26,6 kg (without pedals)	24,9 kg (without pedals)	24,5 kg (without pedals)	24,3 kg (without pedals)

steelgrey matt (black+orange)

- 021391506 US 46cm
- 021391511 US 51cm
- 021391516 US 56cm

black matt (grey+blue)

- 021392503 US 43cm
- 021392506 US 46cm
- 021392511 US 51cm
- 021392516 US 56cm

black matt (grey+blue)

- 021393503 US 43cm
- 021393506 US 46cm
- 021393511 US 51cm
- 021393516 US 56cm

eveblue matt (blue)

- 021394503 US 43cm
- 021394506 US 46cm
- 021394511 US 51cm
- 021394516 US 56cm

eveblue matt (blue)




- 021395503 US 43cm
- 021395506 US 46cm
- 021395511 US 51cm

orange (black)




- 020490200

	<b>PROWLER EXONIC</b> 62	<b>PROWLER MASTER</b> 63	<b>PROWLER GLORIOUS</b> 63	<b>PROWLER 1964</b> 63	<b>SCARP MT EXONIC</b> 64	<b>SCARP MT PRIME</b> 65
<b>DRIVETRAIN</b>	1x12 Shimano XTR	1x12 Shimano Deore XT	1x12 Shimano Deore XT / SLX	1x12 Sram SX	1x12 Sram XX1 AXS	1x12 Sram XX1 AXS
<b>FRAME</b>	Prowler 29" Performance Carbon	Prowler 29" Performance Carbon	Prowler 29" Performance Carbon	Prowler 29" Alloy6061 triplebutted	Scarp 29" Premium Carbon	Scarp 29" Premium Carbon
	SLL-LT 150mm / M-8606	SLL-LT 150mm / M-8606	SLL-LT 150mm / M-8606	SLL-LT 150mm / M-9616	SLL115mm / M-1926	SLL115mm / M-1926
<b>FORK</b>	FOX 36 Float 29" Factory 150mm (Kashima)	FOX 36 Float 29" Performance 150mm	FOX 36 Float 29" Performance 150mm	RockShox 35 silver TK 29" 160mm 15x110	FOX 34 Float SC 29" Factory 120mm (kashima) remote	FOX 34 Float SC 29" Factory 120mm (kashima) remote
<b>SHOCK</b>	FOX Float DPX2 Factory 3Position 230x65	FOX Float DPX2 PerformanceElite 3Position 230x65	FOX Float DPX2 PerformanceElite 3Position 230x65	FOX Float DPX2 Performance 3Position 230x65	FOX Float DPS Factory remote 190x45	FOX Float DPS Factory remote 190x45
<b>R. DERAILL.</b>	Shimano XTR M9100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	SRAM SX Eagle 12speed	SRAM XX1 Eagle AXS 12speed	SRAM XX1 Eagle AXS 12speed
<b>SHIFTLEVER</b>	Shimano XTR M9100-12	Shimano Deore XT M8100-12	Shimano Deore XT M8100-12	SRAM SX Eagle Trigger	SRAM Eagle AXS Controller	SRAM Eagle AXS Controller
<b>CRANKSET</b>	Shimano XTR M9120 32T	Shimano Deore XT M8120 30T	Shimano Deore XT M8120 28T	SRAM SX Eagle DUB 30T	SRAM XX1 Eagle DUB Carbon 32T	SRAM GX Eagle DUB Carbon 32T
<b>SPROCKET</b>	Shimano XTR M9100-12 / 10-51	Shimano Deore XT M8100-12 / 10-51	Shimano SLX M7100-12 / 10-51	SRAM SX Eagle PG-1210 / 11-50	SRAM XX1 Eagle XG-1299 / 10-52 rainbow	SRAM GX Eagle XG-1275 / 10-52
<b>CHAIN</b>	Shimano XTR M9100-12	Shimano Deore XT M8100-12	Shimano SLX M7100-12	SRAM NX Eagle 12s	SRAM XX1 Eagle 12s	SRAM GX Eagle 12s
<b>BRAKE</b>	Shimano XTR M9100 / M9120 4-Piston	Shimano Deore XT M8100 / M8120 4-Piston	Shimano SLX M7120 4-Piston	Shimano M4100 / MT420 4-Piston	Shimano XTR M9100 / M9100 2-Piston	Shimano Deore XT M8100 / M8100 2-Piston
<b>ROTOR</b>	Shimano MT900 CL 180 / 180 Freeza	Shimano MT800 CL 180 / 180 Freeza	Shimano RT70 CL 203 / 180	Shimano RT64 CL 203 / 180	Shimano MT900 CL 160 / 160 Freeza	Shimano MT800 CL 160 / 160 Freeza
<b>WHEEL F</b>	KTM Prime Trail 29 CL 110-15TA 622x30TC TLR made by DT Swiss	KTM Comp Trail 29 CL 110-15TA 622x30TC TLR made by DT Swiss	KTM Line - Shimano SLX M7110B CL 28H 110-15TA Mavic E-XM430 28H 622x30TSS DT Competition 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	DT Swiss XRC 1200 Spline 30 Carbon CL 110-15TA / 622x30TSS TLR	KTM Prime Carbon Trail 29 CL 110-15TA 622x30TSS TLR
<b>WHEEL R</b>	KTM Prime Trail 29 CL 148-12TA 622x30TC TLR made by DT Swiss	KTM Comp Trail 29 CL 148-12TA 622x30TC TLR made by DT Swiss	KTM Line - Shimano SLX M7110B CL 28H 148-12TA Mavic E-XM430 28H 622x30TSS DT Competition 2.0 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	DT Swiss XRC 1200 Spline 30 Carbon CL 142-12TA / 622x30TSS TLR	KTM Prime Carbon Trail 29 CL 148-15TA 622x30TSS TLR
<b>TIRE F</b>	Maxxis Minion DHF 3C-MaxxTerra EXO/TR 58-622	Maxxis Minion DHF 3C-MaxxTerra EXO/TR 58-622	Maxxis Minion DHF 3C-MaxxTerra EXO/TR 58-622	Schwalbe Big Betty Perf. Bike Park 62-622	Schwalbe Racing Ray Evo SuperRace TLE 60-622	Maxxis Rekon EXO/TR 62-622
<b>TIRE R</b>	Maxxis Minion DHR II 3C-MaxxTerra EXO/TR 58-622	Maxxis Minion DHR II 3C-MaxxTerra EXO/TR 58-622	Maxxis Minion DHR II 3C-MaxxTerra EXO/TR 58-622	Schwalbe Big Betty Perf. Bike Park 62-622	Schwalbe Racing Ralph Evo SuperRace TLE 60-622	Maxxis Rekon EXO/TR 62-622
<b>GRIP</b>	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	Ergon GE10 Evo ergonomic	KTM Team silicone	KTM Team silicone
<b>BAR</b>	KTM Prime Trail35 Carbon rizer20 800mm	KTM Team Trail35 rizer25 800mm	KTM Team Trail35 rizer25 800mm	KTM Team Trail35 rizer25 800mm	KTM Prime Carbon flat 740mm	KTM Team flat 2X 740mm
<b>STEM</b>	KTM Team Trail35	KTM Team Trail35	KTM Team Trail35	KTM Team Trail35	KTM Prime MTB 6"	KTM Team MTB 7"
<b>HEADSET</b>	KTM Prime drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Prime drop/in 1.1/8"-1.5"	KTM Prime drop/in 1.1/8"-1.5"
<b>SADDLE</b>	Ergon SM10 Sport Men	Ergon SM10 Sport Men	Ergon SMA10 Gel Women	Ergon SM10	Selle Italia SLR Boost flow Carbon rails	Ergon SM10 Sport Men
<b>SEATPOST</b>	FOX Transfer Factory internal	FOX Transfer Performance internal	KTM Comp dropper internal w/remote	KTM Comp dropper internal	KTM Prime Carbon zero 30.9/400	KTM Team 30.9/400
<b>MODULE NO.</b>	021100	021101	020102	021103	021110	021111
<b>CATEGORY</b>	4	4	4	4	3	3
<b>SYSTEM WEIGHT</b>	113kg (permissible total weight)	120kg (permissible total weight)	124kg (permissible total weight)	136kg (permissible total weight)	110kg (permissible total weight)	120kg (permissible total weight)
<b>WEIGHT</b>	13.4 kg (without pedals)	14.2 kg (without pedals)	14 kg (without pedals)	18.2 kg (without pedals)	9.8 kg (without pedals)	11.4 kg (without pedals)



 **fire orange (black+orange)**


-  021100103 S 43cm
-  021100108 M 48cm
-  021100113 L 53cm




 **space galaxy (silver+black)**

-  021101103 S 43cm
-  021101108 M 48cm
-  021101113 L 53cm





 **deeppurple (mandarin)**

-  020102103 S 43cm
-  020102108 M 48cm





 **fire orange (mango)**

-  021103103 M 43cm
-  021103108 L 48cm
-  021103113 XL 53cm

 **fire orange (black+orange)**

-  021110100 S 38cm
-  021110103 M 43cm
-  021110108 L 48cm
-  021110113 XL 53cm

 **metallic white (black+grey)**

-  021111100 S 38cm
-  021111103 M 43cm
-  021111108 L 48cm
-  021111113 XL 53cm



	<b>SCARP MT MASTER</b> <span>65</span>	<b>SCARP MT 1964 ELITE</b> <span>65</span>	<b>SCARP MT PRO</b> <span>65</span>	<b>SCARP EXONIC</b> <span>66</span>	<b>SCARP PRIME</b> <span>67</span>	<b>SCARP MASTER</b> <span>67</span>
<b>DRIVETRAIN</b>	1x12 Shimano Deore XT	1x12 Shimano Deore XT	1x12 Shimano Deore	1x12 Sram XX1 AXS	1x12 Shimano XTR	1x12 Shimano Deore XT
<b>FRAME</b>	Scarp 29" Premium Carbon SLL115mm / M-1926	Scarp 29" Premium Carbon-Alloy rear SLL115mm / M-0916	Scarp 29" Premium Carbon-Alloy rear SLL115mm / M-0916	Scarp 29" Premium Carbon SLL95mm / M-1926	Scarp 29" Premium Carbon SLL95mm / M-1926	Scarp 29" Premium Carbon SLL95mm / M-1926
<b>FORK</b>	FOX 34 Float SC 29" Performance 120mm remote	FOX 32 Float 29" Rhythm 120mm remote	RockShox Recon silver RL 29" 120mm remote	FOX 32 Float SC 29" Factory 100mm (kashima) remote	RockShox SID SL Ultimate 29" 100mm remote	FOX 32 Float SC 29" Factory 100mm (kashima) remote
<b>SHOCK</b>	FOX Float DPS PerformanceElite remote 190x45	FOX Float DPS PerformanceElite remote 190x45	Suntour Edge RLR remote 190x45	FOX Float DPS Factory remote 190x37.5	RockShox SID Luxe Ultimate remote 190x37.5	FOX Float DPS Factory remote 190x37.5
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore M6100-12 SGS shadow+	SRAM XX1 Eagle AXS 12speed	Shimano XTR M9100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore XT M8100-12	Shimano Deore XT M8100-12	Shimano Deore M6100-12	SRAM Eagle AXS Controller	Shimano XTR M9100-12	Shimano Deore XT M8100-12
<b>CRANKSET</b>	Shimano Deore XT M8120 32T	Shimano Deore XT M8120 32T	Shimano MT511 32T	SRAM XX1 Eagle DUB Carbon 34T	Shimano XTR M9120 34T	Shimano Deore XT M8120 34T
<b>SPROCKET</b>	Shimano Deore XT M8100-12 / 10-51	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	SRAM XX1 Eagle XG-1299 / 10-52 rainbow	Shimano Deore XT M8100-12 / 10-51	Shimano Deore XT M8100-12 / 10-51
<b>CHAIN</b>	Shimano Deore XT M8100-12	Shimano Deore M6100-12	Shimano Deore M6100-12	SRAM XX1 Eagle 12s	Shimano Deore XT M8100-12	Shimano Deore XT M8100-12
<b>BRAKE</b>	Shimano Deore XT M8100 / M8100 2-Piston	Shimano Deore M6100 / M6100 2-Piston	Shimano M4100 / MT410 2-Piston	Shimano XTR M9100 / M9100 2-Piston	Shimano XTR M9100 / M9100 2-Piston	Shimano Deore XT M8100 / M8100 2-Piston
<b>ROTOR</b>	Shimano MT800 CL 160 / 160 Freeza	Shimano RT54 CL 180 / 160	Shimano RT54 CL 180 / 160	Shimano MT900 CL 160 / 160 Freeza	Shimano MT900 CL 160 / 160 Freeza	Shimano MT800 CL 160 / 160 Freeza
<b>WHEEL F</b>	KTM Comp Trail 29 CL 110-15TA 622x30TC TLR made by DT Swiss	KTM Line - Shimano MT410B CL 32H 110-15TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	KTM Line - Shimano MT410B CL 32H 110-15TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	DT Swiss XRC 1200 Spline 25 Carbon CL 110-15TA / 622x25TSS TLR	KTM Prime Carbon Trail 29 CL 110-15TA 622x30TSS TLR	KTM Comp CC 29 CL 110-15TA 622x25TC TLR made by DT Swiss
<b>WHEEL R</b>	KTM Comp Trail 29 CL 148-12TA 622x30TC TLR made by DT Swiss	KTM Line - Shimano MT410B CL 32H 148-12TA Ambrosio E30 Trail 32H 622x30TC DT Champion 2.0 black	KTM Line - Shimano MT410B CL 32H 148-12TA Ryde Rival30 32H 622x30C DT Champion 2.0 black	DT Swiss XRC 1200 Spline 25 Carbon CL 142-12TA / 622x25TSS TLR	KTM Prime Carbon Trail 29 CL 148-15TA 622x30TSS TLR	KTM Comp CC 29 CL 148-12TA 622x25TC TLR made by DT Swiss
<b>TIRE F</b>	Maxxis Rekon EXO/TR 62-622	Maxxis Rekon EXO/TR 62-622	Schwalbe Tough Tom K-Guard 60-622	Schwalbe Racing Ray Evo SuperRace TLE 57-622	Schwalbe Racing Ray Evo SuperRace TLE 57-622	Schwalbe Racing Ray Evo SuperRace TLE 57-622
<b>TIRE R</b>	Maxxis Rekon EXO/TR 62-622	Maxxis Rekon EXO/TR 62-622	Schwalbe Tough Tom K-Guard 60-622	Schwalbe Racing Ralph Evo SuperRace TLE 57-622	Schwalbe Racing Ralph Evo SuperRace TLE 57-622	Schwalbe Racing Ralph Evo SuperRace TLE 57-622
<b>GRIP</b>	KTM Team silicone	KTM Team silicone	KTM Team silicone	KTM Team silicone	KTM Team silicone	KTM Team silicone
<b>BAR</b>	KTM Team flat 2X 740mm	KTM Team flat 2X 740mm	KTM Team flat 2X 740mm	KTM Prime Carbon flat 720mm	KTM Team flat 2X 720mm	KTM Team flat 2X 720mm
<b>STEM</b>	KTM Team MTB 7°	KTM Team MTB 7°	KTM Team MTB 7°	KTM Prime MTB 6°	KTM Team MTB 7°	KTM Team MTB 7°
<b>HEADSET</b>	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Prime drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"
<b>SADDLE</b>	Ergon SM10	Ergon SM10	KTM Line Sport	Selle Italia SLR Boost flow Carbon rails Ergon SM10 Sport Men	Ergon SM10 Sport Men	Ergon SM10
<b>SEATPOST</b>	KTM Team dropper internal	KTM Comp dropper internal	KTM Comp dropper internal	KTM Prime Carbon zero 30.9/400	KTM Team 30.9/400	KTM Team 30.9/400
<b>MODULE NO.</b>	021112	021113	021114	021120	021121	021122
<b>CATEGORY</b>	3	3	3	3	3	3
<b>SYSTEM WEIGHT</b>	120 kg (permissible total weight)	132 kg (permissible total weight)	133 kg (permissible total weight)	110 kg (permissible total weight)	120 kg (permissible total weight)	110 kg (permissible total weight)
<b>WEIGHT</b>	12.2 kg (without pedals)	13.6 kg (without pedals)	14.6 kg (without pedals)	9.4 kg (without pedals)	10.3 kg (without pedals)	10.9 kg (without pedals)

**metallic black (orange+grey)**

- 021112100 S 38cm
- 021112103 M 43cm
- 021112108 L 48cm
- 021112113 XL 53cm

**eveblue (blue)**

- 021113100 S 38cm
- 021113103 M 43cm
- 021113108 L 48cm
- 021113113 XL 53cm

**lighgrey (orange)**

- 021114100 S 38cm
- 021114103 M 43cm
- 021114108 L 48cm
- 021114113 XL 53cm

**fire orange (black+orange)**

- 021120100 S 38cm
- 021120103 M 43cm
- 021120108 L 48cm
- 021120113 XL 53cm

**metallic white (black+grey)**

- 021121100 S 38cm
- 021121103 M 43cm
- 021121108 L 48cm
- 021121113 XL 53cm

**metallic black (orange+grey)**

- 021122100 S 38cm
- 021122103 M 43cm
- 021122108 L 48cm
- 021122113 XL 53cm

	<b>SCARP GLORIOUS</b> <span>67</span>	<b>SCARP ELITE</b> <span>67</span>	<b>SCARP 294</b> <span>67</span>	<b>MYROON EXONIC</b> <span>70</span>	<b>MYROON PRIME</b> <span>71</span>	<b>MYROON MASTER</b> <span>71</span>
<b>DRIVETRAIN</b>	1x12 Shimano Deore XT	1x12 Shimano Deore XT	1x12 Sram SX	1x12 Sram XX1 AXS	1x12 Shimano XTR	1x12 Shimano Deore XT
<b>FRAME</b>	Scarp 29" Premium Carbon-Alloy rear SLL95mm / M-0916	Scarp 29" Premium Carbon-Alloy rear SLL95mm / M-0916	Scarp 29" Alloy6061 triplebutted; SLL90mm / M-7936	Myroon 29" Nano Premium Carbon / M-8866	Myroon 29" Premium Carbon / M-7876	Myroon 29" Premium Carbon / M-7876
<b>FORK</b>	RockShox SID SL Ultimate 29" 100mm remote	FOX 32 Float 29" Rhythm 100mm remote	RockShox Recon silver RL 29" 100mm remote	FOX 32 Float SC 29" Factory 100mm (kashima) remote	RockShox SID SL Ultimate 29" 100mm remote	FOX 32 Float SC 29" Performance 100mm remote
<b>SHOCK</b>	RockShox SID Luxe Select+ remote 190x37,5	FOX Float DPS PerformanceElite remote 190x37,5	RockShox Monarch RL 165x38			
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	SRAM SX Eagle 12speed	SRAM XX1 Eagle AXS 12speed	Shimano XTR M9100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+
<b>SHIFTLEVER</b>	Shimano Deore XT M8100-12	Shimano Deore M6100-12	SRAM SX Eagle Trigger	SRAM Eagle AXS Controller	Shimano XTR M9100-12	Shimano Deore XT M8100-12
<b>CRANKSET</b>	Shimano Deore XT M8120 32T	Shimano Deore M6120 32T	SRAM SX Eagle DUB 34T	SRAM XX1 Eagle DUB Carbon 34T	Shimano XTR M9100 34T	Shimano Deore XT M8100 34T
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	SRAM SX Eagle PG-1210 / 11-50	SRAM XX1 Eagle XG-1299 / 10-52 rainbow	Shimano Deore XT M8100-12 / 10-51	Shimano Deore XT M8100-12 / 10-51
<b>CHAIN</b>	Shimano Deore M6100-12	Shimano Deore M6100-12	SRAM NX Eagle 12s	SRAM XX1 Eagle 12s	Shimano Deore XT M8100-12	Shimano Deore XT M8100-12
<b>BRAKE</b>	Shimano Deore XT M8100 / M8100 2-Piston	Shimano M4100 / MT410 2-Piston	Shimano MT201 / MT200 2-Piston	Shimano XTR M9100 / M9100 2-Piston	Shimano XTR M9100 / M9100 2-Piston	Shimano Deore XT M8100 / M8100 2-Piston
<b>ROTOR</b>	Shimano MT800 CL 160 / 160 Freeza	Shimano RT54 CL 180 / 160	Shimano RT54 CL 180 / 160	Shimano MT900 CL 160 / 160 Freeza	Shimano MT900 CL 160 / 160 Freeza	Shimano MT800 CL 160 / 160 Freeza
<b>WHEEL F</b>	KTM Line - Shimano Deore XT M8110BS CL 28H 110-15TA / Ryde Rival26 28H 622x26C DT Competition 2.0 black	KTM Line - Shimano MT410B CL 32H 110-15TA Ryde Rival26 32H 622x26C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival26 32H 622x26C DT Champion 2.0 black	DT Swiss XRC 1200 Spline 25 Carbon CL 110-15TA / 622x25TSS TLR	KTM Prime Carbon Trail 29 CL 110-15TA 622x30TSS TLR	KTM Comp CC 29 CL 110-15TA 622x25TC TLR made by DT Swiss
<b>WHEEL R</b>	KTM Line - Shimano Deore XT M8110BS CL 28H 148-12TA / Ryde Rival26 28H 622x26C DT Competition 2.0 black	KTM Line - Shimano MT410B CL 32H 148-12TA Ryde Rival26 32H 622x26C DT Champion 2.0 black	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival26 32H 622x26C DT Champion 2.0 black	DT Swiss XRC 1200 Spline 25 Carbon CL 142-12TA / 622x25TSS TLR	KTM Prime Carbon Trail 29 CL 148-15TA 622x30TSS TLR	KTM Comp CC 29 CL 148-12TA 622x25TC TLR made by DT Swiss
<b>TIRE F</b>	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622	Schwalbe Rapid Rob K-Guard 57-622	Schwalbe Racing Ray Evo SuperRace TLE 57-622	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622
<b>TIRE R</b>	Maxxis Rekon Race EXO/TR 57-622	Maxxis Rekon Race EXO/TR 57-622	Schwalbe Rapid Rob K-Guard 57-622	Schwalbe Racing Ralph Evo SuperRace TLE 57-622	Maxxis Rekon Race EXO/TR 57-622	Maxxis Rekon Race EXO/TR 57-622
<b>GRIP</b>	KTM Team silicone	KTM Team silicone	KTM Comp Lock	KTM Team silicone	KTM Team silicone	KTM Team silicone
<b>BAR</b>	KTM Team flat 2X 720mm	KTM Team flat 2X 720mm	KTM Comp flat 2X 720mm	KTM Prime Carbon flat 720mm	KTM Team flat 2X 720mm	KTM Team flat 2X 720mm
<b>STEM</b>	KTM Team MTB 7°	KTM Team MTB 7°	KTM Comp 7°	KTM Prime MTB 6°	KTM Team MTB 7°	KTM Team MTB 7°
<b>HEADSET</b>	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Prime drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"
<b>SADDLE</b>	Selle Italia X3 XP Lady	Ergon SM10	KTM Line Sport	Selle Italia SLR Boost flow Carbon rails	Ergon SM10 Sport Men	Ergon SM10
<b>SEATPOST</b>	KTM Team 30.9/400	KTM Team 30.9/400	KTM Comp 30.9/400	KTM Prime Carbon zero 27.2/400	KTM Team 27.2/400	KTM Team 27.2/400
<b>MODULE NO.</b>	021123	021124	021125	021130	021131	021132
<b>CATEGORY</b>	3	3	3	3	3	3
<b>SYSTEM WEIGHT</b>	122 kg (permissible total weight)	123kg (permissible total weight)	130kg (permissible total weight)	109 kg (permissible total weight)	120 kg (permissible total weight)	110 kg (permissible total weight)
<b>WEIGHT</b>	11.9 kg (without pedals)	13.1 kg (without pedals)	14.7 kg (without pedals)	8.5 kg (without pedals)	9.6 kg (without pedals)	10.3 kg (without pedals)

**vital blue (mint)**

- 021123100 S 38cm
- 021123103 M 43cm
- 021123108 L 48cm

**eveblue (blue)**

- 021124100 S 38cm
- 021124103 M 43cm
- 021124108 L 48cm
- 021124113 XL 53cm

**black matt (orange)**

- 021125103 M 43cm
- 021125108 L 48cm
- 021125113 XL 53cm

**fire orange (black+orange)**

- 021130100 S 38cm
- 021130103 M 43cm
- 021130108 L 48cm
- 021130113 XL 53cm

**metallic white (black+grey)**

- 021131100 S 38cm
- 021131103 M 43cm
- 021131108 L 48cm
- 021131113 XL 53cm

**metallic black (orange+grey)**

- 021132100 S 38cm
- 021132103 M 43cm
- 021132108 L 48cm
- 021132113 XL 53cm



	<b>MYROON GLORIOUS</b> 71	<b>MYROON ELITE</b> 71	<b>MYROON PRO</b> 71	<b>ULTRA 1964 PRO 29</b> 72	<b>ULTRA EVO DIM</b> 73	<b>ULTRA 1964 COMP 29</b> 73
<b>DRIVETRAIN</b>	1x12 Shimano Deore XT	1x12 Shimano Deore XT	1x12 Shimano Deore	1x12 Shimano Deore XT	1x12 Sram SX	1x12 Shimano Deore XT
<b>FRAME</b>	Myroon 29" Performance Carbon / M-6886	Myroon 29" Performance Carbon / M-6886	Myroon 29" Performance Carbon / M-6886	29" Alloy 6061 MTB Ultra TB M1306	29" Alloy 6061 MTB ULTRA EVO TB M0346	29" Alloy 6061 MTB Ultra TB M1306
<b>FORK</b>	RockShox SID SL Ultimate 29" 100mm remote	FOX 32 Float 29" Rhythm 100mm remote	RockShox Judy silver TK 29" 100mm remote	FOX 36 Float 29" Rhythm 100mm remote	RockShox Recon RL 29" 130mm remote	RockShox Judy TK RL 29" 100mm remote
<b>R. DERAILL.</b>	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore XT M8100-12 SGS shadow+	Shimano Deore M6100-12 SGS shadow+	Shimano Deore XT M8100-SGS	SRAM SX EAGLE	Shimano Deore XT M8100-SGS
<b>SHIFTLEVER</b>	Shimano Deore M6100-12	Shimano Deore M6100-12	Shimano Deore M6100-12	Shimano Deore XT SL-M8100	SRAM SX EAGLE TRIGGER SHIFTER	Shimano Deore SL-M6100
<b>CRANKSET</b>	Shimano Deore XT M8100 32T	Shimano Deore M6100 32T	Shimano MT511 32T	Shimano Deore M81001 34	SRAM SX EAGLE DUB 32	Shimano Deore M61001 32
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	SRAM EAGLE P61210 / 11-50	Shimano Deore M6100-12 / 10-51
<b>CHAIN</b>	Shimano Deore M6100-12	Shimano Deore M6100-12	Shimano Deore M6100-12	Shimano Deore M6100	SRAM NX EAGLE	Shimano Deore M6100
<b>BRAKE</b>	Shimano Deore M6100 / M6100 2-Piston	Shimano M4100 / MT410 2-Piston	Shimano MT201 / MT200 2-Piston	Shimano M6100 2-Piston	Shimano MT4101 2-Piston	Shimano MT4101 2-Piston
<b>ROTOR</b>	Shimano RT54 CL 180 / 160	Shimano RT54 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT54 CL 180 / 160	Shimano RT54 CL 180 / 180	Shimano RT30 CL 180 / 160
<b>WHEEL F</b>	Shimano WH-MT501-B CL 110-15TA 148-12TA / 622x24C	KTM Line - Shimano MT410B CL 32H 110-15TA Ryde Rival26 32H 622x26C DT Champion 2.0 black	KTM Line - Shimano MT410B CL 32H 110-15TA Ryde Rival26 32H 622x26C DT Champion 2.0 black	Shimano WH-MT501-B CL 110-15TA/ 148-12TA / 622x24C	KTM Line - Shimano HB-MT400 CL 32HTA KTM 29" 32H ENDURO PLUS RX 622x30 RM 2.0. INOX black	KTM Line - Shimano HB-MT410 CL 32H TA KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0. INOX black
<b>WHEEL R</b>		KTM Line - Shimano MT410B CL 32H 148-12TA Ryde Rival26 32H 622x26C DT Champion 2.0 black	KTM Line - Shimano MT410B CL 32H 148-12TA Ryde Rival26 32H 622x26C DT Champion 2.0 black		KTM Line - Shimano FH-MT400 CL 32HTA / KTM 27.5" 32H ENDURO PLUS RX 584x30 / RM 2.0. INOX black, KTM Team Axle M12x1.75/173mm	KTM Line - Shimano FH-MT410 CL 32H TA / KTM 29" 32H ROCKY 22 RX 622x22 / RM 2.0. INOX black, KTM Comp Axle M12x1.75/172mm
<b>TIRE F</b>	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622	Schwalbe Racing Ray Perf. TLR 57-622	Schwalbe Rapid Rob K-Guard 57-622	Schwalbe RACING RALPH Perf TwinSkin TLR 57-622	Schwalbe NOBBY NIC Perf Folding 60-622	Schwalbe RAPID ROB K-Guard 57-622
<b>TIRE R</b>	Maxxis Rekon Race EXO/TR 57-622	Schwalbe Racing Ralph Perf. TLR 57-622	Schwalbe Rapid Rob K-Guard 57-622	Schwalbe RACING RALPH Perf TwinSkin TLR 57-622	Schwalbe NOBBY NIC Perf Folding 65-584	Schwalbe RAPID ROB K-Guard 57-622
<b>GRIP</b>	KTM Team silicone	KTM Comp Lock	KTM Comp Lock	KTM Team ERGO Silicon Air	KTM Comp Lock	KTM Comp Lock
<b>BAR</b>	KTM Team flat 2X 720mm	KTM Team flat 2X 720mm	KTM Comp flat 2X 720mm	KTM Team Flat Top 720mm	KTM Comp Trail Riser 15 760	KTM Comp Flat Top 720mm
<b>STEM</b>	KTM Team MTB 7°	KTM Team MTB 7°	KTM Comp 7°	KTM Team 7°	KTM Team Trail Zero	KTM Comp 7°
<b>HEADSET</b>	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop it 1 1/8"-1.5" 15mm cover	KTM Team drop it 1 1/8"-1.5" 15mm cover	KTM Team drop it 1 1/8"-1.5" 15mm cover
<b>SADDLE</b>	Selle Italia X3 XP Lady	KTM Line Sport	KTM Line Sport	KTM SPORT	Ergon SM10	KTM SPORT
<b>SEATPOST</b>	KTM Team 27.2/400	KTM Team 27.2/400	KTM Comp 27.2/400	KTM Team 27.2	KTM Comp DP 30.9	KTM Comp 27.2
<b>PEDAL</b>				KTM Team MTB VP-195E alloy	KTM Team MTB VP-195E alloy	KTM Team MTB VP-195E alloy
<b>MODULE NO.</b>	021133	021134	021135	021140	021141	021142
<b>CATEGORY</b>	3	3	3	3	3	3
<b>SYSTEM WEIGHT</b>	111 kg (permissible total weight)	130 kg (permissible total weight)	130 kg (permissible total weight)	132 kg (permissible total weight)	124kg (permissible total weight)	113 kg (permissible total weight)
<b>WEIGHT</b>	10,8 kg (without pedals)	12,2 kg (without pedals)	12,8 kg (without pedals)	12,4 kg (without pedals)	13,7 kg (without pedals)	13,4 kg (without pedals)

**vital blue (mint)**

- 👉 021133100 S 38cm
- 👉 021133103 M 43cm
- 👉 021133108 L 48cm
- 👉 021133113 XL 53cm

**eveblue (orange+black)**

- 👉 021134100 S 38cm
- 👉 021134103 M 43cm
- 👉 021134108 L 48cm
- 👉 021134113 XL 53cm

**space orange (black)**

- 👉 021135100 S 38cm
- 👉 021135103 M 43cm
- 👉 021135108 L 48cm
- 👉 021135113 XL 53cm

**black matt (orange glossy)**

- 👉 021140103 M 43cm
- 👉 021140108 L 48cm
- 👉 021140113 XL 53cm
- 👉 021140117 XXL 57cm

**met green (black+orange matt)**

- 👉 021141103 M 43cm
- 👉 021141108 L 48cm
- 👉 021141113 XL 53cm

**black matt (orange glossy)**

- 👉 021142100 S 38cm
- 👉 021142103 M 43cm
- 👉 021142108 L 48cm
- 👉 021142113 XL 53cm
- 👉 021142117 XXL 57cm

	<b>ULTRA SPORT 29</b> <span>73</span>	<b>ULTRA GLORIOUS 29</b> <span>74</span>	<b>ULTRA RIDE 29</b> <span>73</span>	<b>ULTRA FLITE 29</b> <span>74</span>	<b>ULTRA FLITE 27</b> <span>74</span>	<b>ULTRA FUN 29</b> <span>75</span>
<b>DRIVETRAIN</b>	1x12 Shimano Deore	1x12 Shimano Deore	1x12 Sram SX	2x10 Shimano Deore	2x10 Shimano Deore	2x9 Shimano Deore
<b>FRAME</b>	29" Alloy 6061 MTB M1110	29" Alloy 6061 MTB M1110	29" Alloy 6061 MTB M1110	29" Alloy 6061 MTB M1110	29" Alloy 6061 MTB M1110	29" Alloy 6061 MTB M1110
<b>FORK</b>	RockShox Judy Air TK RL 29"	RockShox Judy Air TK RL 29"	RockShox Judy TK RL 29"	RockShox Judy Coil TK RL 29"	RockShox Judy Coil TK RL 27.5"	Suntour XCM RL DS 29"
	100mm remote	100mm remote	100mm remote	100mm remote	100mm remote	100mm remote
<b>F. DERAILL.</b>				Shimano Deore M4100		Shimano Alivio M3120
<b>R. DERAILL.</b>	Shimano Deore M6100-SGS	Shimano Deore M6100-SGS	SRAM SX EAGLE	Shimano Deore M5120-SGS		Shimano Deore M592-SGS
<b>SHIFTLEVER</b>	Shimano Deore SL-M6100	Shimano Deore SL-M6100	SRAM SX EAGLE TRIGGER SHIFTER	Shimano Deore SL-M5100		Shimano Alivio SL-M3100
<b>CRANKSET</b>	Shimano Deore MT5101 34	Shimano Deore MT5101 32	SRAM SX EAGLE DUB 34	Shimano Deore M41002 36-26	Shimano Deore M41002 36-26	Shimano MT2102 36-22
<b>SPROCKET</b>	Shimano Deore M6100-12 / 10-51	Shimano Deore M6100-12 / 10-51	SRAM EAGLE P61210 / 11-50	Shimano Deore M4100-10 / 11-42	Shimano Deore M4100-10 / 11-42	Shimano HG200-9 / 11-36
<b>CHAIN</b>	Shimano Deore M6100	Shimano Deore M6100	SRAM NX EAGLE	Shimano Deore HG54	Shimano Deore HG54	Shimano HG53
<b>BRAKE</b>	Shimano MT201 2-Piston	Shimano MT201 2-Piston	Shimano MT201 2-Piston	Shimano MT200 2-Piston	Shimano MT200 2-Piston	Shimano MT200 2-Piston
<b>ROTOR</b>	Shimano RT30 CL 180 / 160	Shimano RT30 CL 180 / 160	Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano HB-MT200 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0, INOX black	KTM Line - Shimano HB-MT200 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0, INOX black	KTM Line - Shimano HB-TX505 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0 INOX silver	KTM Line - Shimano HB-MT200 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x2 RM 2.0 INOX silver	KTM Line - Shimano HB-MT200 CL 32H QR KTM 27.5" 32H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano HB-TX505 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0 INOX silver
<b>WHEEL R</b>	KTM Line - Shimano FH-MT401 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0, INOX black	KTM Line - Shimano FH-MT401 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0, INOX black	KTM Line - Shimano FH-TX505 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0 INOX silver	KTM Line - Shimano FH-RM35BZ CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0 INOX silver	KTM Line - Shimano FH-RM35BZ CL 32H QR KTM 27.5" 32H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano FH-TX505 CL 32H QR KTM 29" 32H ROCKY 22 RX 622x22 RM 2.0 INOX silver
<b>TIRE F</b>	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-584	Schwalbe RAPID ROB K-Guard 57-622
<b>TIRE R</b>	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-584	Schwalbe RAPID ROB K-Guard 57-622
<b>GRIP</b>	KTM Comp Lock	KTM Comp ERGO Lock	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock	KTM Comp Lock
<b>BAR</b>	KTM Comp Flat Top 720mm	KTM Comp Flat Top 700mm	KTM Comp Riser 15 720mm	KTM Comp Riser 15 720mm	KTM Comp Riser 15 680mm	KTM Comp Riser 15 720mm
<b>STEM</b>	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°
<b>HEADSET</b>	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
<b>SADDLE</b>	KTM MTB	Selle Italia X3 XP Lady Boost Superflow	KTM MTB	KTM MTB	KTM MTB	KTM MTB
<b>SEATPOST</b>	KTM Comp 27.2	KTM Comp 27.2	KTM Comp 27.2	KTM Comp 27.2	KTM Comp 27.2	KTM Comp 27.2
<b>PEDAL</b>	KTM Comp MTB C280DU alloy	KTM Comp MTB C280DU alloy	KTM Comp MTB C280DU alloy	KTM Comp MTB C280DU alloy	KTM Comp MTB C280DU alloy	KTM Comp MTB C280DU alloy
<b>MODULE NO.</b>	021143	021144	021145	021146	021147	021150
<b>CATEGORY</b>	3	3	3	3	3	3
<b>SYSTEM WEIGHT</b>	114 kg (permissible total weight)	114 kg (permissible total weight)	134 kg (permissible total weight)	134 kg (permissible total weight)	134 kg (permissible total weight)	135 kg (permissible total weight)
<b>WEIGHT</b>	13.7 kg (without pedals)	13.6 kg (without pedals)	14.3 kg (without pedals)	14.3 kg (without pedals)	14.1 kg (without pedals)	14.8 kg (without pedals)

**fire orange (black matt)**

- 021143100 S 38cm
- 021143103 M 43cm
- 021143108 L 48cm
- 021143113 XL 53cm
- 021143117 XXL 57cm

**deeppurple (copper)**

- 021144100 S 38cm
- 021144103 M 43cm
- 021144108 L 48cm

**eve blue (orange+ met.blue)**

- 021145100 S 38cm
- 021145103 M 43cm
- 021145108 L 48cm
- 021145113 XL 53cm
- 021145117 XXL 57cm

**white (black+fire orange)**

- 021146103 M 43cm
- 021146108 L 48cm
- 021146113 XL 53cm
- 021146117 XXL 57cm

**white (black+fire orange)**

- 021147100 S 38cm
- 021147103 M 43cm
- 021147108 L 48cm






**black matt (grey+gold)**


- 021150103 M 43cm
- 021150103 L 48cm
- 021150113 XL 53cm
- 021150117 XXL 57cm




**met blue (eve blue)**


- 021150133 M 43cm
- 021150138 L 48cm
- 021150143 XL 53cm
- 021150147 XXL 57cm






	<b>ULTRA FUN 27</b> <span>75</span>	<b>ULTRA GLORIETTE 29</b> <span>75</span>	<b>ULTRA GLORIETTE 27</b> <span>75</span>	<b>CHICAGO DISC 271</b> <span>76</span>	<b>CHICAGO DISC 291</b> <span>76</span>	<b>CHICAGO DISC 292</b> <span>77</span>
<b>DRIVETRAIN</b>	2x9 Shimano Deore	2x9 Shimano Deore	2x9 Shimano Deore	2x9 Shimano Altus	2x9 Shimano Altus	2x8 Shimano Altus
<b>FRAME</b>	27.5" Alloy 6061 MTB M1100	29" Alloy 6061 MTB M1110	29" Alloy 6061 MTB M1110	27.5" Alloy 6061 MTB M1100	29" Alloy 6061 MTB M1110	29" Alloy 6061 MTB M1110
<b>FORK</b>	Suntour XCM RL DS 27.5"	Suntour XCM RL DS 29" 100mm remote	Suntour XCM RL DS 27.5" 100mm remote	Suntour XCT 30 HLO DS 27.5" 80mm	Suntour XCT 30 HLO DS 29" 100mm	Suntour XCE 28 DL 29" 100mm
<b>F. DERAILL.</b>	100mm remote	Shimano Alivio M3100	Shimano Alivio M3100	Shimano Altus M2000	Shimano Altus M2000	Shimano Altus M310
<b>R. DERAILL.</b>	Shimano Alivio M3120	Shimano Alivio M3100-SGS	Shimano Alivio M3100-SGS	Shimano Altus M2000-SGS	Shimano Altus M2000-SGS	Shimano Altus M310DL
<b>SHIFTLEVER</b>	Shimano Deore M592-SGS	Shimano Alivio SL-M3100	Shimano Alivio SL-M3100	Shimano Altus SL-M2010	Shimano Altus SL-M2010	
<b>CRANKSET</b>	Shimano Alivio SL-M3100	Shimano Altus MT2103 40-30-22	Shimano Altus MT2103 40-30-22	Shimano Altus T101 40-30-22S	Shimano Altus T101 40-30-22S	Shimano TV301 42-34-24
<b>SPROCKET</b>	Shimano MT2102 36-22	Shimano HG200-9 / 11-36	Shimano HG200-9 / 11-36	Shimano HG200-9 / 11-34	Shimano HG200-9 / 11-34	Shimano HG31-8 / 11-34
<b>CHAIN</b>	Shimano HG200-9 / 11-36	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG40
<b>BRAKE</b>	Shimano HG53	Shimano MT200 2-Piston	Shimano MT200 2-Piston	Shimano MT200 2-Piston	Shimano MT200 2-Piston	Shimano EF505 2-Piston
<b>ROTOR</b>	Shimano MT200 2-Piston		Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160
<b>WHEEL F</b>	Shimano RT10 CL 180 / 160	KTM Line - Shimano HB-TX505 CL 32H QR	KTM Line - Shimano HB-TX505 CL 32H QR	KTM Line - Shimano HB-TX505 CL 32H QR	KTM Line - Shimano HB-TX505 CL 32H QR	KTM Line - Shimano HB-TX505 CL 32H QR
	KTM Line - Shimano HB-TX505 CL 32H Q	KTM 29" 32H ROCKY 22 RX 622x22	KTM 27.5" 32H ROCKY 22 RX 584x22	KTM 27.5" 36H ROCKY 22 RX 584x22	KTM 29" 36H ROCKY 22 RX 622x22	KTM 29" 36H ROCKY 22 RX 622x22
	KTM 27.5" 32H ROCKY 22 RX 584x22	RM 2.0 INOX silver	RM 2.0 INOX silver	RM 2.0 INOX silver	RM 2.0 INOX silver	RM 2.0 INOX silver
<b>WHEEL R</b>	RM 2.0 INOX silver	KTM Line - Shimano FH-TX505 CL 32H QR	KTM Line - Shimano FH-TX505 CL 32H QR	KTM Line - Shimano FH-TX505 CL 32H QR	KTM Line - Shimano FH-TX505 CL 32H QR	KTM Line - Shimano FH-TX505 CL 32H QR
	KTM Line - Shimano FH-TX505 CL 32H QR	KTM 29" 32H ROCKY 22 RX 622x22	KTM 27.5" 32H ROCKY 22 RX 584x22	KTM 27.5" 36H ROCKY 22 RX 584x22	KTM 29" 36H ROCKY 22 RX 622x22	KTM 29" 36H ROCKY 22 RX 622x22
	KTM 27.5" 32H ROCKY 22 RX 584x22	RM 2.0 INOX silver	RM 2.0 INOX silver	RM 2.0 INOX silver	RM 2.0 INOX silver	RM 2.0 INOX silver
<b>TIRE F</b>	RM 2.0 INOX silver	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-584	Schwalbe SMART SAM Perf 57-584	Schwalbe SMART SAM Perf 57-622	Impac SMARTPAC TwinSkin 54-622
<b>TIRE R</b>	Schwalbe RAPID ROB K-Guard 57-584	Schwalbe RAPID ROB K-Guard 57-622	Schwalbe RAPID ROB K-Guard 57-584	Schwalbe SMART SAM Perf 57-584	Schwalbe SMART SAM Perf 57-622	Impac SMARTPAC TwinSkin 54-622
<b>GRIP</b>	Schwalbe RAPID ROB K-Guard 57-584	KTM Comp Lock	KTM Comp Lock	KTM Line 1546A	KTM Line 1546A	KTM Line 1546A
<b>BAR</b>	KTM Comp Lock	KTM Comp Riser 15 700mm	KTM Comp Riser 15 680mm	KTM Line Riser 15 680mm	KTM Line Riser 15 720mm	KTM Line Riser 15 720mm
<b>STEM</b>	KTM Comp Riser 15 680mm	KTM Comp 7°	KTM Comp 7°	KTM Line 12°	KTM Line 7°	KTM Line 7°
<b>HEADSET</b>	KTM Comp 7°	Ritchey Zero Logic PRESS	Ritchey Zero Logic PRESS	Ritchey Zero Logic PRESS	Ritchey Zero Logic PRESS	Ritchey Zero Logic PRESS
	Ritchey Zero Logic PRESS	FIT 1-1/8" 15mm cover	FIT 1-1/8" 15mm cover	FIT 1-1/8" 15mm cover	FIT 1-1/8" 15mm cover	FIT 1-1/8" 15mm cover
<b>SADDLE</b>	FIT 1-1/8" 15mm cover	Selle Italia X3 XP Lady Boost Superflow	Selle Italia X3 XP Lady Boost Superflow	KTM MTB	KTM MTB	KTM MTB
<b>SEATPOST</b>	KTM MTB	KTM Comp 27.2	KTM Comp 27.2	KTM Line 1B 27.2	KTM Line 1B 27.2	KTM Line 1B 27.2
<b>PEDAL</b>	KTM Comp 27.2	KTM Comp MTB C280DU alloy	KTM Comp MTB C280DU alloy	KTM MTB VPE-537 EPB	KTM MTB VPE-537 EPB	KTM MTB VPE-537 EPB
<b>MODULE NO.</b>	KTM Comp MTB C280DU alloy	021152	021153	021156	021155	021157
<b>CATEGORY</b>	021151	 3	 3	 3	 2	 2
<b>SYSTEM WEIGHT</b>	 3	135 kg (permissible total weight)	134 kg (permissible total weight)	135 kg (permissible total weight)	135 kg (permissible total weight)	135 kg (permissible total weight)
<b>WEIGHT</b>	135 kg (permissible total weight) 14.5 kg (without pedals)	14.8 kg (without pedals)	14.4 kg (without pedals)	14.7 kg (without pedals)	15.1 kg (without pedals)	15.4 kg (without pedals)




 **black matt (grey+gold)**


-  021151100 S 38cm
-  021151103 M 43cm
-  021151108 L 48cm






 **oak (lime)**


-  021152103 M 43cm
-  021152108 L 48cm
-  021152113 XL 53cm






 **oak (lime)**

-  021153200 XS 37cm
-  021153202 S 42cm
-  021153207 M 47cm





 **fire orange (black)**

-  021156102 XS 32cm
-  021156108 S 38cm
-  021156113 M 43cm
-  021156118 L 48cm
-  021156123 XL 53cm




 **fire orange (black)**

-  021155100 S 38cm
-  021155103 M 43cm
-  021155108 L 48cm
-  021155113 XL 53cm
-  021155117 XXL 57cm






 **black matt (orange)**


-  021157100 S 38cm
-  021157103 M 43cm
-  021157108 L 48cm
-  021157113 XL 53cm






 **met blue (eve blue)**

-  021151130 S 38cm
-  021151133 M 43cm
-  021151138 L 48cm


 **met black (grey+blue)**






-  021156132 XS 32cm
-  021156138 S 38cm
-  021156143 M 43cm
-  021156158 L 48cm
-  021156163 XL 53cm


 **met black (grey+blue)**





-  021155130 S 38cm
-  021155133 M 43cm
-  021155138 L 48cm
-  021155143 XL 53cm
-  021155147 XXL 57cm


	CHICAGO DISC 272 <span>77</span>	CHICAGO STREET 29 <span>77</span>	CHICAGO STREET 27 <span>77</span>	PENNY LANE DISC 271 <span>78</span>	PENNY LANE DISC 272 <span>79</span>	PENNY LANE STREET <span>79</span>
<b>DRIUETRAIN</b>	3x8 Shimano Altus	24-G Shimano Altus	2x8 Shimano Altus	2x9 Shimano Altus	2x8 Shimano Altus	2x8 Shimano Altus
<b>FRAME</b>	27.5" Alloy 6061 MTB M1100	29" Alloy 6061 MTB STREET M0572	27.5" Alloy 6061 MTB STREET M0522-M	27.5" Alloy 6061 MTB M1100-L	27.5" Alloy 6061 MTB M1100-L	27.5" Alloy L6061 MTB STREET M0522-L
<b>FORK</b>	Suntour XCE 28 DL 27.5" 80mm	29" Suntour SF18-XCT-ATB DS 100	Suntour XCT ATB DS 27.5" 80mm	Suntour XCT 30 HLO DS 27.5" 80mm	Suntour XCE 28 DS 27.5" 80mm	Suntour XCT ATB DS 27.5" 80mm
<b>F. DERRAIL.</b>	Shimano Altus M310	Shimano Altus M313	Shimano Altus M313	Shimano Altus M2000	Shimano Altus M310	Shimano Altus M313
<b>R. DERRAIL.</b>	Shimano Altus M310DL	Shimano Altus M310DL	Shimano Altus M310DL	Shimano Altus M2000-SGS	Shimano Altus M310DL	Shimano Altus M310DL
<b>SHIFTLEVER</b>				Shimano Altus SL-M2010		
<b>CRANKSET</b>	Shimano TY301 42-34-24	Shimano TY301 42-34-24	Shimano TY301 42-34-24	Shimano Altus T101 40-30-22	Shimano TY301 42-34-24	Shimano TY301 42-34-24
<b>SPROCKET</b>	Shimano HG31-8 / 11-34	Shimano HG31-8 / 11-34	Shimano HG31-8 / 11-34	Shimano HG200-9 / 11-34	Shimano HG31-8 / 11-34	Shimano HG31-8 / 11-34
<b>CHAIN</b>	Shimano HG40	Shimano HG40	Shimano HG40	Shimano HG53	Shimano HG40	Shimano HG40
<b>DRAKE</b>	Shimano EF505 2-Piston	Shimano EF505 2-Piston	Shimano EF505 2-Piston	Shimano MT200 2-Piston	Shimano EF505 2-Piston	Shimano EF505 2-Piston
<b>ROTOR</b>	Shimano RT10 CL 180 / 160		Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160	Shimano RT10 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano HB-TX505 CL 32H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	Shimano DH-3D37D CL 36H Nut, KTM 29" 36H ROCKY 22 RX 622x22, RM 2.0 INOX silver	KTM Line - Shimano DH-3D37D CL 36H Nut KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano HB-TX505 CL 32H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano HB-TX505 CL 32H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano DH-3D37D CL 36H Nut KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver
<b>WHEEL R</b>	KTM Line - Shimano FH-TX505 CL 32H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	Shimano FH-TX505 CL 36H QR, KTM 29" 36H ROCKY 22 RX 622x22, RM 2.0 INOX silver	KTM Line - Shimano FH-TX505 CL 36H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano FH-TX505 CL 32H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano FH-TX505 CL 32H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver	KTM Line - Shimano FH-TX505 CL 36H QR KTM 27.5" 36H ROCKY 22 RX 584x22 RM 2.0 INOX silver
<b>TIRE F</b>	Impac SMARTPAC TwinSkin 54-584	Impac SMARTPAC TwinSkin 54-622	Impac SMARTPAC TwinSkin 54-584	Schwalbe SMART SAM Perf 57-584	Impac SMARTPAC TwinSkin 54-584	Impac SMARTPAC TwinSkin 54-584
<b>TIRE R</b>	Impac SMARTPAC TwinSkin 54-584	Impac SMARTPAC TwinSkin 54-622	Impac SMARTPAC TwinSkin 54-584	Schwalbe SMART SAM Perf 57-584	Impac SMARTPAC TwinSkin 54-584	Impac SMARTPAC TwinSkin 54-584
<b>GRIP</b>	KTM Line 1546A	KTM Line 1546A	KTM Line 1546A	KTM Line 1546A	KTM Line 1546A	KTM Line 1546A
<b>BAR</b>	KTM Line Riser 15 680mm	KTM Line Riser 15 720mm	KTM Line Riser 15 680mm	KTM Line Riser 15 660mm	KTM Line Riser 15 660mm	KTM Line Riser 15 660mm
<b>STEM</b>	KTM Line 12"	KTM Line 7"	KTM Line 12"	KTM Line 12"	KTM Line 12"	KTM Line 12"
<b>HEADSET</b>	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
<b>SADDLE</b>	KTM MTB	KTM MTB	KTM MTB	Selle Italia, X3 XP LADY BOOST Superflow	Selle Italia, X3 XP LADY BOOST Superflow	Selle Italia, X3 XP LADY BOOST Superflow
<b>SEATPOST</b>	KTM Line 1B 27.2	KTM Line 1B 27.2	KTM Line 1B 27.2	KTM Line 1B 27.2	KTM Line 1B 27.2	KTM Line 1B 27.2
<b>PEDAL</b>	KTM MTB VPE-537 EPB	KTM MTB VPE-537 EPB	KTM MTB VPE-537 EPB	KTM MTB VPE-537 EPB	KTM MTB VPE-537 EPB	KTM MTB VPE-537 EPB
<b>FENDER</b>		SKS VELO 65 MOUNTAIN	SKS VELO 65 MOUNTAIN			SKS VELO 65 MOUNTAIN
<b>KICKSTAND</b>		KTM Rear 28" adjust	KTM Rear 28" adjust			KTM Rear 28" adjust
<b>LIGHT F</b>		AXA COMPACTLINE 20 LED 20Lux	AXA COMPACTLINE 20 LED 20Lux			AXA COMPACTLINE 20 LED 20Lux
<b>LIGHT R</b>		SPANNINGA PIXEO	SPANNINGA PIXEO			SPANNINGA PIXEO
<b>KICKSTAND</b>		KTM Rear 28" adjust	KTM Rear 28" adjust			KTM Rear 28" adjust
<b>MODULE NO.</b>	021158	021159	021160	021161	021162	021163
<b>CATEGORY</b>	● 2	● 2	● 2	● 2	● 2	● 2
<b>SYSTEM WEIGHT</b>	135 kg (permissible total weight)	137 kg (permissible total weight)	136 kg (permissible total weight)	135 kg (permissible total weight)	135 kg (permissible total weight)	136 kg (permissible total weight)
<b>WEIGHT</b>	15 kg (without pedals)	16,9 kg (without pedals)	16,5 kg (without pedals)	14,5 kg (without pedals)	14,7 kg (without pedals)	16,2 kg (without pedals)





 **black matt (orange)**


-  021158102 XS 32cm
-  021158108 S 38cm
-  021158113 M 43cm
-  021158118 L 48cm
-  021158123 XL 53cm






 **met black (orange)**


-  021160100 S 38cm
-  021160103 M 43cm
-  021160108 L 48cm
-  021160113 XL 53cm





 **met black (orange)**

-  021160100 S 36cm
-  021160103 M 43cm
-  021160108 L 48cm
-  021160113 XL 53cm




 **ocean (mint)**


-  021161202 XS 32cm
-  021161207 S 38cm
-  021161212 M 43cm
-  021161217 L 48cm
-  021161222 XL 53cm






 **dark red (coral)**

-  021162202 XS 32cm
-  021162207 S 37cm
-  021162212 M 42cm
-  021162217 L 47cm

 **oak (lime)**

-  021163200 S 35cm
-  021163212 M 42cm
-  021163217 L 47cm






 **lightgrey matt (white+rose)**

-  021161232 XS 32cm
-  021161237 S 37cm
-  021161242 M 42cm
-  021161247 L 47cm
-  021161252 XL 52cm








	REVELATOR LISSE SONIC <span>82</span>	REVELATOR LISSE PRESTIGE <span>83</span>	REVELATOR LISSE MASTER <span>83</span>	REVELATOR LISSE ELITE <span>83</span>	REVELATOR LISSE PRO <span>83</span>	REVELATOR ALTO EXONIC <span>84</span>
<b>DRIVETRAIN</b>	2x12 Sram Red eTap AXS	2x11 Shimano Dura Ace Di2	2x11 Shimano Ultegra Di2	2x11 Shimano 105	2x11 Shimano 105	2x11 Shimano Dura Ace Di2
<b>FRAME</b>	Revelator Lisse Aero-Design Premium Carbon / R-7617	Revelator Lisse Aero-Design Premium Carbon / R-7614	Revelator Lisse Aero-Design Premium Carbon / R-7614	Revelator Lisse Aero-Design Premium Carbon / R-7610	Revelator Lisse Aero-Design Performance Carbon / R-1620	Revelator Alto Nano Premium Carbon / R-9814
<b>FORK</b>	Revelator Aero-Design Performance Carbon F11	Revelator Aero-Design Performance Carbon F11	Revelator Aero-Design Performance Carbon F11	Revelator Aero-Design Performance Carbon F11	Revelator Aero-Design Performance Carbon F11	Revelator Alto NanoPremium Carbon F12
<b>F. DERRAILL.</b>	Sram Red eTap AXS	Shimano Dura Ace Di2 R9150	Shimano Ultegra Di2 R8050	Shimano 105 R7000	Shimano 105 R7000	Shimano Dura Ace Di2 R9150
<b>R. DERRAILL.</b>	Sram Red eTap AXS 12speed	Shimano Dura Ace Di2 R9150 SS	Shimano Ultegra Di2 R8050 SS	Shimano 105 R7000 GS	Shimano 105 R7000 GS	Shimano Dura Ace Di2 R9150 SS
<b>SHIFTLEVER</b>	Sram Red eTap AXS HRD	Shimano Dura Ace Di2 R9170 STI 2x11	Shimano Ultegra Di2 R8070 STI 2x11	Shimano 105 R7020 STI 2x11	Shimano 105 R7020 STI 2x11	Shimano Dura Ace Di2 R9170 STI 2x11
<b>CRANKSET</b>	Sram Red AXS DUB 48-35	Shimano Dura Ace R9100 52-36	Shimano Ultegra R8000 52-36	Shimano 105 R7000 50-34	Shimano RS510 50-34	Shimano Dura Ace R9100 52-36
<b>SPROCKET</b>	Sram Red XG-1290 / 10-28	Shimano Dura Ace R9100 / 11-28	Shimano Ultegra R8000 / 11-28	Shimano 105 R7000 / 11-32	Shimano 105 R7000 / 11-32	Shimano Dura Ace R9100 / 11-28
<b>CHAIN</b>	Sram Red D1	Shimano HG901-11	Shimano HG701-11	Shimano HG601-11	Shimano HG601-11	Shimano HG901-11
<b>DRAKE</b>	Sram Red 2-Piston flatmount	Shimano Dura Ace R9170 2-Piston	Shimano Ultegra R8070 2-Piston	Shimano 105 R7070 2-Piston	Shimano 105 R7070 2-Piston	Shimano Dura Ace R9170 2-Piston
<b>ROTOR</b>	Sram Centerline XR 6L 140 / 140	Shimano RT900 CL 140 / 140 Freeza	Shimano RT800 CL 140 / 140 Freeza	Shimano RT70 CL 160 / 160	Shimano RT70 CL 160 / 160	Shimano RT900 CL 140 / 140 Freeza
<b>WHEEL F</b>	Zipp WH404-CC Firecrest 58 Carbon 6bolt 100-12TA / 622x19TC TLR	DT Swiss ARC 1400 Dicut DB 48 Carbon CL 100-12TA / 622x17TC TLR	DT Swiss PR 1600 Spline DB 32 CL100-12TA / 622x18TC TLR	DT Swiss P 1800 Spline DB 32 CL 100-12TA / 622x18TC TLR	Shimano WH-RS171 CL 100-12TA 142-12TA / 622x20TC	DT Swiss PRC 1400 Spline DB 35 Carbon CL 100-12TA / 622x18TC TLR
<b>WHEEL R</b>	Zipp WH404-CC Firecrest 58 Carbon 6bolt 142-12TA / 622x19TC TLR	DT Swiss ARC 1400 Dicut DB 48 Carbon CL 142-12TA / 622x17TC TLR	DT Swiss PR 1600 Spline DB 32 CL 142-12TA / 622x18TC TLR	DT Swiss P 1800 Spline DB 32 CL 142-12TA / 622x18TC TLR		DT Swiss PRC 1400 Spline DB 35 CL 142-12TA / 622x18TC TLR
<b>TIRE F</b>	Schwalbe Pro One Evo V-Guard TLE 25-622	Continental G-Prix 5000 TL 25-622	Continental G-Prix 5000 TL 25-622	Schwalbe One Perf. RaceGuard TLE 25-622	Schwalbe One Perf. RaceGuard TLE 25-622	Continental G-Prix 5000 TR 28-622
<b>TIRE R</b>	Schwalbe Pro One Evo V-Guard TLE 25-622	Continental G-Prix 5000 TL 25-622	Continental G-Prix 5000 TL 25-622	Schwalbe One Perf. RaceGuard TLE 25-622	Schwalbe One Perf. RaceGuard TLE 25-622	Continental G-Prix 5000 TR 28-622
<b>GRIP</b>	KTM Tape	KTM Tape	KTM Tape	KTM Tape	KTM Tape	KTM Tape
<b>BAR</b>	Ritchey WCS Carbon Stream II	Ritchey WCS Carbon Stream II	Ritchey WCS Carbon Stream II	Ritchey WCS Stream	KTM Team Road	KTM Prime Road Carbon
<b>STEM</b>	KTM Lisse Carbon	KTM Lisse Carbon	KTM Lisse Carbon	KTM Lisse Carbon	KTM Lisse Carbon	KTM Prime Road 6"
<b>HEADSET</b>	Ritchey Road Lisse 1.1/4"	Ritchey Road Lisse 1.1/4"	Ritchey Road Lisse 1.1/4"	Ritchey Road Lisse 1.1/4"	Ritchey Road Lisse 1.1/4"	KTM Team drop/in 1.1/8"-1.1/4" road
<b>SADDLE</b>	Fizik Arione R5	Fizik Arione R5	Fizik Arione R7	Fizik Arione R7	Selle Italia X3 flow	Fizik Antares R5
<b>SEATPOST</b>	KTM ProLink zero Carbon aero/400	KTM ProLink zero Carbon aero/400	KTM ProLink zero Carbon aero/400	KTM CompLink zero Alloy aero/400	KTM CompLink zero Alloy aero/350	KTM ProLink zero Carbon aero/400
<b>MODULE NO.</b>	020170	020171	020172	020173	021173	021175
<b>CATEGORY</b>	82	83	83	83	83	84
<b>SYSTEM WEIGHT</b>	108 kg (permissible total weight)	108 kg (permissible total weight)	108 kg (permissible total weight)	108 kg (permissible total weight)	117 kg (permissible total weight)	107 kg (permissible total weight)
<b>WEIGHT</b>	7,6 kg (without pedals)	7,6 kg (without pedals)	7,9 kg (without pedals)	8,4 kg (without pedals)	9,3 kg (without pedals)	6,9 kg (without pedals)






■ carbon matt (space orange glossy)

-  020170109 XS 49cm
-  020170112 S 52cm
-  020170115 M 55cm
-  020170117 L 57cm
-  020170119 XL 59cm






■ white metallic (space orange)

-  020171109 XS 49cm
-  020171112 S 52cm
-  020171115 M 55cm
-  020171117 L 57cm
-  020171119 XL 59cm






■ carbon matt (space orange glossy)

-  020172109 XS 49cm
-  020172112 S 52cm
-  020172115 M 55cm
-  020172117 L 57cm
-  020172119 XL 59cm






■ brite red (white)

-  020173309 XS 49cm
-  020173312 S 52cm
-  020173315 M 55cm
-  020173317 L 57cm
-  020173319 XL 59cm

■ fire orange (white)

-  021173309 XS 49cm
-  021173312 S 52cm
-  021173315 M 55cm
-  021173317 L 57cm
-  021173319 XL 59cm

■ fire orange (white+orange)













-  021175109 XS 49cm
-  021175112 S 52cm
-  021175115 M 55cm
-  021175117 L 57cm
-  021175119 XL 59cm













## REVELATOR ALTO MASTER 85

DRIVETRAIN	2x11 Shimano Ultegra Di2
FRAME	Revelator Alto Premium Carbon / R-9824
FORK	Revelator Alto Performance Carbon F12
F. DERRAILL.	Shimano Ultegra Di2 R8050
R. DERRAILL.	Shimano Ultegra Di2 R8050 SS
SHIFTLEVER	Shimano Ultegra Di2 R8070 STI 2x11
CRANKSET	Shimano Ultegra R8000 50-34
SPROCKET	Shimano Ultegra R8000 / 11-28
CHAIN	Shimano HG701-11
BRAKE	Shimano Ultegra R8070 2-Piston
ROTOR	Shimano RT800 CL 140 / 140 Freeza
WHEEL F	DT Swiss PRC 1650 Spline DB 35 Carbon CL 100-12TA / 622x20TC TLR
WHEEL R	DT Swiss PRC 1650 Spline DB 35 Carbon CL 142-12TA / 622x20TC TLR

TIRE F	Schwalbe Pro One Evo V-Guard TLE 28-622
TIRE R	Schwalbe Pro One Evo V-Guard TLE 28-622
GRIP	KTM Tape
BAR	KTM Team Road
STEM	KTM Team Road 8°
HEADSET	KTM Team drop/in 1.1/8"-1.1/4" road
SADDLE	Fizik Antares R5
SEATPOST	KTM ProLink zero Carbon aero/400
MODULE NO.	021176
CATEGORY	Ⓔ
SYSTEM WEIGHT	100 kg (permissible total weight)
WEIGHT	7,6 kg (without pedals)

 fire orange (white)	 green purple flip (orange)
	
	
	
	
	













 metallic black (orange)	 BnB: carbon matt (white+orange) F: glaz matt
	
	
	
	
	













 metallic white (black)	 ViniZabu: carbon matt (white+orange) F: orange matt
	
	
	
	
	













## REVELATOR ALTO ELITE 86

DRIVETRAIN	2x11 Shimano Ultegra
FRAME	Revelator Alto Premium Carbon / R-9824
FORK	Revelator Alto Performance Carbon F12
F. DERRAILL.	Shimano Ultegra R8000
R. DERRAILL.	Shimano Ultegra R8000 GS
SHIFTLEVER	Shimano 105 R7020 STI 2x11
CRANKSET	Shimano Ultegra R8000 50-34
SPROCKET	Shimano 105 R7000 / 11-32
CHAIN	Shimano HG601-11
BRAKE	Shimano 105 R7070 2-Piston
ROTOR	Shimano RT800 CL 140 / 140 Freeza
WHEEL F	Shimano WH-RS370-TL CL 100-12TA 142-12TA / 622x19TC TLR

TIRE F	Schwalbe One Perf. RaceGuard TLE 28-622
TIRE R	Schwalbe One Perf. RaceGuard TLE 28-622
GRIP	KTM Tape
BAR	KTM Team Road
STEM	KTM Team Road 8°
HEADSET	KTM Team drop/in 1.1/8"-1.1/4" road
SADDLE	Selle Italia X3 flow
SEATPOST	KTM ProLink zero Alloy aero/350
MODULE NO.	021177
CATEGORY	Ⓔ
SYSTEM WEIGHT	119 kg (permissible total weight)
WEIGHT	8,5 kg (without pedals)

 fire orange (white)	 green purple flip (orange)
	
	
	
	
	







 metallic black (orange)	 BnB: carbon matt (white+orange) F: glaz matt
	
	
	
	
	

 metallic white (black)	 ViniZabu: carbon matt (white+orange) F: orange matt
	
	
	
	
	

## REVELATOR ALTO PRO 87

DRIVETRAIN	2x11 Shimano 105
FRAME	Revelator Alto Performance Carbon / R-9830
FORK	Revelator Alto Carbon/Alloy-shaft F12
F. DERRAILL.	Shimano 105 R7000
R. DERRAILL.	Shimano 105 R7000 GS
SHIFTLEVER	Shimano 105 R7020 STI 2x11
CRANKSET	Shimano RS510 50-34
SPROCKET	Shimano 105 R7000 / 11-32
CHAIN	Shimano HG601-11
BRAKE	Shimano 105 R7070 2-Piston
ROTOR	Shimano RT70 CL 160 / 160
WHEEL F	Shimano WH-RS171 CL 100-12TA 142-12TA / 622x20TC





TIRE F	Continental Ultra Sport III 28-622
TIRE R	Continental Ultra Sport III 28-622
GRIP	KTM Tape
BAR	KTM Comp Road
STEM	KTM Team Road 8°
HEADSET	KTM Team drop/in 1.1/8"-1.1/4" road
SADDLE	KTM Line Sport
SEATPOST	KTM CompLink zero Alloy aero/350
MODULE NO.	021178
CATEGORY	Ⓔ
SYSTEM WEIGHT	108 kg (permissible total weight)
WEIGHT	9,3 kg (without pedals)

 metallic black (orange)






## X-STRADA MASTER 98

DRIVETRAIN	1x11 Shimano GRX
FRAME	X-Strada Canic Performance Carbon / R-8976
FORK	X-Strada Gravel Carbon F8
F. DERRAILL.	Shimano GRX RX810 shadow RD+
R. DERRAILL.	Shimano GRX RX810 STI 2x11
SHIFTLEVER	Shimano GRX RX810-1 42T
CRANKSET	Shimano SLX M7000-11 / 11-42
SPROCKET	Shimano HG601-11
CHAIN	Shimano GRX RX810 2-Piston
BRAKE	Shimano RT800 CL 160 / 160 Freeza
ROTOR	Mavic Allroad S Disc CL 100-15TA
WHEEL F	622x22TSS UST
WHEEL R	Mavic Allroad S Disc CL 142-12TA 622x22TSS UST





TIRE F	Continental Terra Speed ProTecton TR 35-622
TIRE R	Continental Terra Speed ProTecton TR 35-622
GRIP	KTM Tape
BAR	KTM Team Road flare 16°
STEM	KTM Team Road 8°
HEADSET	KTM Team drop/in 1.1/8"-1.1/4" road
SADDLE	Ergon SM10 Sport Men
SEATPOST	KTM Team 27.2/350
MODULE NO.	021190
CATEGORY	Ⓔ
SYSTEM WEIGHT	108 kg (permissible total weight)
WEIGHT	8,7 kg (without pedals)

 plant green (orange+lime)




## X-STRADA 710 91


DRIVETRAIN	2x11 Shimano GRX
FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
F. DERRAILL.	Shimano GRX RX810
R. DERRAILL.	Shimano GRX RX810 shadow RD+
SHIFTLEVER	Shimano GRX RX810 STI 2x11
CRANKSET	Shimano GRX RX600-11 46-30
SPROCKET	Shimano HG700-11 / 11-34
CHAIN	Shimano HG601-11
BRAKE	Shimano GRX RX810 2-Piston
ROTOR	Shimano RT800 CL 160 / 160 Freeza
WHEEL F	KTM Line - Shimano 105 R7070 CL 32H 110-12TA DT Swiss 533D 32H 622x22TC
WHEEL R	DT Competition 2.0 black KTM Line - Shimano 105 R7070 CL 32H 142-12TA DT Swiss 533D 32H 622x22TC






TIRE F	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622
TIRE R	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622
GRIP	KTM Tape
BAR	KTM Team Road flare 16°
STEM	KTM Team Road 8°
HEADSET	KTM Team drop/in 1.1/8"-1.5"
SADDLE	Selle Italia X3 flow
SEATPOST	KTM Team 27.2/350
MODULE NO.	021191
CATEGORY	Ⓔ
SYSTEM WEIGHT	117 kg (permissible total weight)
WEIGHT	11 kg (without pedals)


 green purple flip (orange)











	<b>X-STRADA 720</b> 91	<b>X-STRADA LFC</b> 91	<b>X-STRADA 730 FIT</b> 91	<b>LIFE RACE</b> 94	<b>LIFE 1964 CROSS</b> 95	<b>LIFE ACTION</b> 95
<b>DRIVETRAIN</b>	2x10 Shimano GRX	2x10 Shimano GRX	2x10 Shimano Tiagra	3x10 Shimano Deore XT	3x10 Shimano Deore XT	3x10 Shimano Deore XT
<b>FRAME</b>	X-Strada AL6061tb / R-0090	X-Strada AL6061tb / R-0090	X-Strada AL6061tb / R-0090	28" Alloy 6061 OFFROAD TB T8660	28" Alloy 6061 OFFROAD TB T8660	28" Alloy 6061 OFFROAD T1438
<b>FORK</b>	X-Strada Gravel Carbon/Alloy-shaft F13	X-Strada Gravel Carbon/Alloy-shaft F13	X-Strada Gravel Carbon/Alloy-shaft F13	Suntour NCX-E air L0 DS 63mm	Suntour NCX-E air L0 DS 63mm	Suntour NCX-D air L0 DS 63mm
<b>F. DERRAIL.</b>	Shimano GRX RX400	Shimano GRX RX400	Shimano Tiagra 4700	Shimano Deore XT T8000	Shimano T6000	Shimano T6000
<b>R. DERRAIL.</b>	Shimano GRX RX400 shadow RD+	Shimano GRX RX400 shadow RD+	Shimano GRX RX400 shadow RD+	Shimano Deore XT T8000-SGS	Shimano Deore XT T8000-SGS	Shimano Deore T6000-SGS
<b>SHIFTLEVER</b>	Shimano GRX RX400 STI 2x10	Shimano GRX RX400 STI 2x10	Shimano GRX RX400 STI 2x10	Shimano Deore XT SL-T8000	Shimano Deore SL-T6000	Shimano Deore SL-T6000
<b>CRANKSET</b>	Shimano GRX RX600-10 46-30	Shimano GRX RX600-10 46-30	Shimano GRX RX600-10 46-30	Shimano Deore XT T8000 48-36-26	Shimano Deore T551 48-36-26	Shimano T521 48-36-26
<b>SPROCKET</b>	Shimano HG50-10 / 11-36	Shimano HG50-10 / 11-36	Shimano HG500-10 / 11-34	Shimano HG700-11 / 11-34	Shimano HG500-10 / 11-34	Shimano HG500-10 / 11-34
<b>CHAIN</b>	Shimano HG50-10 / 11-36	Shimano HG54-10	Shimano HG54-10	Shimano HG6011	Shimano Deore HG654	Shimano Deore HG654
<b>BRAKE</b>	Shimano GRX RX400 2-Piston	Shimano GRX RX400 2-Piston	Shimano MT201 / UR300 2-Piston	Shimano M8100 2-Piston	Shimano MT4103 2-Piston	Shimano MT4103 2-Piston
<b>ROTOR</b>	Shimano RT64 CL 160 / 160	Shimano RT64 CL 160 / 160	Shimano RT30 CL 180 / 160	Shimano RT70 CL 180 / 160	Shimano RT64 CL 180 / 160	Shimano RT54 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano RS470 CL 32H 100-12TA Ryde Rival23 32H 622x23C DT Champion 2.0 black	KTM Line - Shimano RS470 CL 32H 100-12TA Ryde Rival23 32H 622x23C DT Champion 2.0 black	KTM Line - Shimano RS470 CL 32H 100-12TA Ryde Rival23 32H 622x23C DT Champion 2.0 black	KTM Line - Shimano XT HB-M8000 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black	KTM Line - Shimano Deore HB-M6000 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black	KTM Line - Shimano HB-M4050 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
<b>WHEEL R</b>	KTM Line - Shimano RS470 CL 32H 142-12TA Ryde Rival23 32H 622x23C DT Champion 2.0 black	KTM Line - Shimano RS470 CL 32H 142-12TA Ryde Rival23 32H 622x23C DT Champion 2.0 black	KTM Line - Shimano RS470 CL 32H 142-12TA Ryde Rival23 32H 622x23C DT Champion 2.0 black	KTM Line - Shimano XT FH-M8000 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black	KTM Line - Shimano Deore FH-M6000 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black	KTM Line - Shimano FH-M4050 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
<b>TIRE F</b>	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622	Schwalbe SMART SAM Perf 44-622	Schwalbe SMART SAM Perf 44-622	Schwalbe SMART SAM Perf 44-622
<b>TIRE R</b>	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622	Schwalbe G-One Bite Perf. RaceGuard TLE 40-622	Schwalbe SMART SAM Perf 44-622	Schwalbe SMART SAM Perf 44-622	Schwalbe SMART SAM Perf 44-622
<b>GRIP</b>	KTM Tape	KTM Tape	KTM Comp Ergo Lock	Ergon GP30	Ergon GP30	Schwalbe SMART SAM Perf 44-622
<b>BAR</b>	KTM Comp Road	KTM Comp Road	KTM Line flat 700mm	KTM Team Flat Top 620mm	KTM Comp Riser 15 640mm	Ergon GP30
<b>STEM</b>	KTM Comp 7°	KTM Comp 7°	KTM Comp 7°	KTM Team 7°	KTM Comp 17°	KTM Comp Riser 15 640mm
<b>HEADSET</b>	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team drop/in 1.1/8"-1.5"	KTM Team Trekking 1.1/8"-1.5" angle limit 15mm cover KTM Line Offroad KTM Team 27.2 KTM Team Tour VP-197 alloy	KTM Team Trekking 1.1/8"-1.5" angle limit 15mm cover KTM Line Offroad KTM Team 27.2 KTM Team Tour VP-197 alloy	KTM Comp 7° Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover KTM Line Offroad KTM Comp 27.2 KTM Comp Tour VP-195E alloy
<b>SADDLE</b>	Selle Italia X3 flow	Selle Italia X3 flow	KTM Line Sport	KTM Line Offroad	KTM Line Offroad	KTM Line Offroad
<b>SEATPOST</b>	KTM Comp 27.2/350	KTM Comp 27.2/350	KTM Comp 27.2/350	KTM Team 27.2	KTM Team 27.2	KTM Comp 27.2
<b>PEDAL</b>						
<b>CARRIER</b>		Tube Vega				
<b>LIGHT F</b>		B&M Ixon Core LED 50Lux Battery				
<b>LIGHT R</b>		B&M Toplight 2C LED Battery				
<b>FENDER</b>		SKS EVO AL 45mm black matt				
<b>KICKSTAND</b>				KTM Rear 28" adjust	KTM Rear 28" adjust	KTM Rear 28" adjust
<b>MODULE NO.</b>	021192	021193	021194	021200	021201	021202
<b>CATEGORY</b>	● 2	● 2	● 2	● 2	● 2	● 2
<b>SYSTEM WEIGHT</b>	117 kg (permissible total weight)	117 kg (permissible total weight)	117 kg (permissible total weight)	133 kg (permissible total weight)	133 kg (permissible total weight)	133 kg (permissible total weight)
<b>WEIGHT</b>	11,2 kg (without pedals)	12,5 kg (without pedals)	11,1 kg (without pedals)	12,6 kg (without pedals)	13,2 kg (without pedals)	13,1 kg (without pedals)






 **fire orange (black)**


-  021192309 XS 49cm
-  021192312 S 52cm
-  021192315 M 55cm
-  021192317 L 57cm
-  021192319 XL 59cm







 **black matt (fire orange+black glossy)**


-  021193309 XS 49cm
-  021193312 S 52cm
-  021193315 M 55cm
-  021193317 L 57cm
-  021193319 XL 59cm







 **gr.pu.flip (black+orange matt/glossy)**


-  021194309 XS 49cm
-  021194312 S 52cm
-  021194315 M 55cm
-  021194317 L 57cm
-  021194319 XL 59cm









 **steelgrey matt (black+orange glossy)**

-  021200106 H 46cm
-  021200111 H 51cm
-  021200116 H 56cm
-  021200120 H 60cm
-  021200206 D 46cm
-  021200211 D 51cm

 **black matt (orange+black glossy)**

-  021201106 H 46cm
-  021201111 H 51cm
-  021201116 H 56cm
-  021201120 H 60cm
-  021201206 D 46cm
-  021201211 D 51cm

 **black matt (grey+orange glossy)**

-  021202106 H 46cm
-  021202111 H 51cm
-  021202116 H 56cm
-  021202120 H 60cm
-  021202123 H 63cm
-  021202203 D 46cm
-  021202206 D 46cm
-  021202211 D 51cm

LIFE CROSS 96

DRIVETRAIN	1x12 Sram SX
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
F. DERAILL.	
R. DERAILL.	SRAM SX EAGLE
SHIFTLEVER	SRAM SX EAGLE TRIGGER SHIFTER
CRANKSET	SRAM S650 EAGLE 38S
SPROCKET	SRAMEAGLE PG1210 / 11-50
CHAIN	SRAM NX EAGLE
BRAKE	Shimano MT201 2-Piston
ROTOR	Shimano RT10 CL 160 / 160
WHEEL F	KTM Line - Shimano HB-TX505 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX505 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
TIRE F	Schwalbe SMART SAM Perf 44-622
TIRE R	Schwalbe SMART SAM Perf 44-622
GRIP	Ergon GP10
BAR	KTM Comp Riser 15 640mm
STEM	KTM Comp 17"
HEADSET	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
SADDLE	KTM Line Offroad
SEATPOST	KTM Comp 27.2
PEDAL	KTM Comp MTB C280DU alloy
CARRIER	
LIGHT F	
LIGHT R	
FENDER	
KICKSTAND	
CHAINGUARD	
MODULE NO.	021203
CATEGORY	● 2
SYSTEM WEIGHT	134kg (permissible total weight)
WEIGHT	13.7 kg (without pedals)

LIFE ROAD 96

DRIVETRAIN	2x9 Shimano Deore XT
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
F. DERAILL.	Shimano Altus M370
R. DERAILL.	Shimano Deore XT M772-SGS
SHIFTLEVER	Shimano Altus SL-M2010
CRANKSET	Shimano Acera T3010 48-36-26
SPROCKET	Shimano HG201-9 / 11-34
CHAIN	Shimano HG53
BRAKE	Shimano MT200 2-Piston
ROTOR	Shimano RT10 CL 160 / 160
WHEEL F	KTM Line - Shimano HB-TX505 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX505 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
TIRE F	Schwalbe SMART SAM Perf 44-622
TIRE R	Schwalbe SMART SAM Perf 44-622
GRIP	KTM Comp ERGO Lock
BAR	KTM Line Riser 15 640mm
STEM	KTM Line 17"
HEADSET	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
SADDLE	KTM Line Offroad
SEATPOST	KTM Line 1B 27.2
PEDAL	KTM Cross VPE-899
CARRIER	
LIGHT F	
LIGHT R	
FENDER	
KICKSTAND	
CHAINGUARD	
MODULE NO.	021204
CATEGORY	● 2
SYSTEM WEIGHT	134kg (permissible total weight)
WEIGHT	13.7 kg (without pedals)

LIFE TRACK 97

DRIVETRAIN	3x8 Shimano Acera
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
F. DERAILL.	Shimano TY710
R. DERAILL.	Shimano Acera M360-SGSL
SHIFTLEVER	
CRANKSET	Shimano TY501 48-38-28
SPROCKET	Shimano HG31-8 / 11-32
CHAIN	Shimano HG40
BRAKE	Shimano EF505 2-Piston
ROTOR	Shimano RT10 CL 160 / 160
WHEEL F	KTM Line - Shimano HB-TX505 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX505 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
TIRE F	Schwalbe HURRICANE K-Guard 42-622
TIRE R	Schwalbe HURRICANE K-Guard 42-622
GRIP	KTM Comp ERGO Lock
BAR	KTM Line Riser 15 640mm
STEM	KTM Line 17"
HEADSET	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
SADDLE	KTM Line Offroad
SEATPOST	KTM Line 1B 27.2
PEDAL	KTM Cross VPE-899
CARRIER	
LIGHT F	
LIGHT R	
FENDER	
KICKSTAND	
CHAINGUARD	
MODULE NO.	021205
CATEGORY	● 2
SYSTEM WEIGHT	134kg (permissible total weight)
WEIGHT	13.7 kg (without pedals)

LIFE TRACK STREET 97

DRIVETRAIN	3x8 Shimano Acera
FRAME	28" Alloy 6061 OFFROAD T1438
FORK	Suntour NEX HLO DS 63mm
F. DERAILL.	Shimano TY710
R. DERAILL.	Shimano Acera M360-SGSL
SHIFTLEVER	
CRANKSET	Shimano TY501 48-38-28
SPROCKET	Shimano HG31-8 / 11-32
CHAIN	Shimano HG40
BRAKE	Shimano EF505 2-Piston
ROTOR	Shimano RT10 CL 160 / 160
WHEEL F	KTM Line - Shimano DH-3037 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX505 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
TIRE F	Schwalbe HURRICANE K-Guard 42-622
TIRE R	Schwalbe HURRICANE K-Guard 42-622
GRIP	KTM Comp ERGO Lock
BAR	KTM Line Riser 15 640mm
STEM	KTM Line 17"
HEADSET	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
SADDLE	KTM Line Offroad
SEATPOST	KTM Line 1B 27.2
PEDAL	KTM Cross VPE-899
CARRIER	
LIGHT F	AXA COMPACTLINE 20 LED 20Lux
LIGHT R	SPANNINGA PIXEO
FENDER	SKS VELO 47
KICKSTAND	KTM Rear 28" adjust
CHAINGUARD	
MODULE NO.	021206
CATEGORY	● 2
SYSTEM WEIGHT	135 kg (permissible total weight)
WEIGHT	15 kg (without pedals)

LIFE STYLE 100

DRIVETRAIN	3x10 Shimano Deore XT
FRAME	28" Alloy 6061 ONROAD DISC TB T8610
FORK	Suntour NCX-E air LO DS 63mm
F. DERAILL.	Shimano T8000
R. DERAILL.	Shimano Deore XT T8000-SGS
SHIFTLEVER	Shimano Deore XT SL-T8000
CRANKSET	Shimano Deore T8000 48-36-26
SPROCKET	Shimano HG500-10 / 11-34
CHAIN	Shimano XT HG95
BRAKE	Shimano M8100 2-Piston
ROTOR	Shimano RT70 CL 180 / 160
WHEEL F	KTM Line - Shimano DH-UR7003D 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
WHEEL R	KTM Line - Shimano XF-FH-M8000 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
TIRE F	Schwalbe MARATHON RACER Perf RaceGuard 40-622
TIRE R	Schwalbe MARATHON RACER Perf RaceGuard 40-622
GRIP	Ergon GP30
BAR	KTM Comp Riser 15 640mm
STEM	KTM Comp 17"
HEADSET	KTM Team Trekking 1.1/8"-1.5" angle limit 15mm cover
SADDLE	Selle Royal Essenza
SEATPOST	KTM Comp 27.2
PEDAL	KTM Comp Tour VP-616 alloy
CARRIER	KTM Racktime light (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC IQ-XS 70 Lux
LIGHT R	B&M TOPLIGHT 2C Plus
FENDER	SKS A46R black matt
KICKSTAND	HEBIE 28" adjust
CHAINGUARD	HORN CATENA A08-48Z/3F
MODULE NO.	021210
CATEGORY	● 2
SYSTEM WEIGHT	135 kg (permissible total weight)
WEIGHT	14,5 kg (without pedals)

LIFE TOUR 101

DRIVETRAIN	3x10 Shimano Deore XT
FRAME	28" Alloy 6061 ONROAD DISC TB T8610
FORK	Suntour NCX-E air LO DS 63mm
F. DERAILL.	Shimano T8000
R. DERAILL.	Shimano Deore XT T8000-SGS
SHIFTLEVER	Shimano Deore XT SL-T8000
CRANKSET	Shimano Deore T8000 48-36-26
SPROCKET	Shimano HG500-10 / 11-34
CHAIN	Shimano XT HG95
BRAKE	Shimano MT4103 2-Piston
ROTOR	Shimano RT64 CL 180 / 160
WHEEL F	KTM Line - Shimano DH-UR7003 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
WHEEL R	KTM Line - Shimano XF-FH-M8000 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
TIRE F	Schwalbe MARATHON MONDIAL Perf RaceGuard 42-622
TIRE R	Schwalbe MARATHON MONDIAL Perf RaceGuard 42-622
GRIP	Ergon GP30
BAR	KTM Line Riser 20 640mm
STEM	KTM Line adjust. UP3
HEADSET	KTM Team Trekking 1.1/8"-1.5" angle limit 15mm cover
SADDLE	Selle Royal Essenza
SEATPOST	KTM Line SUSP 27.2
PEDAL	KTM Comp Tour VP-616 alloy
CARRIER	KTM Racktime tour (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC IQ-XS 70 Lux
LIGHT R	B&M TOPLIGHT 2C Plus
FENDER	SKS A46R black matt
KICKSTAND	HEBIE 28" adjust
CHAINGUARD	HORN CATENA A08-48Z/3F
MODULE NO.	021211
CATEGORY	● 2
SYSTEM WEIGHT	116kg (permissible total weight)
WEIGHT	15,5 kg (without pedals)

## ■ fire orange (black matt)

- ↙ 021203106 H 46cm
- ↙ 021203111 H 51cm
- ↙ 021203116 H 56cm
- ↙ 021203120 H 60cm
- ↙ 021203203 D 43cm
- ↙ 021203206 D 46cm
- ↙ 021203211 D 51cm

## ■ eve blue (silver)

- ↙ 021204106 H 46cm
- ↙ 021204111 H 51cm
- ↙ 021204116 H 56cm
- ↙ 021204120 H 60cm
- ↙ 021204203 D 43cm
- ↙ 021204206 D 46cm
- ↙ 021204211 D 51cm

## ■ met black (orange)

- ↙ 021205106 H 46cm
- ↙ 021205111 H 51cm
- ↙ 021205116 H 56cm
- ↙ 021205120 H 60cm
- ↙ 021205203 D 43cm
- ↙ 021205206 D 46cm
- ↙ 021205211 D 51cm
- ↙ 021205216 D 56cm

## ■ dark red (coral)

- ↙ 021205233 D 43cm
- ↙ 021205236 D 46cm
- ↙ 021205241 D 51cm
- ↙ 021205246 D 56cm

## ■ met black (orange)

- ↙ 021206106 H 46cm
- ↙ 021206111 H 51cm
- ↙ 021206116 H 56cm
- ↙ 021206120 H 60cm
- ↙ 021206203 D 43cm
- ↙ 021206206 D 46cm
- ↙ 021206211 D 51cm
- ↙ 021206216 D 56cm

## ■ black matt (grey+orange glossy)

- ↙ 021210111 H 51cm
- ↙ 021210116 H 56cm
- ↙ 021210120 H 60cm
- ↙ 021210206 D 46cm
- ↙ 021210211 D 51cm

## ■ dark copper (black matt)

- ↙ 021211111 H 51cm
- ↙ 021211116 H 56cm
- ↙ 021211120 H 60cm
- ↙ 021211206 D 46cm
- ↙ 021211211 D 51cm



## LIFE 1964 101

DRIVETRAIN	3x10 Shimano Deore XT
FRAME	28" Alloy 6061 ONROAD DISC TB T8610
FORK	Suntour NCX-E air L0 DS 63mm
F. DERAILL.	Shimano T6000
R. DERAILL.	Shimano Deore XT T8000-SGS
SHIFTLEVER	Shimano Deore SL-T6000
CRANKSET	Shimano T551 48-36-26
SPROCKET	Shimano HG500-10 / 11-34
CHAIN	Shimano Deore HG654
BRAKE	Shimano MT200 2-Piston
ROTOR	Shimano RT54 CL 160 / 160
WHEEL F	KTM Line - Shimano DH-3D72 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
WHEEL R	KTM Line - Shimano FH-M4050 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
TIRE F	Schwalbe MARATHON RACER Perf RaceGuard 40-622
TIRE R	Schwalbe MARATHON RACER Perf RaceGuard 40-622
GRIP	Ergon GP30
BAR	KTM Line Riser 20 640mm
STEM	KTM Line 17"
HEADSET	KTM Team Trekking 1.1/8"-1.5" angle limit 15mm cover
SADDLE	Selle Royal Essenza
SEATPOST	KTM Line Tour 27.2
PEDAL	KTM Comp Tour VP-616 alloy
CARRIER	KTM Racktime light (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC MYC 50Lux
LIGHT R	B&M TOPLIGHT 2C Plus
FENDER	SKS A46R black
KICKSTAND	KTM Rear 28" adjust
CHAINGUARD	HORN CATENA 16 482/3F
MODULE NO.	021212
CATEGORY	2
SYSTEM WEIGHT	115 kg (permissible total weight)
WEIGHT	15.2 kg (without pedals)

### black matt (orange+black glossy)

- 021212106 H 46cm
- 021212111 H 51cm
- 021212116 H 56cm
- 021212120 H 60cm

- 021212206 D 46cm
- 021212211 D 51cm
- 021212216 D 56cm

- 021212503 US 43cm
- 021212506 US 46cm
- 021212511 US 51cm
- 021212516 US 56cm

## LIFE FORCE 101

DRIVETRAIN	1x12 Sram SX
FRAME	28" Alloy 6061 ONROAD DISC TB T1455
FORK	Suntour NCX-D air L0 DS 63mm
F. DERAILL.	SRAM SX EAGLE
R. DERAILL.	SRAM SX EAGLE TRIGGER SHIFTER
SHIFTLEVER	SRAM SX EAGLE TRIGGER SHIFTER
CRANKSET	SRAM S650 EAGLE 38S
SPROCKET	SRAMEAGLE PG1210 / 11-50
CHAIN	SRAM NX EAGLE
BRAKE	Shimano MT201 2-Piston
ROTOR	Shimano RT30 CL 160 / 160
WHEEL F	KTM Line - Shimano DH-3D72 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0. INOX black
WHEEL R	KTM Line - Shimano FH-M4050 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0. INOX black
TIRE F	Schwalbe MARATHON RACER Perf RaceGuard 40-622
TIRE R	Schwalbe MARATHON RACER Perf RaceGuard 40-622
GRIP	Ergon GP10
BAR	KTM Line Riser 20 640mm
STEM	KTM Line 17"
HEADSET	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
SADDLE	Selle Royal Essenza
SEATPOST	KTM Line Tour 27.2
PEDAL	KTM Comp Tour VP-616 alloy
CARRIER	KTM Racktime light (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC MYC 50Lux
LIGHT R	B&M TOPLIGHT 2C Plus
FENDER	SKS A46R black
KICKSTAND	KTM Rear 28" adjust
CHAINGUARD	SKS CHAINBLADE 38T
MODULE NO.	021213
CATEGORY	2
SYSTEM WEIGHT	115 kg (permissible total weight)
WEIGHT	15.2 kg (without pedals)

### met denim (black)

- 021213106 H 46cm
- 021213111 H 51cm
- 021213116 H 56cm
- 021213120 H 60cm

- 021213206 D 46cm
- 021213211 D 51cm
- 021213216 D 56cm

- 021213503 E 43cm
- 021213506 E 46cm
- 021213511 E 51cm

## LIFE LITE 101

DRIVETRAIN	1x12 Sram SX
FRAME	28" Alloy 6061 ONROAD DISC TB T8610
FORK	Rigid alloy disc 28"
F. DERAILL.	SRAM SX EAGLE
R. DERAILL.	SRAM SX EAGLE TRIGGER SHIFTER
SHIFTLEVER	SRAM SX EAGLE TRIGGER SHIFTER
CRANKSET	SRAM S650 EAGLE 38S
SPROCKET	SRAMEAGLE PG1210 / 11-50
CHAIN	SRAM NX EAGLE
BRAKE	Shimano MT201 2-Piston
ROTOR	Shimano RT30 CL 160 / 160
WHEEL F	KTM Line - Shimano DH-3D37 CL 36H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
WHEEL R	KTM Line - Shimano FH-M4050 CL 32H QR KTM 28" 32H TOP DISC 622x19 RM 2.0/1.8 INOX black
TIRE F	Schwalbe MARATHON RACER Perf RaceGuard 40-622
TIRE R	Schwalbe MARATHON RACER Perf RaceGuard 40-622
GRIP	Ergon GP10
BAR	KTM Line Riser 20 640mm
STEM	KTM Line 17"
HEADSET	KTM Team Trekking 1.1/8"-1.5" angle limit 15mm cover
SADDLE	Selle Royal Essenza
SEATPOST	KTM Line Tour 27.2
PEDAL	KTM Comp Tour VP-616 alloy
CARRIER	KTM Racktime light (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC MYC 50Lux
LIGHT R	B&M TOPLIGHT 2C Plus
FENDER	SKS A46R black
KICKSTAND	KTM Rear 28" adjust
CHAINGUARD	SKS CHAINBLADE 38T
MODULE NO.	021214
CATEGORY	2
SYSTEM WEIGHT	114 kg (permissible total weight)
WEIGHT	14.2 kg (without pedals)

### oak (black)

- 021214106 H 46cm
- 021214111 H 51cm
- 021214116 H 56cm
- 021214120 H 60cm

- 021214206 D 46cm
- 021214211 D 51cm
- 021214216 D 56cm

- 021217503 E 43cm
- 021217506 E 46cm
- 021217511 E 51cm

### lightgrey matt (white+rose)

- 021217533 E 43cm
- 021217536 E 46cm
- 021217541 E 51cm

## LIFE SPACE 102

DRIVETRAIN	2x9 Shimano Deore XT
FRAME	28" Alloy 6061 ONROAD DISC T1454
FORK	Suntour NEX HLO DS 63mm
F. DERAILL.	Shimano Acera T3000
R. DERAILL.	Shimano Deore XT M772-SGS
SHIFTLEVER	Shimano Altus SL-M2010
CRANKSET	Shimano Alivio T4010 48-36-26
SPROCKET	Shimano HG201-9 / 11-34
CHAIN	Shimano HG53
BRAKE	Shimano MT201 2-Piston
ROTOR	Shimano RT30 CL 160 / 160
WHEEL F	KTM Line - Shimano DH-3D37 CL 36H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX505 CL 36H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
TIRE F	Schwalbe MARATHON G.G. TwinSkin 40-622
TIRE R	Schwalbe MARATHON G.G. TwinSkin 40-622
GRIP	Ergon GP30
BAR	KTM Line Riser 20 640mm
STEM	KTM Line adjust. COMPACT II
HEADSET	Ritchey Zero Logic PRESS FIT 1-1/8" 15mm cover
SADDLE	Selle Royal Essenza
SEATPOST	KTM Line 1B 27.2
PEDAL	KTM Comp Tour VP-616 alloy
CARRIER	KTM Racktime tour (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC Ivy Q n Plus LED
LIGHT R	B&M TOPLIGHT 2C Plus
FENDER	SKS A46R black
KICKSTAND	KTM Rear 28" adjust
CHAINGUARD	SKS CHAINBLADE 46/48T
MODULE NO.	021215
CATEGORY	2
SYSTEM WEIGHT	117 kg (permissible total weight)
WEIGHT	17.2 kg (without pedals)

### met black (cotto matt)

- 021215106 H 46cm
- 021215111 H 51cm
- 021215116 H 56cm
- 021215120 H 60cm

- 021215206 D 46cm
- 021215211 D 51cm

- 021215503 E 43cm
- 021215506 E 46cm
- 021215511 E 51cm

## LIFE RIDE 103

DRIVETRAIN	3x8 Shimano Acera
FRAME	28" Alloy 6061 ONROAD DISC T8340
FORK	Suntour NEX DS 63mm
F. DERAILL.	Shimano TV710
R. DERAILL.	Shimano Acera M360-SGSL
SHIFTLEVER	Shimano Altus SL-M2010
CRANKSET	Shimano TV501 48-38-28
SPROCKET	Shimano HG31-8 / 11-32
CHAIN	Shimano HG40
BRAKE	Shimano EF505 2-Piston
ROTOR	Shimano RT10 CL 160 / 160
WHEEL F	KTM Line - Shimano DH-3D37 CL 36H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX505 CL 36H QR KTM 28" 32H TOP DISC 622x19 RM 2.0 INOX silver
TIRE F	Schwalbe MARATHON G.G. K-Guard 42-622
TIRE R	Schwalbe CITIZEN K-Guard 42-622
GRIP	KTM Comp ERGO Lock
BAR	KTM Line Riser 20 640mm
STEM	KTM Line adjust. 25.4 180mm
HEADSET	KTM Line 309A 1 1/8" with conical cover
SADDLE	Selle Royal Rio Plus
SEATPOST	KTM Line 1B 27.2
PEDAL	KTM Onroad VPE-857 EPB
CARRIER	KTM Racktime tour (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC Upp N LED 30Lux
LIGHT R	Trelock DUO FLAT
FENDER	RPZ 28 46 black
KICKSTAND	KTM Center 24"-28" adjust
CHAINGUARD	SKS CHAINBLADE 46/48T
MODULE NO.	021216
CATEGORY	2
SYSTEM WEIGHT	137 kg (permissible total weight)
WEIGHT	16.5 kg (without pedals)

### black matt (orange shiny)

- 021216106 H 46cm
- 021216111 H 51cm
- 021216116 H 56cm
- 021216120 H 60cm

- 021216206 D 46cm
- 021216211 D 51cm

- 021216503 E 43cm
- 021216506 E 46cm
- 021216511 E 51cm

## LIFE TIME 103

DRIVETRAIN	2x9 Shimano Deore
FRAME	28" Alloy 6061 ONROAD T8010
FORK	Suntour NEX P 63mm
F. DERAILL.	Shimano Altus M370
R. DERAILL.	Shimano Deore M592-SGS
SHIFTLEVER	Shimano Altus SL-M2010
CRANKSET	Shimano Acera T3010 48-36-26
SPROCKET	Shimano HG201-9 / 11-34
CHAIN	Shimano HG53
BRAKE	Shimano BRT4000 V-Br
ROTOR	Shimano RT10 CL 160 / 160
WHEEL F	KTM Line - Shimano DH-C30003 36H Nut KTM 28" 36H DRAGON 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX500 36H QR KTM 28" 36H DRAGON 622x19 RM 2.0 INOX silver
TIRE F	Schwalbe CITIZEN K-Guard 42-622
TIRE R	Schwalbe CITIZEN K-Guard 42-622
GRIP	KTM Comp ERGO Lock
BAR	KTM Line Riser 20 640mm
STEM	KTM Line adjust. 25.4 180mm
HEADSET	KTM Line 309A 1 1/8" with conical cover
SADDLE	Selle Royal Rio Plus
SEATPOST	KTM Line 1B 27.2
PEDAL	KTM Onroad VPE-857 EPB
CARRIER	KTM Racktime tour (snap-it 1.0+2.0)
LIGHT F	B&M LUMOTEC Upp N LED 30Lux
LIGHT R	Trelock DUO FLAT
FENDER	RPZ 28 46 black matt
KICKSTAND	KTM Center 24"-28" adjust
CHAINGUARD	SKS CHAINBLADE 46/48T
MODULE NO.	021217
CATEGORY	2
SYSTEM WEIGHT	137 kg (permissible total weight)
WEIGHT	16.6 kg (without pedals)

### oak (black)

- 021217106 H 46cm
- 021217111 H 51cm
- 021217116 H 56cm
- 021217120 H 60cm

- 021217206 D 46cm
- 021217211 D 51cm

- 021217503 E 43cm
- 021217506 E 46cm
- 021217511 E 51cm


### lightgrey matt (white+rose)





- 021217236 D 46cm
- 021217241 D 51cm




- 021217533 E 43cm
- 021217536 E 46cm
- 021217541 E 51cm





## LIFE JOY 103

DRIUETRAIN	2x8 Shimano Altus
FRAME	28" Alloy 6061 ONROAD T8010
FORK	Suntour M3010 P 50mm
F. DERAILL.	Shimano TY710
R. DERAILL.	Shimano Altus M310DL
SHIFTLEVER	Shimano Altus ST-EF500
CRANKSET	Shimano TY301 48-38-28
SPROCKET	Shimano HG200-8 / 12-32
CHAIN	Shimano HG40
DRAKE	Tektro 837AL V-Br
ROTOR	
WHEEL F	KTM Line - Shimano DH-C30003 36H Nut KTM 28" 36H DRAGON 622x19 RM 2.0 INOX silver
WHEEL R	KTM Line - Shimano FH-TX5008 36H QR KTM 28" 36H DRAGON 622x19 RM 2.0 INOX silver
TIRE F	Impac STREETPAC TwinSkin 42-622
TIRE R	Impac STREETPAC TwinSkin 42-622
GRIP	KTM Line 1546A
BAR	KTM Line Riser 20 640mm
STEM	KTM Line 25.4 180mm
HEADSET	KTM Line 309A 1 1/8" with conical cover
SADDLE	Selle Royal Rio
SEATPOST	KTM Line 1B 27.2
PEDAL	KTM Onroad VPE-891 EPB
CARRIER	KTM Racktime tour (snap-it 1.0+2.0)
LIGHT F	AXA COMPACTLINE 20 LED 20Lux
LIGHT R	Trelock DUO FLAT
FENDER	RPZ 28 46 black
KICKSTAND	KTM Center 24"-28" adjust
CHAINGUARD	SKS CHAINBLADE 46/48T
MODULE NO.	021218
CATEGORY	● 2
SYSTEM WEIGHT	136kg (permissible total weight)
WEIGHT	16,2 kg (without pedals)










-  021218106 H 46cm
-  021218111 H 51cm
-  021218116 H 56cm
-  021218120 H 60cm

-  021218206 D 46cm
-  021218211 D 51cm
-  021218216 D 56cm

-  021218503 E 43cm
-  021218506 E 46cm
-  021218511 E 51cm
-  021218516 E 56cm






-  021218236 D 46cm
-  021218241 D 51cm
-  021218246 D 56cm



-  021218533 E 43cm
-  021218536 E 46cm
-  021218541 E 51cm
-  021218546 E 56cm

## KENT 106

	1x8 Shimano Nexus
	28" Alloy 6061 URBAN T9630
	Rigid alloy 28"
	Shimano NEXUS-8
	CARBON DRIVE 46
	CARBON DRIVE 22
	Belt CARBON DRIVE CDNB118
	Shimano RT10 CL 160
	Shimano RT10 CL 160 / 160
	KTM Line - Shimano 36H DH3D37 CL QR
	REMERX TOP DISC 36H 622x19
	RM 2.0 INOX, silver
	KTM Line - Shimano 36H NEXUS-8 Disc
	REMERX TOP DISC 36H 622x19
	RM 2.0 INOX, silver
	Schwalbe CITIZEN
	K-Guard 42-622
	Schwalbe CITIZEN
	K-Guard 42-622
	VELO VLG-649-1/AD2S Gel
	Black Line Riser 17 630mm
	Black Line 7"
	Ritchey Zero Logic
	PRESS FIT OE, 1-1/8", H:9.4mm
	KTM Line Urban
	Black Line 27.2
	KTM Onroad VPE-857 EPB
	KTM Racktime light (snap-it 1.0+2.0)
	Trelock BIKE-i VEO LS 233 LED
	Trelock DUO FLAT
	SKS A46R silver alloy
	KTM Center 24"-28" adjust
	021220
	● 2
	115kg (permissible total weight)
	14,8 kg (without pedals)







-  021220111 H 51cm
-  021220116 H 56cm
-  021220120 H 60cm



-  021220216 D 46cm
-  021220211 D 51cm

## OXFORD 107

	1x9 Shimano Altus
	28" Alloy 6061 URBAN T8620
	Rigid alloy 28"
	Shimano Altus M2000 SGS
	Shimano Altus SL-M2019
	Shimano NEXUS-7
	Suntour CW17 38
	Shimano 19
	KMC Z1 1/2"x3/32"
	Tektro 855AL V-Br
	Shimano DHC30003 36H Nut
	REMERX DRAGON 36H 622x19
	RM 2.0 INOX, silver
	KTM Line - Shimano 36H NEXUS-7
	REMERX DRAGON 36H 622x19
	RM 2.0 INOX, silver
	Schwalbe CITIZEN
	K-Guard 42-622
	Schwalbe CITIZEN
	K-Guard 42-622
	VELO VLG-1349
	Black Line Riser17 630mm
	BLACK Line 7"
	Ritchey Zero Logic
	PRESS FIT, 1-1/8", H:9.4mm
	KTM Line Urban
	Black Line 27.2
	KTM Onroad VPE-857 EPB
	KTM Racktime light (snap-it 1.0+2.0)
	Trelock BIKE-i VEO LS 233 LED
	Trelock DUO FLAT
	SKS A46R silver alloy
	KTM Center 24"-28" adjust
	021221
	● 2
	114 kg (permissible total weight)
	14 kg (without pedals)







-  021221111 H 51cm
-  021221116 H 56cm
-  021221120 H 60cm

-  021221206 D 46cm
-  021221211 D 51cm





## CITY LINE 28 108

	1x7 Shimano Nexus - Coasterbrake
	28" Alloy 6061 CITY LINE C7690-L
	Suntour CR8-V 50mm
	Shimano NEXUS-7
	Suntour CW17 38
	Shimano 19
	KMC Z1 1/2"x3/32"
	Tektro 855AL V-Br
	Shimano DHC30003 36H Nut
	REMERX DRAGON 36H 622x19
	RM 2.0 INOX, silver
	KTM Line - Shimano 36H NEXUS-7
	REMERX DRAGON 36H 622x19
	RM 2.0 INOX, silver
	Schwalbe CITIZEN
	K-Guard 42-622
	Schwalbe CITIZEN
	K-Guard 42-622
	VELO VLG-649-1/AD2S Gel
	KTM Line Riser 70 BS50 600mm
	KTM Line adjust. AL-828
	Head set VP MH-305C,
	ST D:1-1/8", H:20mm
	Selle Royal Rio City
	KTM Line SUSP 27.2
	KTM Onroad VPE-857 EPB
	KTM Racktime light (snap-it 1.0+2.0)
	Trelock BASIC LS 102 LED
	Trelock BIKE-i VEO LS 233 LED
	Trelock DUO FLAT
	RPZ 28 46 black matt
	KTM Center 24"-28" adjust
	HERRMANS SLYDE
	021230
	● 2
	117kg (permissible total weight)
	17,3 kg (without pedals)




-  021230503 D-W 43cm
-  021230506 D-W 46cm
-  021230511 D-W 51cm
-  021230516 D-W 56cm






-  021230533 D-W 43cm
-  021230536 D-W 46cm
-  021230541 D-W 51cm
-  021230546 D-W 56cm




## CITY FUN 28 109

	1x3 Shimano Nexus - Coasterbrake
	28" Alloy 6061 CITY FUN C7020
	Rigid steel 28"
	Shimano NEXUS-3
	Suntour CW17 38
	Shimano 19
	KMC Z1 1/2"x3/32"
	Tektro 855AL V-Br
	Shimano DHC30003 36H Nut
	REMERX DRAGON 36H 559x19
	RM 2.0 INOX, silver
	KTM Line - Shimano 36H NEXUS-3
	REMERX DRAGON 36H 559x19
	RM 2.0 INOX, silver
	Impac STREETPAC
	TwinSkin 47-559
	Impac STREETPAC
	TwinSkin 47-559
	VELO VLG-709-AD3
	KTM Line Riser 70 BS50 580mm
	KTM Line adjust. AL-828
	Head set VP MH-305C,
	ST D:1-1/8", H:20mm
	Selle Royal Rio City
	KTM Line 27.2
	KTM Onroad VPE-857 EPB
	KTM 28" Univeral
	Trelock BASIC LS 102 LED
	Trelock DUO FLAT
	RPZ 26 55 black matt
	KTM Center 24"-28" adjust
	HERRMANS SLYDE
	021232
	● 2
	115kg (permissible total weight)
	16,2 kg (without pedals)



-  021232503 D-W 43cm
-  021232506 D-W 46cm
-  021232511 D-W 51cm




-  021232533 D-W 43cm
-  021232536 D-W 46cm
-  021232541 D-W 51cm

## CITY FUN 26 109

	1x3 Shimano Nexus - Coasterbrake
	26" Alloy 6061 CITY FUN C7020
	Rigid steel 26"
	Shimano NEXUS-3
	Suntour CW17 38
	Shimano 19
	KMC Z1 1/2"x3/32"
	Tektro 855AL V-Br
	Shimano DHC30003 36H Nut
	REMERX DRAGON 36H 559x19
	RM 2.0 INOX, silver
	KTM Line - Shimano 36H NEXUS-3
	REMERX DRAGON 36H 559x19
	RM 2.0 INOX, silver
	Impac STREETPAC
	TwinSkin 47-559
	Impac STREETPAC
	TwinSkin 47-559
	VELO VLG-709-AD3
	KTM Line Riser 70 BS50 580mm
	KTM Line adjust. AL-828
	Head set VP MH-305C,
	ST D:1-1/8", H:20mm
	Selle Royal Rio City
	KTM Line 27.2
	KTM Onroad VPE-857 EPB
	KTM 26" Univeral
	Trelock BASIC LS 102 LED
	Trelock DUO FLAT
	RPZ 26 55 black matt
	KTM Center 24"-28" adjust
	HERRMANS SLYDE
	021233
	● 2
	115 kg (permissible total weight)
	14,9 kg (without pedals)





-  021233503 D-W 43cm





	<b>TOURELLA</b> <span>109</span>	<b>WILD SPEED 26</b> <span>112</span>	<b>WILD SPEED 24</b> <span>112</span>	<b>WILD CROSS 24</b> <span>113</span>	<b>WILD CROSS 24 STREET</b> <span>113</span>	<b>WILD CROSS 20</b> <span>113</span>
<b>DRIVETRAIN</b>	1x7 Shimano Nexus - Coasterbrake	1x9	1x9	1x7	1x7	1x7
<b>FRAME</b>	28" AL6061 CITY TOURELLA/ DELUXE LADY C7500-L	26" Light K1262, high quality aluminium tubes, full integrated	24" Light K1242, high quality aluminium tubes, full integrated	24" Light K1241, high quality aluminium tubes, full integrated	24" Light K1241, high quality aluminium tubes, full integrated	20" Light K1201, high quality aluminium tubes, full integrated
<b>FORK</b>	Rigid steel 28"	Suntour XCE 28 DS 26" 80mm	Suntour XCT JR L DS 24" 80mm	Light unicrown aluminium 24"	Light unicrown aluminium 24"	Light unicrown aluminium 20"
<b>R. DERAILL.</b>		SHIMANO Altus M2000-SGS	SHIMANO Altus M2000-SGS	SHIMANO RD-TY200-SS low cage	SHIMANO RD-TY200-SS low cage	SHIMANO RD-TY200-SS low cage
<b>SHIFTLEVER</b>	Shimano NEXUS-7	SHIMANO Altus SL-M2010-9R	SHIMANO Altus SL-M2010-9R	SHIMANO SL-RV200-7R easy shift	SHIMANO SL-RV200-7R easy shift	SHIMANO SL-RV200-7R easy shift
<b>CRANKSET</b>	LASCO RCF4 38	SAMOX Alloy 127mm 32T	SAMOX Alloy 127mm 32T	SAMOX Alloy 127mm 34Z	SAMOX Alloy 127mm 34Z	SAMOX Alloy 110mm 32Z
<b>SPROCKET</b>	Shimano 19	SHIMANO HG201-9 11-36T	SHIMANO HG201-9 11-36T	SHIMANO MF-TZ510-7 14-28T	SHIMANO MF-TZ510-7 14-28T	SHIMANO MF-TZ510-7 14-28T
<b>CHAIN</b>	KMC Z1 1/2"x3/32"	KMC Z9	KMC Z9	KMC Z7	KMC Z7	KMC Z7
<b>BRAKE</b>	Tektro 855AL V-Br	TEKTRO HD-J285 JUNIOR	TEKTRO HD-J285 JUNIOR	Ergonomic Alloy TEKTRO TS325-A with V-Brake 837-102mm	Ergonomic Alloy TEKTRO TS325-A with V-Brake 837-102mm	Ergonomic Alloy TEKTRO TS325-A with V-Brake 837-102mm
<b>ROTOR</b>		SHIMANO RT10 160 Centerlock / 160	SHIMANO RT10 160 Centerlock / 160			
<b>WHEEL F</b>	KTM Line - Shimano DHC30003 36H Nut REMEXR DRAGON 36H 622x19 RM 2.0 INOX silver	KTM Line - SHIMANO HB-TX505 CL 32H QR KTM YOUTH 26" alloy DISC 32H stainless steel spokes	KTM Line - SHIMANO HB-TX505 CL 32H QR KTM YOUTH 24" alloy DISC 32H stainless steel spokes	KTM Line - KT-A16F alloy ball bearing 24 H clean bolt / KTM YOUTH 24" alloy CNC 24H stainless steel spokes	KTM Line - KT-A16F alloy ball bearing 24 H clean bolt / KTM YOUTH 24" alloy CNC 24H / stainless steel spokes	KTM Line - KT-A16F alloy ball bearing 20 H clean bolt / KTM YOUTH 24" alloy CNC 24H / stainless steel spokes
<b>WHEEL R</b>	KTM Line - Shimano 36H NEXUS-7 REMEXR DRAGON 36H 622x19 RM 2.0 INOX silver	KTM Line - SHIMANO FH-TX505 CL 32H QR KTM YOUTH 26" alloy DISC 32H stainless steel spokes	KTM Line - SHIMANO FH-TX505 CL 32H QR KTM YOUTH 24" alloy DISC 32H stainless steel spokes	KTM Line - KT-A11R alloy ball bearing 24 H clean bolt / KTM YOUTH 24" alloy CNC 24H stainless steel spokes	KTM Line - KT-A11R alloy ball bearing 24 H clean bolt / KTM YOUTH 24" alloy CNC 24H / stainless steel spokes	KTM Line - KT-A11R alloy ball bearing 20 H clean bolt / KTM YOUTH 24" alloy CNC 20H / stainless steel spokes
<b>TIRE F</b>	Schwalbe FAT FRANK K-Guard, 50-622	SCHWALBE BLACK JACK 54-559 26x2.10	SCHWALBE BLACK JACK 47-507 24x1.90	SCHWALBE BLACK JACK 47-507 24x1.90	SCHWALBE BLACK JACK 47-507 24x1.90	SCHWALBE BLACK JACK 47-406 20x1.90
<b>TIRE R</b>	Schwalbe FAT FRANK K-Guard, 50-622	SCHWALBE BLACK JACK 54-559 26x2.10	SCHWALBE BLACK JACK 47-507 24x1.90	SCHWALBE BLACK JACK 47-507 24x1.90	SCHWALBE BLACK JACK 47-507 24x1.90	SCHWALBE BLACK JACK 47-406 20x1.90
<b>GRIP</b>	VELO VLG-649-1/AD2S Gel	KTM LINE 1546A	KTM YOUTH 184	KTM YOUTH 184	KTM YOUTH 184	KTM YOUTH 184
<b>BAR</b>	KTM Line Riser 70 BS50 600mm	KTM YOUTH alloy 20 riser wide 600mm	KTM YOUTH alloy 20 riser wide 560mm	KTM YOUTH alloy 40 riser wide 560mm	KTM YOUTH alloy 40 riser wide 560mm	KTM YOUTH alloy 30 riser wide 540mm
<b>STEM</b>	KTM Line 25.4 180mm	KTM YOUTH 50mm 7"	KTM YOUTH 50mm 7"	KTM YOUTH 50mm 7"	KTM YOUTH 50mm 7"	KTM YOUTH 50mm 7"
<b>HEADSET</b>	Head set NECO H129CPM D:1-1/8", H:20mm	KTM 1 1/8" press fit with 10mm conical spacer	KTM 1 1/8" press fit with 10mm conical spacer	KTM 1 1/8" press fit with 10mm conical spacer	KTM 1 1/8" press fit with 10mm conical spacer	KTM 1 1/8" press fit with 10mm conical spacer
<b>SADDLE</b>	Selle Royal Odina	KTM YOUTH MTB	KTM YOUTH MTB	KTM YOUTH MTB	KTM YOUTH MTB	KTM YOUTH MTB
<b>SEATPOST</b>	KTM Line 27.2	KTM YOUTH 27.2	KTM YOUTH 27.2	KTM YOUTH 27.2	KTM YOUTH 27.2	KTM YOUTH 27.2
<b>PEDAL</b>	KTM Onroad VPE-616 Alloy	KTM YOUTH ball bearing	KTM YOUTH ball bearing	KTM YOUTH ball bearing	KTM YOUTH ball bearing	KTM YOUTH ball bearing
<b>CARRIER</b>	KTM Racktime Tourella Carrier (Snap-it 1.0+2.0)					
<b>LIGHT F</b>	Trelock BIKE-i retro LS 583 LED				Sate-lite G1	
<b>LIGHT R</b>	AXA RIFF Steady				Sate-lite M4	
<b>FENDER</b>	RPZ 28 46 black matt				SKS VELO 55 JUNIOR	
<b>KICKSTAND</b>	KTM Center 24"-28" adjust				KTM Center 24" adjust	
<b>CHAINGUARD</b>	Horn CATENA A09					
<b>MODULE NO.</b>	021235	021240	021241	021242	021243	021244
<b>CATEGORY</b>	● 2	● 2	● 2	● 2	● 2	● 2
<b>SYSTEM WEIGHT</b>	117 kg (permissible total weight)	113 kg (permissible total weight)	62 kg (permissible total weight)	60 kg (permissible total weight)	60 kg (permissible total weight)	59 kg (permissible total weight)
<b>WEIGHT</b>	16.6 kg (without pedals)	12,6 kg (without pedals)	11,8 kg (without pedals)	9,8 kg (without pedals)	10,4 kg (without pedals)	8,9 kg (without pedals)


 **black matt (black glossy)**


-  021235406 TC 46cm
-  021235411 TC 51cm


 **mandarin (grey)**


-  021235436 TC 46cm
-  021235441 TC 51cm


 **met black (fire orange)**

-  021240100 34cm


 **met fire orange (black)**

-  021241100 31cm


 **met fire orange (white)**


-  021242100 31cm


 **met blue (white)**

-  021242130 31cm


 **metallic fire orange (white)**

-  021243100 31cm

 **met fire orange (white)**

-  021244100 27cm

 **met blue (white)**

-  021244130 27cm

	<b>WILD CROSS 16</b> <span>114</span>	<b>WILD CROSS 12</b> <span>115</span>	<b>WILD BUDDY 12</b> <span>115</span>	<b>WILD ONE 24</b> <span>116</span>	<b>WILD ONE 20</b> <span>116</span>	<b>COUNTRY STAR 26</b> <span>117</span>
<b>DRIVETRAIN</b>	1x1	1x1		3x6 Shimano TY200	1x6 Shimano TY200	3x7 Shimano Altus
<b>FRAME</b>	16" Light K1165, high quality aluminium tubes, full integrated	12" Light K1125, high quality aluminium tubes, full integrated	12" K1129, high quality aluminium tubes, full integrated	24" Alloy 6061 KID WILD ONE K7430	20" Alloy 6061 KID WILD ONE K7030	26" Alloy 6061 KID COUNTRY STAR K7680 430mm
<b>FORK</b>	Light unicrown aluminium 18"	Light unicrown aluminium 14"	Light unicrown aluminium 14"	Suntour M3010 P 24" 50mm	Suntour M3010 P 20" 50mm	Suntour NEX P 63mm
<b>F. DERAILL.</b>				Shimano TY500 TS		Shimano TY700 TS
<b>R. DERAILL.</b>				Shimano TY21-6	Shimano TY200	Shimano Altus M310DL
<b>SHIFTLEVER</b>				Shimano SL-RS36 6	Shimano SL-RS36 6	Shimano Altus ST-EF500
<b>CRANKSET</b>	SAMOX Alloy 80mm 25Z	SAMOX Alloy 80mm 25Z		Lasco CF5843 42/32/22 140	Lasco CF0136 36 127	Shimano TY501 42Ax34Ax24S 165
<b>SPROCKET</b>	Freewheel 15 T	Freewheel 15 T		Shimano FTZ500-6 / 14-28	Shimano FTZ500-6 / 14-28	Shimano TZ500-7 / 14-34
<b>CHAIN</b>	KMC S1	KMC S1		KMC Z7 1/2"x3/32"	KMC Z7 1/2"x3/32"	Shimano HG40
<b>BRAKE</b>	Ergonomic Alloy TEKTRO JL350-RS with V-Brake 837-102mm	Ergonomic Alloy TEKTRO JL350-RS with V-Brake 837-102mm	Ergonomic Alloy TEKTRO JL350-RS with V-Brake 837-102mm	Tektro 855AL V-Br	Tektro 855AL V-Br	Tektro 855AL V-Br
<b>WHEEL F</b>	KTM Line - WELLRUN alloy ball bearing 16 H clean bolt / KTM KID 18" alloy CNC 16H / stainless steel spokes	KTM Line - WELLRUN alloy ball bearing 16 H clean bolt / KTM KID 14" alloy CNC 16H / stainless steel spokes	KTM Line - WELLRUN alloy ball bearing 16 H clean bolt / KTM KID 14" alloy CNC 16H / stainless steel spokes	KTM Line - Shimano DHC30003 28H Nut / REMERX DRAGON 28H 507x19 / RM 2.0 INOX, silver	KTM Line - Shimano DHC30003 28H Nut / REMERX DRAGON 28H 406x19 / RM 2.0 INOX, silver	KTM Line - Shimano DHC30003 32H Nut REMERX DRAGON 32H 559x19 RM 2.0 INOX, silver
<b>WHEEL R</b>	KTM Line - WELLRUN alloy ball bearing 16 H clean bolt / KTM KID 16" alloy CNC 16H / stainless steel spokes	KTM Line - WELLRUN alloy ball bearing 16 H clean bolt / KTM KID 12" alloy CNC 16H / stainless steel spokes	KTM Line - WELLRUN alloy ball bearing 16 H clean bolt / KTM KID 12" alloy CNC 16H / stainless steel spokes	KTM Line - QUANDO 28H KT-A11R Nut / REMERX DRAGON 28H 507x19 / RM 2.0 INOX, silver	KTM Line - Formula 28H FM-31R / REMERX DRAGON 28H 406x19 / RM 2.0 INOX, silver	KTM Line - 32H QUANDO KT-A12R Nut REMERX DRAGON 32H 559x19 RM 2.0 INOX, silver
<b>TIRE F</b>	SCHWALBE BLACK JACK 47-355 18x1.90	SCHWALBE BIG APPLE 14x2.0	SCHWALBE BIG APPLE 14x2.0	Rubena V41 WALRUS 47-507	Rubena V41 WALRUS 47-406	Impac STREETPAC TwinSkin 47-559
<b>TIRE R</b>	SCHWALBE BLACK JACK 47-305 16x1.90	SCHWALBE BIG APPLE 12x2.0	SCHWALBE BIG APPLE 12x2.0	Rubena V41 WALRUS 47-507	Rubena V41 WALRUS 47-406	Impac STREETPAC TwinSkin 47-559
<b>GRIP</b>	KTM KID for 19mm bar (Non-toxic)	KTM KID for 19mm bar (Non-toxic)	KTM KID for 19mm bar (Non-toxic)	VELO VLG-184-6AD2	VELO VLG-184-6AD2	KTM Line 1546A
<b>BAR</b>	KTM KID alloy 40 riser wide 480mm for 19mm grips	KTM KID alloy 40 riser wide 480mm for 19mm grips	KTM KID alloy 40 riser wide 420mm for 19mm grips	KTM Line Riser 20 520mm	KTM Line Riser 20 520mm	KTM Line Riser 20 620mm
<b>STEM</b>	KTM KID 30/40mm 15"	KTM KID 30/40mm 15"	KTM KID 30/40mm 15"	E: 60mm, R: 15	E: 60mm, R: 15	KTM Line 17"
<b>HEADSET</b>	KTM 1" press fit with 10mm conical spacer	KTM 1" press fit with 10mm conical spacer	KTM slide bearing	Ahead set, semi-integr., water proof	Ahead set, semi-integr., water proof	Ritchey Zero Logic PRESS FIT OE, 1-1/8", H:9.4mm
<b>SADDLE</b>	KTM KID	KTM KID	KTM KID	KTM Line City JR	KTM Line City JR	Selle Royal Rio
<b>SEATPOST</b>	25.4 alloy integrated in the saddle	25.4 alloy integrated in the saddle	25.4 alloy integrated in the saddle	KTM Line 27.2	KTM Line 27.2	KTM Line 27.2
<b>PEDAL</b>	KTM KID ball bearing	KTM KID ball bearing		JR Pedal VPE-229	JR Pedal VPE-229	KTM Onroad VPE-891 EPB
<b>CARRIER</b>				KTM 24" Univeral	KTM 20" Univeral	KTM 26" Univeral
<b>LIGHT F</b>				AXA PIC015 SWITCH LED 15Lux	AXA PIC015 SWITCH LED 15Lux	AXA PIC015 SWITCH LED 15Lux
<b>LIGHT R</b>				Trelock DUO FLAT	Trelock DUO FLAT	Trelock DUO FLAT
<b>FENDER</b>				RPZ 24 55 black	RPZ 20 55 black	RPZ 26 55 black
<b>KICKSTAND</b>				KTM Center 24"-28" adjust	KTM Center 16"-20" adjust	KTM Rear 28" adjust
<b>CHAINGUARD</b>	Hebie Chainlooper	Hebie Chainlooper				CATENA COMPACT
<b>MODULE NO.</b>	021245	021246	021247	021250	021251	021252
<b>CATEGORY</b>	0	0	0	2	2	2
<b>SYSTEM WEIGHT</b>	36 kg (permissible total weight)	25 kg (permissible total weight)	24 kg (permissible total weight)	65 kg (permissible total weight)	63 kg (permissible total weight)	116 kg (permissible total weight)
<b>WEIGHT</b>	5,9 kg (without pedals)	5,4 kg (without pedals)	3,6 kg (without pedals)	14,5 kg (without pedals)	12,6 kg (without pedals)	16,2 kg (without pedals)

met fire orange (white)

021245100 16cm

met blue (white)

021245130 16cm

met purple (white)

021245160 16cm

met fire orange (white)

021246100 12cm

met blue (white)

021246130 12cm

met purple (white)

021246160 12cm

met fire orange (white)

021247100 12cm

met blue (white)

021247130 12cm

met berry (white)

021247160 12cm

metallic fire orange (black)

021250100 ATB 31cm

metallic fire orange (black)

021251100 ATB 29cm

metallic white (blue)

021252200 D 37cm

021252202 D 42cm

021252207 D 47cm

021252500 E 37cm


021252503 E 43cm


021252511 E 51cm




**WILD CAT 24** 117
**WILD CAT 20** 117

<b>DRIVETRAIN</b>	3x6 Shimano TY200	1x6 Shimano TY200
<b>FRAME</b>	24" Alloy 6061 KID WILD CAT 21 K7440, 350mm	20" Alloy 6061 KID WILD CAT 6 K7040, 305mm
<b>FORK</b>	Rigid steel 24"	Rigid steel 20"
<b>F. DERAILL.</b>	Shimano TY500 TS	
<b>R. DERAILL.</b>	Shimano TY200	Shimano TY200
<b>SHIFTLEVER</b>	Shimano SL-RS36 6	Shimano SL-RS36 6
<b>CRANKSET</b>	Lasco CF5843S -2/32/22 140	Lasco CF0136 36 127
<b>SPROCKET</b>	Shimano FTZ500-6 / 14-28	Shimano FTZ500-6 / 14-28
<b>CHAIN</b>	KMC Z7 1/2"x3/32"	KMC Z7 1/2"x3/32"
<b>BRAKE</b>	Tektro 855AL V-Br	Tektro 855AL V-Br
<b>WHEEL F</b>	KTM Line - Shimano ADHC30003 28H Nut / REMERX DRAGON 28H 507x19 / RM 2.0 INOX, silver	KTM Line - Shimano DHC30003 28H Nut REMERX DRAGON28H 406x19 RM 2.0 INOX, silver
<b>WHEEL R</b>	KTM Line - QUANDO 28H KT-A11R Nut / REMERX DRAGON 28H 507x19 / RM 2.0 INOX, silver	KTM Line - Formula 28H FM-31R Nut REMERX DRAGON28H 406x19 RM 2.0 INOX, silver
<b>TIRE F</b>	Rubena V41 WALRUS 47-507	Rubena V41 WALRUS 47-406
<b>TIRE R</b>	Rubena V41 WALRUS 47-507	Rubena V41 WALRUS 47-406
<b>GRIP</b>	VELO VLG-184-6AD2	VELO VLG-184-6AD2
<b>BAR</b>	KTM Line Riser 20 560mm	KTM Line Riser 20 520mm
<b>STEM</b>	E40mm, L:150mm	E40mm, L:150mm
<b>HEADSET</b>	Head set VP MH-305C, ST D:1-1/8", H:20mm	Head set VP MH-305C, ST D:1-1/8", H:20mm
<b>SADDLE</b>	KTM Line City JR	KTM Line City JR
<b>SEATPOST</b>	KTM Line 27.2	KTM Line 27.2
<b>PEDAL</b>	JR Pedal VPE-229	JR Pedal VPE-229
<b>CARRIER</b>	KTM 24" Univeral	KTM 20" Univeral
<b>LIGHT F</b>	AXA PICO15 SWITCH LED 15Lux	AXA PICO15 SWITCH LED 15Lux
<b>LIGHT R</b>	Trelock DUO FLAT	Trelock DUO FLAT
<b>FENDER</b>	RPZ 24 55 black	RPZ 20 55 black
<b>KICKSTAND</b>	KTM Center 24"-28" adjust	KTM Center 16"-20" adjust
<b>CHAINGUARD</b>	CATENA COMPACT	BELD
<b>MODULE NO.</b>	021253	021254
<b>CATEGORY</b>	 2	 2
<b>SYSTEM WEIGHT</b>	64 kg (permissible total weight)	62 kg (permissible total weight)
<b>WEIGHT</b>	13,9 kg (without pedals)	12 kg (without pedals)


 metallic white (ice blue)

 021253200 35cm

 metallic white (berry)

 021254200 30,5cm

# E-MTB GEO




GEO

164


	A / SIZE	B	C	D	E	F	G	H	I	J	K	L
MACINA PROWLER DIMMIX	43cm / 17" / M	430	590	76,5° (74,6°)	65°	100	442	1220	607	444	801	4
	48cm / 19" / L	450	610	76,5° (74,5°)	65°	110	442	1242	616	462	804	4
	53cm / 21" / XL	480	640	76,5° (74,4°)	65°	125	442	1275	630	489	808	4
MACINA KAPOHO PRESTIGE & MASTER & ELITE DIMMIX	43cm / 17" / M	430	589	76,8° (74,9°)	65,3°	100	442	1216	605	447	796	9
	48cm / 19" / L	450	609	76,8° (74,8°)	65,3°	110	442	1238	614	465	798	9
	53cm / 21" / XL	480	639	76,8° (74,8°)	65,3°	125	442	1271	627	492	805	9
MACINA KAPOHO 2971 & 2972 & 2973 DIMMIX	43cm / 17" / M	430	590	76,5° (74,6°)	66°	100	442	1206	607	444	804	7
	48cm / 19" / L	450	610	76,5° (74,5°)	66°	110	442	1228	616	462	807	7
	53cm / 21" / XL	480	640	76,5° (74,4°)	66°	125	442	1261	630	489	812	7
MACINA CHACANA 29"	43cm / 17" / M	430	585	74,5° (72,65°)	67°	120	476	1191	629	410	785	38
	48cm / 19" / L	450	605	74,5° (72,55°)	67°	125	476	1212	634	429	788	38
	53cm / 21" / XL	480	635	74,5° (72,45°)	67°	137	476	1243	645	456	791	38
MACINA LYCAN 27"	38cm / 15" / S	400	565	74,5° (72,4°)	66,5°	120	450	1150	595	400	767	15
	43cm / 17" / M	430	585	74,5° (72,3°)	67°	120	450	1164	598	419	766	15
	48cm / 19" / L	450	605	74,5° (72,2°)	67°	125	450	1185	603	438	770	15
	53cm / 21" / XL	480	635	74,5° (72,1°)	67°	137	450	1217	614	465	773	15





	A / SIZE	B	C	D	E	F	G	H	I	J	K	L
MACINA TEAM 291 & 292 & 293 & XL & LFC	43cm / 17" / M	430	589	73°	68,5°	120	465	1136	618	400	796	60
	48cm / 19" / L	480	605	73°	69°	125	465	1147	625	414	815	60
	53cm / 21" / XL	530	625	73°	69°	137	465	1167	636	430	842	60
	57cm / 22,5" / XXL	570	645	73°	69°	150	465	1188	649	447	866	60
MACINA RACE 29"	43cm / 17" / M	430	585	73°	70,5°	120	465	1096	618	396	745	62
	48cm / 19" / L	480	605	73°	71°	125	465	1111	625	414	761	62
	53cm / 21" / XL	530	625	73°	71°	137	465	1131	636	431	792	62
MACINA RACE 27"	38cm / 15" / S	400	570	73°	69,5°	120	445	1078	588	390	732	47
	43cm / 17" / M	430	575	73°	70°	125	445	1078	595	393	736	47
	48cm / 19" / L	480	595	73°	70°	137	445	1098	607	410	752	47
MACINA RIDE 29"	29cm / 17" / M	430	587	73°	70,5°	120	477	1118	638	392	789	62
	48cm / 19" / L	480	606	73°	71°	125	477	1131	645	409	804	62
	53cm / 21" / XL	530	627	73°	71°	137	477	1159	654	427	831	62
MACINA RIDE 27"	38cm / 15" / S	400	566	73°	69,5°	125	460	1092	606	380	763	47
	43cm / 17" / M	430	574	73°	70°	125	460	1094	608	388	770	47
	48cm / 19" / L	480	594	73°	70°	137	460	1115	619	405	792	47
MACINA TEAM 271 & 272	38cm / 15" / S	380	565	74°	69°	120	495	1103	583	408	755	47
	43cm / 17" / M	430	585	74°	69°	125	495	1114	588	417	766	47
	48cm / 19" / L	480	585	74°	69°	137	495	1125	599	423	794	47
	53cm / 21" / XL	530	615	74°	69°	150	495	1146	611	440	824	47
MACINA KAPOHO LTD DIMMIX	41cm / 16" / S	410	565	74°	66°	120	495	1210	623	389	831	7
	43cm / 17" / M	430	585	74°	66°	120	495	1230	624	409	831	7
	48cm / 19" / L	480	605	74°	66°	125	495	1251	628	428	852	7
	53cm / 21" / XL	530	625	74°	66°	137	495	1273	635	448	880	7
MACINA ACTION 27"	38cm / 15" / S	400	568	73°	69°	125	445	1087	587	388	737	47
	43cm / 17" / M	430	575	73°	70°	125	445	1089	590	395	746	47
	48cm / 19" / L	480	593	73°	70°	137	445	1108	601	410	775	47
MACINA MINI ME	34cm / 13,5"	340	529	72,5°	70°	120	432	1016	518	366	677	40

# E-TREKKING GEO




GEO

166

A / SIZE	B	C	D	E	F	G	H	I	J	K	L	
MACINA AERA 271 & 271 LFC MACINA GRAN 271	43cm / XS	430	570	73°	69°	137	452	1092	606	385	487	55
	46cm / S	460	580	73°	70°	137	452	1091	610	393	487	55
	51cm / M	510	595	73°	70°	155	452	1107	627	403	487	55
	56cm / L	560	610	73°	70°	174	452	1123	645	413	487	55
	60cm / XL	600	630	73°	70°	190	452	1144	660	428	487	55
MACINA AERA P272 & P272 LFC MACINA GRAN P272	43cm / XS	430	580	71°	69,5°	160	492	1125	629	373	423	55
	46cm / S	460	590	71°	70°	160	492	1127	631	379	423	55
	51cm / M	510	605	71°	70°	174	492	1137	644	385	423	55
	56cm / L	560	626	71°	70°	190	492	1156	660	398	423	55
MACINA CROSS 610 & 620 MACINA SPORT 610 & 620 & 630 MACINA STYLE 610 & 620 & 630 & XL	46cm / S	460	575	73°	70,5°	120	452	1077	582	397	796	55
	51cm / M	510	588	73°	70,5°	137	452	1090	599	405	819	55
	56cm / L	560	599	73°	70,5°	155	452	1102	615	411	851	55
	60cm / XL	600	615	73°	70,5°	174	452	1120	633	422	877	55
	MACINA CROSS P610 & LFC MACINA TOUR P610 & P510	46cm / S	460	580	73°	70,5°	120	474	1104	584	401	791
51cm / M		510	590	73°	70,5°	137	474	1115	600	407	814	55
56cm / L		560	600	73°	70,5°	155	474	1125	617	411	846	55
60 / XL		600	615	73°	70,5°	174	474	1141	635	421	873	55
MACINA CROSS P510 STREET	46cm / S	460	575	73°	70,5°	120	463	1088	582	397	787	55
	51cm / M	510	588	73°	70,5°	137	463	1101	599	405	819	55
	56cm / L	560	599	73°	70,5°	155	463	1113	615	411	852	55
	60cm / XL	600	615	73°	70,5°	174	463	1130	633	422	881	55
MACINA CROSS 610 & 620 MACINA SPORT 610 & 620 & 630	46cm / S	460	578	73,6°	70,6°	137	452	1084	606	400	481	60
	51cm / M	510	593	73,6°	70,6°	155	452	1107	622	410	481	60
	56cm / L	560	608	73,6°	70,6°	174	452	1116	640	420	481	60
	60cm / XL	600	628	73,6°	70,6°	190	452	1137	655	435	481	60
MACINA SPRINT	46cm / S	460	575	73°	70,5°	120	452	1077	582	397	781	55
	51cm / M	510	588	73°	70,5°	137	452	1090	599	405	813	55
	56cm / L	560	599	73°	70,5°	155	452	1102	615	411	846	55
	60cm / XL	600	615	73°	70,5°	174	452	1120	633	422	874	55
MACINA FUN A510	46cm / S	460	575	73°	71°	120	463	1081	584	396	787	55
	51cm / M	510	588	73°	71°	137	463	1094	601	405	818	55
	56cm / L	560	599	73°	71°	155	463	1106	618	411	851	55
	60cm / XL	600	615	73°	71°	174	463	1123	636	422	880	55
MACINA GRAN 291	43cm / M	430	589	73°	68,5°	120	465	1136	618	400	796	60
	48cm / L	480	605	73°	69°	125	465	1147	625	414	815	60
	53cm / XL	530	625	73°	69°	137	465	1167	636	430	842	60
	57cm / XXL	570	645	73°	69°	150	465	1188	649	447	866	60
MACINA GRAN 292	43cm / M	430	587	73°	70,5°	120	488	1129	638	392	785	62
	48cm / L	480	606	73°	71°	125	488	1142,5	645	409	800	62
	53cm / XL	530	627	73°	71°	137	488	1164	656	426	827	62
	57cm / XXL	570	645	73°	71°	150	488	1183	669	441	852	62






A / SIZE	B	C	D	E	F	G	H	I	J	K	L	
<b>MACINA STYLE 610 &amp; 620 &amp; 630 &amp; XL US</b>	43cm / XS 46cm / S 51cm / M 56cm / L	430 460 510 560	577 591 603 622	71,5° 71° 71° 71°	69,5° 70° 70° 70°	160 160 174 190	474 474 474 474	1095 1101 1112 1130	622 625 638 653	370 382 387 400	412 412 412 412	60 60 60 60
<b>MACINA CITY 5 ABS BELT &amp; 610 BELT</b>												
<b>MACINA TOUR P610 &amp; P510 US</b>	43cm / XS 46cm / S 51cm / M 56cm / L	430 460 510 560	580 590 600 615	71,5° 71,5° 71,5° 71,5°	69,5° 70° 70° 70°	160 160 174 190	474 474 474 474	1097 1101 1111 1127	622 624 638 653	372 381 387 397	412 412 412 412	60 60 60 60
<b>MACINA CITY P610 RT &amp; P610 &amp; A510 RT &amp; A510</b>												
<b>MACINA CITY XL RT &amp; XL US</b>	43cm / XS 46cm / S 51cm / M 56cm / L	430 460 510 560	577 591 603 622	71,5° 71° 71° 71°	69,5° 70° 70° 70°	160 160 174 190	474 474 474 474	1095 1101 1112 1130	622 625 638 653	370 382 387 400	409 409 409 409	60 60 60 60
<b>MACINA FUN P510 &amp; A510 US</b>	43cm / XS 46cm / S 51cm / M 56cm / L	430 460 510 560	590 597 605 620	71,5° 71,5° 71,5° 71,5°	69,5° 70° 70° 70°	160 160 174 190	492 492 492 492	1111 1113 1123 1141	623 625 638 653	375 381 387 400	421 421 421 421	60 60 60 60
<b>MACINA CENTRAL 5 RT &amp; 5 &amp; 7 RT &amp; 7</b>												
<b>MACINA FOLD</b>	uni-size	400	615	72°	71°	165	422	1109	435	489	390	+20*
<b>MACINA MILA</b>	46cm / S 51cm / M 56cm / L 60cm / XL	460 510 560 600	575 588 599 615	73° 73° 73° 73°	70,5° 70,5° 70,5° 70,5°	120 137 155 174	452 452 452 452	1077 1090 1102 1120	582 599 615 633	397 405 411 422	776 805 835 862	55 55 55 55
<b>MACINA CROSS 510 &amp; LFC</b>	43cm / XS 46cm / S 51cm / M 56cm / L	430 460 510 560	564 575 590 602	73° 73° 73° 73°	69,5° 70,5° 70,5° 70,5°	137 137 155 174	452 452 452 452	1077 1078 1093 1106	596 600 617 635	382 392 401 408	487 487 487 487	55 55 55 55
<b>MACINA SPRINT</b>												
<b>MACINA SPORT 510 &amp; 520</b>												
<b>MACINA GRAN 610 &amp; 510</b>	46cm / S 51cm / M 56cm / L 60cm / XL	460 510 560 600	575 588 599 615	73° 73° 73° 73°	70,5° 70,5° 70,5° 70,5°	120 137 155 174	464 464 464 464	1189 1103 1115 1132	582 599 615 633	397 405 411 422	796 819 851 877	55 55 55 55
<b>MACINA SCOUT 271 &amp; 271 LFC</b>	43cm / XS 46cm / S 51cm / M 56cm / L	430 460 510 560	582 590 603 622	73° 73° 73° 73°	69,5° 70° 70° 70°	160 160 174 190	474 474 474 474	1108 1103 1115 1134	630 635 648 663	372 378 384 397	411 411 411 411	55 55 55 55
<b>MACINA CROSS 510 &amp; LFC</b>	46cm / S 51cm / M 56cm / L 60cm / XL	460 510 560 600	575 588 599 615	73° 73° 73° 73°	70,5° 70,5° 70,5° 70,5°	120 137 155 174	452 452 452 452	1077 1090 1102 1120	582 599 615 633	397 405 411 422	776 805 835 862	55 55 55 55
<b>MACINA SPORT 510</b>												
<b>MACINA TOUR 510</b>												

\*Tretlager-  
Überhöhung


# E-ROAD GEO



A / SIZE	B	C	D	E	F	G	H	I	J	K	L
44,5 / S	445	535	74°	71,5°	150	420	1000	553	377	737	72
48 / M	480	555	73,5°	72°	170	420	1010	574	385	764	72
52 / L	520	575	73°	72,5°	190	420	1020	594	393	792	72
55 / XL	550	595	73°	72,5°	205	420	1040	609	409	815	72


MACINA MEZZO

# E-KIDS GEO




A / SIZE	B	C	D	E	F	G	H	I	J	K	L	
MACINA MINI ME 26"	35cm	350	540	74°	69°	110	450	1159	547	383	716	40
MACINA MINI ME 24"	35cm	350	520	74°	69°	110	420	1009	523	370	679	40






A / SIZE	B	C	D	E	F	G	H	I	J	K	L	
PROWLER 29"	43cm / 17" / M	430	590	76°(70,6°)	66°	90	436	1190	610	440	810	27
	48cm / 19" / L	450	610	76°(71°)	66°	105	436	1213	624	456	810	27
	53cm / 21" / XL	480	640	76°(71,5°)	66,5°	120	436	1245	638	483	810	27
SCARP MT 29"	38cm / 15" / S	380	583	74°(69°)	67,5°	95	435	1131	593	413	790	38
	43cm / 17" / M	430	603	74°(69,5°)	67,5°	105	435	1152	603	431	790	38
	48cm / 19" / L	480	623	74°(70°)	67,5°	115	435	1174	612	448	790	38
	53cm / 21" / XL	530	643	74°(70,5°)	67,5°	125	435	1195	622	466	796	38
SCARP 29"	38cm / 15" / S	380	580	75°(70°)	68,5°	95	435	1124	586	423	780	45
	43cm / 17" / M	430	600	75°(70,5°)	68,5°	105	435	1145	596	440	780	45
	48cm / 19" / L	480	620	75°(71°)	68,5°	115	435	1166	605	458	780	45
	53cm / 21" / XL	530	640	75°(71,5°)	68,5°	125	435	1187	614	475	786	45
SCARP 294	43cm / 17" / M	430	600	74,5/72,7°	70°	105	441	1129	603	433	775	45
	48cm / 19" / L	480	620	74,5/72,9°	70°	115	441	1149	612	450	772	45
	53cm / 21" / XL	530	640	74,5/73°	70°	125	441	1170	621	468	771	45



	A / SIZE	B	C	D	E	F	G	H	I	J	K	L
MYROON 29"	38cm / 15" / S	380	580	74,5/73°	71°	95	430	1074	599	414	761	70
	43cm / 17" / M	430	600	74,5/73°	71°	105	430	1095	608	431	772	70
	48cm / 19" / L	480	620	74,5/73°	71°	115	430	1116	618	449	803	70
	53cm / 21" / XL	530	640	74,5/73°	71°	125	430	1136	627	466	832	70
ULTRA EVO DIMMIX	38cm / 15" / S	360	582	74,3°	65,8°	90	440	1143	589	417	715	60
	43cm / 17" / M	410	602	74,3°	65,8°	90	440	1163	590	443	733	60
	48cm / 19" / L	460	622	74,3°	65,8°	105	440	1185	604	452	764	60
	53cm / 21" / XL	510	642	74,3°	65,8°	120	440	1208	618	468	796	60
	57cm / 22,5" / XXL	550	662	74,3°	65,8°	140	440	1231	636	483	824	60
ULTRA 29" ULTRA GLORINETTE 29" CHICAGO 29"	38cm / 15" / S	380	575	74°	69°	100	440	1088	605	401	762	70
	43cm / 17" / M	430	595	74°	69°	110	440	1109	614	419	769	70
	48cm / 19" / L	480	615	74°	69°	125	440	1131	629	435	799	70
	53cm / 21" / XL	530	635	74°	69°	140	440	1152	642	451	831	70
	57cm / 22,5" / XXL	570	650	74°	69°	160	440	1169	661	460	860	70
CHICAGO STREET 29"	38cm / 15" / S	400	570	73°	70,5°	120	455	1070	616	381	782	62
	43cm / 17" / M	430	589	73°	70,5°	120	455	1090	617	401	791	62
	48cm / 19" / L	480	607	73°	71°	125	455	1102	623	416	818	62
	53cm / 21" / XL	530	626	73°	71°	137	455	1122	634	432	847	62
CHICAGO 27" ULTRA 27"	32cm / 12,5" / XS	320	560	74°	68,5°	100	435	1081	545	404	710	45
	38cm / 15" / S	380	575	74°	68,5°	110	435	1097	555	416	717	45
	43cm / 17" / M	430	595	74°	68,5°	125	435	1118	569	432	747	45
	48cm / 19" / L	480	615	74°	68,5°	140	435	1140	582	448	777	45
	53cm / 21" / XL	530	635	74°	68,5°	160	435	1162	601	463	811	45
CHICAGO STREET 27"	36cm / 14" / S	380	554	73°	70°	120	435	1046	589	374	751	47
	43cm / 17" / M	430	575	73°	70°	125	435	1067	593	393	776	47
	48cm / 19" / L	480	594	73°	70°	137	435	1087	605	409	805	47
	53cm / 21" / XL	530	612	73°	70°	150	435	1105	617	423	835	47
ULTRA GLORINETTE 27" PENNY LANE 27"	32cm / 12,5" / XS	320	560	73°	68,5°	110	435	1071	555	390	714	45
	37cm / 15" / S	370	565	73°	68,5°	125	435	1077	569	391	724	45
	42cm / 17" / M	420	585	73°	68,5°	140	435	1099	582	407	751	45
	47cm / 19" / L	470	605	73°	68,5°	160	435	1120	601	421	783	45
	52cm / 21" / XL	520	625	73°	68,5°	180	435	1142	620	436	814	45
PENNY LANE STREET 27"	35cm / 13,5" / S	350	547	72°	70°	125	435	1018	597	353	682	47
	42cm / 16,5" / M	420	559	72°	71°	137	435	1030	611	361	723	47
	47cm / 18,5" / L	470	590	72°	71°	155	435	1061	625	387	748	47
	52cm / 20,5" / XL	520	596	72°	71°	160	435	1065	636	390	793	47

# ROAD GEO



GEO


172

	A / SIZE	B	C	D	E	F	G	H	I	J	K	L
REVELATOR LISSE	49cm / XS	440	517	76°	72°	100	410	982	526	386	733	72
	52cm / S	470	537	76°	72.5°	115	410	999	542	402	755	72
	55cm / M	500	557	75.5°	72.5°	130	410	1014	556	413	777	72
	57cm / L	520	570	75°	73°	140	410	1019	565	419	793	70
	59cm / XL	540	583	74.5°	73°	155	410	1028	576	423	810	68
REVELATOR ALTO	49cm / XS	490	510	75.5°	71.5°	130	410	975	533	372	742	72
	52cm / S	520	530	75.5°	72°	145	410	992	549	388	760	72
	55cm / M	550	550	75°	72°	160	410	1010	564	402	781	72
	57cm / L	570	563	74.5°	72.5°	170	410	1012	573	404	792	70
	59cm / XL	590	576	74°	72.5°	185	410	1021	585	408	809	68
X-STRADA MASTER	52cm / S	470	530	75°	71.5°	145	425	1007	558	380	785	72
	55cm / M	500	550	74.5°	71.5°	160	425	1023	572	391	805	72
	57cm / L	520	563	74°	72°	170	425	1027	582	396	821	70
X-STRADA 710 & 720 & LFC & 730 FIT	49cm / XS	490	530	75°	69°	95	430	1038	566	378	773	72
	52cm / S	520	540	75°	70°	100	430	1039	575	386	788	72
	55cm / M	550	560	74.5°	71°	115	430	1044	593	396	806	72
	57cm / L	570	580	74°	71°	130	430	1061	605	406	821	70
	59cm / XL	590	600	73.5°	71°	145	425	1076	618	417	831	68



# TREKKING OFFROAD

## GEO




**A / SIZE**    **B**    **C**    **D**    **E**    **F**    **G**    **H**    **K<sup>1</sup>**    **K<sup>2</sup>**    **L**

LIFE RACE / LIFE 1964 CROSS / LIFE ACTION /  
LIFE CROSS / LIFE ROAD / LIFE TRACK /  
LIFE TRACK STREET

43cm / XS	430	564	73°	70,5°	120	440	1052		678	55
46cm / S	460	575	73°	70,5°	120	440	1063	786	675	55
51cm / M	510	588	73°	70,5°	137	440	1077	815	677	55
56cm / L	560	599	73°	70,5°	155	440	1089	847	678	55
60cm / XL	600	616	73°	70,5°	174	440	1106	874		55
63cm / XXL	630	633	73°	70,5°	190	440	1124	897		55


# TREKKING ONROAD

## GEO




**A / SIZE**    **B**    **C**    **D**    **E**    **F**    **G**    **H**    **K<sup>1</sup>**    **K<sup>2</sup>**    **L**

LIFE STYLE / LIFE TOUR / LIFE 1964 / LIFE FORCE / LIFE LITE	46cm / S	460	575	73°	71°	120	452	1070	788	678	55
	51cm / M	510	588	73°	71°	137	452	1084	814	680	55
	56cm / L	560	600	73°	71°	155	452	1096	846	682	55
	60cm / XL	600	616	73°	71°	174	452	1113	874		55
LIFE 1964	43cm / S	430	579	71,5°	70°	150	474	1088	422		60
	46cm / S	460	590	71,5°	70°	160	474	1100	422		60
	51cm / M	510	600	71,5°	70°	174	474	1110	422		60
	56cm / L	560	618	71,5°	70°	190	474	1128	460		60
LIFE FORCE / LIFE SPACE	43cm / XS	430	579	71,5°	70°	150	474	1088	469		60
	46cm / S	460	590	71,5°	70°	160	474	1100	468		60
	51cm / M	510	600	71,5°	70°	174	474	1110	482		60
	56cm / L	560	618	71,5°	70°	190	474	1128	479		60
LIFE TIME / LIFE JOY	46cm / S	460	575	73°	70,5°	120	452	1075	790	706	55
	51cm / M	510	588	73°	70,5°	137	452	1089	816	710	55
	56cm / L	560	600	73°	70,5°	155	452	1101	848	719	55
	60cm / XL	600	616	73°	70,5°	174	452	1119	875		55
LIFE TIME / LIFE JOY E	43cm / XS	430	577	71,5°	70°	150	474	1088	469		60
	46cm / S	460	595	71,5°	70°	160	474	1100	467		60
	51cm / M	510	596	71,5°	70°	174	474	1110	482		60
	56cm / L	560	618	71,5°	70°	190	474	1128	480		60
LIFE RIDE	46cm / S	460	575	73°	71°	120	452	1069	780	706	55
	51cm / M	510	588	73°	71°	137	452	1084	820	714	55
	56cm / L	560	600	73°	71°	155	452	1096	851		55
	60cm / XL	600	616	73°	71°	174	452	1114	878		55
LIFE RIDE E	43cm / XS	430	579	71,5°	70°	150	474	1088	469		60
	46cm / S	460	590	71,5°	70°	160	474	1100	468		60
	51cm / M	510	600	71,5°	70°	174	474	1110	482		60
LIFE STYLE / LIFE TOUR / LIFE 8 BELT / LIFE 1964 / LIFE FORCE / LIFE LITE / LIFE SPACE LADY	46cm / S	460	575	73°	71°	120	452	1070	678		55
	51cm / M	510	588	73°	71°	137	452	1084	680		55
	56cm / L	560	600	73°	71°	155	452	1096	682		55
LIFE TIME / LIFE JOY LADY	43cm / XS	430	564	73°	70,5°	120	452	1064	706		55
	46cm / S	460	575	73°	70,5°	120	452	1075	706		55
	51cm / M	510	588	73°	70,5°	137	452	1089	710		55
	56cm / L	560	600	73°	70,5°	155	452	1101	719		55
LIFE RIDE LADY	46cm / S	460	575	71°	73°	120	452	1069	706		55
	51cm / M	510	588	71°	73°	137	452	1084	714		55
LIFE TIME / LIFE JOY LADY C	46cm / S	460	583	72°	70,5°	160	452	1070	667		60
	51cm / M	510	599	72°	71°	174	452	1081	674		60



	A / SIZE	B	C	D	E	F	G	H	K	L
KENT / OXFORD MAN	51cm / M	510	586	73°	71,5°	155	445	1073	796	60
	56cm / L	560	597	73°	71,5°	174	445	1096	827	60
	60cm / XL	600	612	73°	71,5°	190	445	1114	852	60
KENT / OXFORD LADY	46cm / S	460	574	73°	71,5°	137	445	1069	681	60
	51cm / M	510	586	73°	71,5°	155	445	1073	689	60
CITY LINE 28 WAVE	43cm / XS	430	582	71,5°	68,5°	160	482	1106	396	80
	46cm / S	460	594	71,5°	68,5°	174	482	1120	396	80
	51cm / M	510	612	71,5°	68,5°	190	482	1138	400	80
	56cm / L	540	625	71,5°	68,5°	190	482	1151	400	80
CITY FUN 28 WAVE	43cm / XS	430	600	72,6°	70°	160	482	1091	386	69
	46cm / S	460	612	72,6°	70°	174	482	1103	388	69
	51cm / M	510	620	72,6°	70°	190	482	1113	388	69
CITY FUN 26 WAVE	43cm / XS	430	576	72,6°	70°	160	458	1055	372	51
TOURELLA	46cm / S	460	603	71°	70°	180	468	1113	453	65
	51cm / M	510	623	71°	70°	200	468	1133	452	65





	A / SIZE	B	C	D	E	F	G	H	I	J	K	L
WILD SPEED DISC 26	34cm / 152	340	530	70°	73°	90	430	1017	532	368	698	40
WILD SPEED DISC 24	31cm / 128	310	500	70°	72°	90	410	958	508	335	663	35
WILD CROSS 24 & 24 STREET	31cm / 128	310	500	70°	72°	120	410	953	495	339	650	45
WILD SPEED DISC 20	27cm / 116	270	430	69°	72°	80	350	833	432	289	545	35
WILD CROSS 20	27cm / 116	270	430	69°	72°	100	350	830	421	293	533	40
WILD CROSS 16	23cm / 104	230	400	69°	68°	100	317	723	399	239	410	30
WILD CROSS 12	18cm / 92	180	340	69°	68°	100	266	629	322	213	338	+10
WILD BUDDY	12cm / 86	160	350	71°	68°	100	220	572	357	227	271	40
WILD ONE 24	31cm / 128	310	484	72.5°	70°	100	420	954	509	324	633	50
WILD ONE 20	29cm / 116	290	410	73°	71°	100	365	829	437	277	573	15
WILDCAT 24	35cm / 128	350	522	73°	71°	120	400	979	487	374	412	25
WILDCAT 20	30.5cm / 116	305	442	73°	71°	100	360	860	409	317	356	15
COUNTRY STAR E	37cm / XS	370	555	71.5°	70°	137	435	1035	574	363	444	35
	43cm / S	430	574	71.5°	70°	160	435	1054	596	375	446	35
	51cm / L	510	587	71.5°	70°	160	435	1068	594	388	461	35
COUNTRY STAR LADY	37cm / XS	370	541	72°	71°	125	430	1009	564	358	635	35
	42cm / S	420	561	72°	71°	137	430	1029	576	374	648	35
	47cm / M	470	578	72°	71°	155	430	1046	593	385	649	35

# YOUR FRAME SIZE 2021

## IHRE RAHMENGRÖSSE 2021



BODY HEIGHT KÖRPERGRÖSSE	140 – 154 cm	155 – 164 cm	165 – 169 cm	170 – 174 cm	175 – 179 cm	180 – 184 cm	185 – 189 cm	190 – 194 cm	195 – 200 cm
<b>MTB FULLY</b>	S <sub>38 cm</sub>	M <sub>43 cm</sub>	L <sub>48 cm</sub>	XL <sub>53 cm</sub>					
<b>MTB HARDTAIL MAC. GRAN (Man)</b>	XS <sub>32 cm</sub>	S <sub>35-38 cm</sub>	M <sub>42/43 cm</sub>	L <sub>47/48 cm</sub>	XL <sub>52/53 cm</sub>	XXL <sub>57 cm</sub>			
<b>ROAD (E)</b>	XS <sub>49 cm</sub>	S <sub>52 (44,5) cm</sub>	M <sub>55 (48) cm</sub>	L <sub>57 (52) cm</sub>	XL <sub>59 (55) cm</sub>				
<b>TREKKING CITY/URBAN</b>	XS <sub>43 cm</sub>	S <sub>46 cm</sub>	M <sub>51 cm</sub>	L <sub>56 cm</sub>	XL <sub>60 cm</sub>	XXL <sub>63 cm</sub>			
<b>KIDS/YOUTH KINDER/JUGEND</b>	86 (1½+)	92 (2+)	104 (4+)	116 (6+)	128 (8+)	152 (12+)			
<b>CLOTHING SIZE (Age) KLEIDUNGSGRÖSSE (Alter)</b>	10"	12"	16"	20"	24"	26"			
<b>WHEEL SIZE REIFENGRÖSSE</b>									

Note: This chart provides you only a rough indication!  
Achtung: Diese Tabelle dient nur zur ungefähren Bestimmung!



**MADE IN AUSTRIA.  
MADE FOR YOU.**





 **KTMBIKESOFFICIAL**  
 **KTMBIKEINDUSTRIES**  
**#WEBLEEDORANGE**





B I K E S  
M A D E I N  
A U S T R I A  
S I N C E  
1 9 6 4

**KTM FAHRRAD  
GMBH**

Harlochnerstraße 13  
5230 Mattighofen  
Austria

**KTM-BIKES.AT**

**KTM FAHRRAD  
DEUTSCHLAND GMBH**

Adolf-Kolping-Straße 34  
D-84359 Simbach am Inn  
Germany